QUALITY | INNOVATION | SATISFACTION



LIGHTING
AUTO BODY
ELECTRICAL
HAND TOOLS
OIL CHANGE
TIRE REPAIR
SHOP & GARAGE
LIFT EQUIPMENT
SPECIALTY TOOLS

Fall & Winter

FEATURED 2025

PT®
Performance Tool

PT POWER

Northwest Trail

ATAK®

20V LI-ION 1/2" BRUSHLESS HAMMER DRILL

W7722*
Inner: 1 Master: 5

- Powerful BL4820 brushless motor delivers 708 in./lb. (80 Nm) of torque for the toughest jobs and outstanding runtime
- 1/2 in. Single-sleeve keyless metal chuck
- 2-speed all-metal transmission lets you choose between 0-450 RPM for high-torque driving or 0-2000 RPM for high-speed drilling depending on the application
- 21+2 Ratcheting clutch can adjust the driving torque to avoid stripping/breaking fasteners or use the drilling/impact modes to apply maximum torque
- Impact/Hammer drill mode delivers up to 30,000 IPM for fast drilling
- 20V 2.0 Ah Lithium-Ion battery, with power level indicator, and 1-hour quick charger
- CE, cETLus listed charger- 3159543

NEW



20V LI-ION 1/2" BRUSHLESS IMPACT WRENCH

W7720*
Inner: 1 Master: 5

NEW

- Powerful 20V brushless motor delivers up to 295 ft. lb. (400 Nm) of forward and 375 ft. lb. (508 Nm) of "nut busting" reverse torque
- Advanced electronic motor control provides 4-speed/torque settings
- Optional Auto-Stop function works in reverse to deliver full breakaway torque
- 20V 2.0 Ah Lithium-Ion battery, with power level indicator, and 1-hour quick charger
- Specifications: Drive: 1/2 in. Square drive w/friction ring, Motor: 20V 4815 Brushless, 4-Speed/Impact settings: 0-600/800, 1200/1600, 1800/2400, 2400/3200 RPM/IPM
- CE, cETLus listed - 3159543



20V 2.0AH LI-ION BATTERY

- 20V 2.0Ah Li-Ion replacement battery for Performance Tool branded 20V li-ion power tools - models W7720 and W7722
- Built-In power level indicator
- NOTE: Will not work with other brands of power tools

W7723*
Inner: 1 Master: 25

NEW



4V LI-ION 2-IN-1 DRIVER/LIGHT

NEW

- This 4V Li-ion Cordless Screwdriver has a 2-position swivel handle for a pistol grip or straight in-line for tight spaces
- 1/4 in. Hex drive rapid change chuck features an adjustable 15+1 clutch to deliver the right amount of torque needed
- Tool can be charged from any USB outlet by plugging into the USB-C port at the base of the tool, eliminating the need to use a dedicated charger (cord included)
- 1/4 in. hex and 1/4 in. square drive, 2 in. long extensions are included
- Specifications: Battery: 4.0V 1.3 Ah Lithium-Ion, RPM: 210, Chuck: 1/4 in. Hex drive, Max. Torque: 40 in. lb. (4.5 Nm), Charging input: USB-C, Charging time: 1.5 hour

W7730*
Inner: 1 Master: 20



20V CORDLESS HIGH VOLUME GREASE GUN

- 20V Motor and high-volume pump deliver up to 10 oz. per minute and a maximum pressure of 10,000 PSI
- Variable 5-Speed selector dial gives you the control of using maximum pressure
- Heavy gauge steel barrel with easy-grip knurling holds all standard 14 oz. grease cartridges and can hold up to 16 oz. of grease using suction or bulk loading
- Pressure release valve is preset at 10,000 PSI to prevent excessive pressure build-up and avoid gear/ motor damage
- Built-in hose dock is a great feature to keep your grease hose restrained when moving from job to job and when stored
- 130 Lumen LED work light for great visibility in dark environments
- Kit includes: Cordless grease gun, 48 in. flexible hose, 4-jaw coupler, 20V 2.0Ah Li-ion battery, charger, and shoulder strap

W7721*
Inner: 1 Master: 4



17" POWER TOOL STORAGE RACK

- The 5 levels of storage can easily fit 8 power tools, chargers, batteries, and accessories to help keep everything together for easy access
- The heavy 9-gauge steel frame and welded 5 mm thick wire loops will support up to 200 pounds of total storage
- The 4 pairs of mounting holes are 15.875 in. (39.5 cm) apart for mounting into wall studs
- 1/4 in. peg holes on the sides accommodate standard peg board hooks and accessories to expand storage options (hooks not included)
- Rack measures: 16.875 in. W x 8.75 in. D x 30.25 in. T. (42.8 x 22.2 x 76.8 cm); 6.875 in. (17.5 cm) between shelves, 3.3 in. (8.4 cm) above, and 9.5 in. between the two power tool bays

W7704*
Inner: 1 Master: 3



6 PC. 2-IN-1 SOCKET ADAPTER SET

NEW

- Dual-purpose adapters allow users to easily switch between sockets and hex bits without handling multiple power tools
- External adapters fit 1/4, 3/8, and 1/2 in. square drive sockets
- Internal adapters fit 1/4 and 5/16 in. hex nut or hex bit drivers and are built into the ends of the larger adapters
- 1/4 in. locking hex shank transforms your impact or power drill into a power socket, nut, or bit driver
- Internal adapters are magnetic to help hold nuts and driver bits securely
- Impact-grade chrome vanadium steel construction with rust-resistant black phosphate finish



W2963*
Inner: 12 Master: 72

Contents: (3) 2-1/2 in. (65 mm) long adapters; 3/8 in. Dr. 10 mm socket; S1 and S2 1 in. (25 mm) x 1/4 in. (6 mm) hex driver bits

3 PC. 2-IN-1 SOCKET ADAPTER/ NUT DRIVER

NEW

- Dual-purpose extension nut drivers fit 1/4, 3/8, and 1/2 in. square drive sockets
- The 2 larger drivers have 1/4 and 5/16 in. magnetic hex nut drivers built-into the ends
- Retaining ring collar ensures sockets are securely attached
- Impact grade chrome vanadium steel with rust resistant black phosphate finish
- Each adapter extension is 2-1/2 in. (65 mm) in length



W2962*
Inner: 25 Master: 100

2 PC. 4.5" VENTED FLAP DISC 40-GRIT ZIRC

NEW

- Type-29 zirconia alumina abrasive flap disc with a 5/8 in.-11 integrated center hub for use with corded and cordless angle grinders
- Premium 40-grit zirconium abrasive is a self-sharpening grain that lasts up to 5X longer
- Vent-enhanced plastic backer design helps to circulate air and reduce heat build-up to extend service life
- Designed to work best under high pressure for grinding, stock removal, edge chamfering, beveling, weld blending, and polishing
- Maximum speed: 13,300 RPM; Optimal working speed range is 4000 - 6000 RPM





W3061*
Inner: 6 Master: 60

5 PC. 3/8" DR. SOCKET ADAPTER SET



- Dual purpose extension: 3/8 in. square drive adapter and 1/4 in. hex bit holder
- Transforms your power drill into a power nut/socket driver
- Free spinning collar allows you to maintain a positive grip while fastening
- Durable Cr-V construction with corrosion/oil resistant black phosphate finish
- Retaining ring collar ensures sockets are securely attached
- Contents: 8 in. (200 mm) and 2-1/2 in. (65 mm) adapters, 3/8 in. Dr. 6 pt. 10 mm socket, S1 and S2 1 in. (25 mm) x 1/4 in. (6 mm) hex driver bits


W9033*
Inner: 12 Master: 48

NEW



POWER TOOL STORAGE RACKS

- This sturdy organizer can be mounted on the wall and provides ample storage for your tools
- The 3 levels of storage easily fit 4 (W7701) or 7 (W7703) power tools, chargers, batteries, and accessories helping to keep everything together and easy to grab when needed
- The heavy 9-gauge steel frame, fully welded shelves, and 5 mm thick wire will support up to 100 lb.
- The tough baked-on powder-coated finish will look great and prevent corrosion in a home or garage
- 21 (W7701) or 34 (W7703) holes along the back of the top shelf can be used to store screwdrivers or other accessories



16" - W7701*
Inner: 1 Master: 8

- *The 2 sets of mounting holes are 15.1 in. apart and will align with both peg board or standard wall studs*
- *Rack measures: 15.7 in. W x 7.3 in. D x 8.4 in. tall. 5.1 in.*

26" - W7703*
Inner: 1 Master: 4

- *The 2 sets of mounting holes are 25.875 in. apart and will work well for mounting to standard peg board hole spacing*
- *Rack measures: 26.5 in. W x 7.3 in. D x tall 8.4 in.*

15 PC. IMPACT BIT SET IN MINI CASE

IMPACT

- Color coded bands for easy identification of bit type
- Chrome vanadium construction with black phosphate finish
- Peg hook hanger tab can be pulled out for hanging or pushed flush into the case for compact storage



NEW



W9220*
Inner: 4 Master: 24

Contents: 2-3/8 in. (60 mm) Magnetic bit holder, (12) 1 in. (25 mm) bits: #1, #2, #3 Phillips; 1/8, 5/32, 3/16 in. Slotted; T10, T15, T20; Star; 1/8, 5/32, 3/16 in. Hex; (2) 2 in. (50 mm) bits: #2 Phillips, T25 Star.

QUICK RELEASE BIT HOLDER

- Patented quick change bit mechanism is quick and easy to use
- One handed operation - press the bit into the holder to engage, then simply pull the collar back to eject the bit
- 1/4 inch hex fits most drills, drivers and bit drivers
- Magnetic insert bits in place and locking mechanism prevents pull out
- Use to quickly change between 1/4 inch hex drill bits, nutdrivers, driver bits and adapters
- 2-1/2 inch total length (63.5mm)

W489*
Inner: 12 Master: 72



33 PC. IMPACT TORSION BIT SET



- High strength S2 steel bits with torsion zone designed to increase life of the bits
- Set includes the most commonly found sizes and drive types

NEW



W8661*
Inner: 12 Master: 72

Includes: Phillips: #0, #1, #2, #3; Slotted: 1/8, 5/32, 3/16, 1/4 in; Star: T8, T9, T10, T15, T20, T25, T27, T30, T40; Square: S1, S2, S3; Metric Hex: 2, 2.5, 3, 4, 5, 6 mm; SAE Hex: 5/64, 3/32, 7/64, 9/64, 1/8, 5/32 in; 2-1/2 in. (63 mm) Magnetic bit holder

*California Residents
Prop 65 warnings see page 24.


HEAVY DUTY SHOP TABLE

- 60 in. (152.4 cm) heavy duty all steel work bench
- Adjustable feet for leveling on uneven surfaces
- Ultra durable powder-coated finished
- Full length bottom shelf
- Heavy gauge steel construction with high grade fasteners
- 1400 lb. (635 kg) weight capacity
- Raised lip on three sides of the top to prevent parts and liquids from rolling away



W54991*
Inner: 1 Master: 1





HEAVY DUTY 1/4" THICK RUBBER WORK MAT

- Heavy duty 1/4 in. (6.35 mm) thick rubber construction
- Made from 100% recycled rubber
- Cutouts on the top of the mat for organizing parts of your project
- Large 30 in. (762 mm) x 20 in. (508 mm) size to cover all type of projects
- Extra thick rubber provides strong and stable work surface
- Mat provides protection to your bench and the project you are working on

NEW



Sold in INNER QTY.



W88960*
Inner: 4 Master: 12

NEOPRENE PROTECTIVE WORK MAT

- Oversized mat provides a protected work space on your work bench, kitchen table or computer desk space
- Neoprene construction is chemical resistant to protect your work surface from cleaning solvents, oils and dirt
- Ruler with standard / metric measurements and several reference charts including SAE/Metric, fluid, and oil to gas ratios have been printed on the mat using long lasting heat transfer sublimation
- Fully stitched edge prevents fraying to keep your mat serviceable and looking good
- Exact Measurements: 16" x 35.75 x 1/8" thick

Sold in MASTER QTY.





W88977*
Inner: 12 Master: 24

1000LM 120V WORKBENCH POWER STATION

- 6 commercial quality outlets are copper coated with riveted construction
- 2 LED lights put out a total of 1000 lumens of 6000K daylight, pivot downward, up to 90 degrees, to focus light onto your workbench
- 2x USB Charging ports provide 5v@2.4 amp on each (3.4A total max) with over current protection. Upgraded unit includes a 5V @ 3A USB-C charging port
- Built-in cradle for your cell phone or tablet keeps them out of the way while charging but still visible to check on messages while you work
- 6 ft - 14/3 AWG cord has heavy rubber coating and grounded 3 prong plug for safety, durability, and long service life
- Specifications - Voltage: 125VAC/ 60Hz@ 15A (1850 watts), Dimensions: 27.75 x 4.75 x 2 in Deep, Weight: 5.75 pounds, cULus listed: E511046

120V volt







W2279*
Inner: 1 Master: 4

3" CLAMP-ON TABLE VISE

- Locking swivel joint allows 360 degree rotation and tilts up to 90 degrees for added versatility
- Clamp-on base includes protective non-marring rubber pad to protect surfaces
- Chrome plated spindle and hardware for maximum corrosion resistance

W3906*
Inner: 1 Master: 12



Specifications: Jaw opening: 2-1/4 in. (57mm); Throat Depth: 1-3/16 in. (30mm); Clamp capacity: 2-3/16 in. (55mm); Jaw Width: 3 in. (73.7mm)

50' RETRACTABLE CORD REEL

- 50ft 16GA cord with polarized plug and 3 grounded 10 AMP outlets
- Automatic roller guide ensures smooth and even recoil
- Resettable 10 AMP circuit breaker
- Spring loaded auto-rewind
- No-snag Level-wind rollers reduce wear
- Mounting bracket included

W2273*
Inner: 1 Master: 4



120V volt

150' CAPACITY CORD REEL

- 11 inch diameter cord storage reel
- Heavy duty impact resistant housing
- Holds up to 150ft foot 16GA or 100 foot 12GA cord

W2274*
Inner: 1 Master: 6





Sold in MASTER QTY.

8-IN-1 MULTI-TAP OUTLET



- 8-in-1 power strip features 4 grounded 120-volt outlets 3 standard USB ports and 1 USB-C port
- Flat, 45° angled plug is low profile, reduces stress from bending, and increases space for other plugs
- Mounting holes on the back allow power strip to be securely installed in various applications
- Maximum current/voltage: 1250W/10A @ 120V; USB-A: 12W/2.4A @ 5V; USB-C: 15W/3A, @ 5V
- cETL listed 5003828



W2266*
Inner: 10 Master: 30

16GA BLUE EXTENSION CORDS



- All-weather indoor/outdoor extension cord features lighted outlet that readily indicates power available
- High visibility blue coating resists moisture, abrasion, and UV sunlight
- Cold weather resistant materials are temperature rated to 4° F (-20° C)
- Specifications: SJTW 25' or v50', 125V, 13 Amp max rating, 125V, 1625 Maximum Wattage, Insulated to 300V
- cETL listed 3126867

120V volt

25 FT. W2256*
Inner: 1 Master: 18



50 FT. W2257*
Inner: 1 Master: 12

Connect with us! TikTok

Limited to stock on hand.

LI-ION CORDLESS HEAT GUN



- The most compact rechargeable cordless heat gun on the market is only 4.8 ounces and lightweight enough to carry in your tool belt or repair kit
- Heats up to a maximum temperature of 600° F (315° C) within 10 seconds
- The built in 3.6v, 2.0Ah Lithium-Ion battery has a working time of 15-20 minutes
- Integrated overheating protection circuit will power down heating elements to protect tool and prevent damage

HEAT SHEILD INCLUDED



RECHARGEABLE Li-ion BATTERY

W2082*
Inner: 6 Master: 24

2-SPEED HEAT GUN

- Dual speed fan delivers 300/500 CFM at temperatures between 572-932°F (300-500 C)
- Heating coils wrapped around ceramic insulators for extended run times and more consistent heat output
- Integrated thermal relay for safe operation and prevent overheating your tool
- 6 ft. 2-pronged power cord
- Works with W50076A - 4 pc. Heat Gun Nozzle Kit
- cETL listed - 5002889





120 volt

W50076*
Inner: 1 Master: 10

HEAT SHRINK SOLDER CONNECTORS

NEW

- Fast and easy, just a heat source is needed to melt the solder creating a secure connection
- Connectors use hot melt adhesive combined with shrink tubing to create a waterproof seal
- Use on cars, trucks, motorcycles, off-road vehicles, marine applications and much more
- Specifications: Shrinking ratio: 2:1, Working temperature 131-257° F (55-125° C)
- Shrinkage starts at 176° F (80° C), Solder dissolves at 280° F (138° C)



120 PC.
W5290*
Inner: 8 Master: 80

WATER PROOF



Includes: 30 pcs. White (AWG 26 – 24), 40 pcs. Red (AWG 22 – 18), 40 pcs. Blue (AWG 16 – 14) and 10 pcs. Yellow (AWG 12 – 10)

250 PC.
W5291*
Inner: 6 Master: 60



Includes: 40 pcs. White (AWG 26-24), 100 pcs. Red (AWG 22-18), 90 pcs. Blue (AWG 16-14) and 20 pcs. Yellow (AWG 12-10)

3-IN-1 BUTANE SOLDER IRON / HEAT GUN

- 3-in-1 butane tool functions as a soldering iron / heat gun / torch is ideal for working on electronics, shrink tubing, light gauge welding, brazing, general heating or drying, PVC bending, and crafts
- Control temperature by sliding the flame adjustment lever from left and right: Soldering tip: up to 752°F (400°C), Hot blower tip: up to 932°F (500°C), Blow torch tip: up to 2372°F (1300°C)
- 8 interchangeable tips: soldering tip, shaping knife, deflector for shrink tubing, bevel tip, chisel tip, long thin round tip for hard to reach places, blow torch shield and threaded insert end





W2081*
Inner: 12 Master: 36

700-WATT VARIABLE SPEED SHOP BLOWER

- Amazing blowing power in a compact, easy to handle size
- Variable speed feature allows you to select just the right amount of power
- Two piece nozzle can be used at 9 inches or 18 inches
- Comfortable handle with oversized lockable trigger
- Specs: 120 V AC, 60Hz, 700W, 5.8 AMPs, 17,000 max RPM, 90 MPH (145KPH) air speed, 100 CFM



90 MPH



W50069*
Inner: 1 Master: 4

120 volt



ADJUSTABLE JET FLAME TORCH

- Large capacity refillable butane torch holds up to 12 grams of butane (not included)
- Heats up to 2,500° F (1,300° C)
- Perfect for the kitchen, BBQ, work shop, outdoors, and hobbies
- Torch is windproof and weather resistant
- Includes heat vents for quicker cool down and flame lock for safety





W2015*
Inner: 6 Master: 24

250-WATT SPACE HEATER

- The perfect supplemental heater for the office, table, kitchen counter, or workshop
- Specifications: Power: 120v AC/60htz @ 2.1amp = 250 watts, Heat Output: 853 BTUs , Dimensions: 5 x 5 x 2.8 in. (12.6 x 12.6 x 7.1cm), Weight: 1 lbs. (0.45 Kg), cETL listed: #4003575





120 volt

W5011*
Inner: 1 Master: 6

1500-WATT CERAMIC SPACE HEATER

120 volt

- With 3 settings, high-1500w, low-750w, and fan only, the heater puts out up to 5120 BTUs and is perfectly suited for a small workshop, garage or work space
- The 120 volt, 12.5 amp heating element has built-in safeguards including an overheat protection sensor with warning light and automatic power disconnect in case of thermostat failure
- Easily move heater using the integrated carry handle on the top
- Standard 6 ft. 3 prong power cord allows greater range of mobility
- Measures: 11" tall, 8.25" wide, and 8.5" deep and weighs 4.5 lbs
- cETL listed #70-0546



W5010*
Inner: 1 Master: 4

1500-WATT INFRARED SHOP HEATER

- Infrared technology heats up the person or object rather than the air
- Adjustable thermostat levels for optimum indoor and outdoor comfort and automatic overheating shut-off
- High quality and durable aluminum housing
- Mount to wall or ceiling with included adjustable hanging brackets
- 8-ft grounded cord
- cETL listed 4006887





120 volt

W5008*
Inner: 1 Master: 1

*California Residents
Prop 65 warnings see page 24.

VORTEX™ Performance Tool®

TIRE INFLATOR PROGRAM

More Details at wilmarllc.com/vortex

SCAN FOR DETAILS



- Vortex tire inflators are equipped with an upgraded metal cylinders for faster heat dissipation, lower noise, and longer service life.
- Equipped with a 10 ft. (3 m) power cord and 18 in. (W7900) or 24 in. (W7901, W7902, W7903 & W7904) high-pressure braided air hose.
- Easy to use lever-locking air chuck is PMS tire sensor safe and includes 3 air adapters: sports ball needle, raft nozzle, and toy inflator.
- Built-in LED light turns on as soon as power is connected to verify connection and provide visibility.


ON-BOARD STORAGE
Keep your hose conveniently tucked away with a compartment for accessories.

Included: 3 pc. nozzle set & replacement 15A fuse



12V RAFT & TIRE INFLATOR

- Our most versatile 12v inflator has a 2-motor design for use with high pressure tires or larger inflatables.
- Inflates a standard 195/65/R15 car tire from 25 to 35 PSI in about 90 seconds and a completely flat tire to 35 PSI in under 6 minutes.
- 15 in. high-volume air hose and 2 size adapters are useful for inflating/deflating larger rafts, balls, mattresses or toys.





MAX READING OF 100 PSI



HIGH VOLUME

W7903*
Inner: 1 Master: 20

12V RAPID TIRE INFLATOR W/ LED LIGHT

- Inflates a standard 195/65/R15 car tire from 25 to 35 PSI in about 90 seconds and a completely flat tire to 35 PSI in under 6 minutes.
- Large, easy to read, pressure gauge



W7901*
Inner: 1 Master: 20

MAX READING OF 100 PSI



12V DIGITAL TIRE INFLATOR W/AUTO-STOP

- Inflates a standard 195/65/R15 car tire from 25 to 35 PSI in about 90 seconds and a completely flat tire to 35 PSI in under 6 minutes.
- Bright LED digital pressure gauge is easy to read, day or night, and switches between PSI, bar, and kg/cm2 with a push of a button.
- The digital gauge will automatically shut off when it reaches the preset value.



W7902*
Inner: 1 Master: 20

MAX READING OF 100 PSI

DIGITAL
AUTO SHUT-OFF



AC/DC POWERED TIRE INFLATOR W/ AUTO-STOP

- This versatile tire inflator / compressor can use either 120V AC outlet power or the 12V accessory outlet in your car.
- Inflates a standard 195/65/R15 car tire from 25 to 35 PSI in about 45 seconds and completely flat tire to 35 PSI in under 5 min.
- Bright LED digital pressure gauge is easy to read, day or night, and switches between PSI, bar, and kg/cm2.
- The digital gauge will automatically shut off the inflator when it reaches the preset value.



W7904*
Inner: 1 Master: 20




MAX READING OF 100 PSI



DIGITAL
AUTO SHUT-OFF


12V COMPACT TIRE INFLATOR W/ LED LIGHT

- Inflates a standard 195/65/R15 car tire from 25 to 35 PSI in under 2 minutes and a completely flat tire to 35 PSI in 7 minutes.
- Large, easy to read, pressure gauge



W7900*
Inner: 1 Master: 20

MAX READING OF 60 PSI



Connect with us! TikTok

Limited to stock on hand.

VORTEX™ Performance Tool®

NEW

EMERGENCY ROADSIDE KITS

More Details at
wilmarllc.com/vortex-roadside-kits







22 PC. ESSENTIAL ROADSIDE ASSISTANCE KIT

NEW

- This roadside kit contains all the essential accessories for you to stay safe in an emergency
- Includes: 12V compact tire inflator, 10GA 8 ft. booster cables, 40 LM LED flashlight (AA battery included), snow/ice scraper, 10 in. (25 cm) cable ties, textured knit gloves, poncho, 3/4 in. (19 mm) x 24 ft. (7.2 m) electrical tape, snap-blade knife, 2-in-1 screwdriver, and 5-50 PSI pencil tire pressure gauge



W7911*
Inner: 1 Master: 6

44 PC. PREMIUM ROADSIDE ASSISTANCE KIT

NEW

- This roadside kit contains all the essential accessories for you to stay safe in an emergency
- Includes: 12V digital tire inflator, 10GA 8 ft. booster cables, 10 ft. (3 m) 4,000 lb. (1818 kg) break strength tow rope, compact folding shovel, 7 pc. tire repair kit, (10) 10 in. (25 cm) cable ties, knit gloves, reflective vest, snow/ice scraper, 14 pc. FDA approved first aid kit, snap-blade knife, 2-in-1 screwdriver, 6 in. (150 mm) slip joint pliers, 5-50 PSI pencil tire pressure gauge

W7913*
Inner: 1 Master: 4



33 PC. DELUXE ROADSIDE ASSISTANCE KIT

NEW

- This roadside kit contains all the essential accessories for you to stay safe in an emergency
- Includes: 12V rapid tire inflator, 10GA 8 ft. booster cables, 10 ft. (3 m) 4,000 lb. (1818 kg) break strength tow rope, 40 LM LED flashlight (battery included), 10 pc. nut-driver & socket set (9 metric sizes 5-13 mm) w/ driver, #2 Phillips and 1/4 in. slotted screwdrivers, 3/4 in. (19 mm) x 24 ft. (7.2 m) electrical, snap-blade knife, textured knit gloves, emergency poncho, 10 pc. cable ties, and emergency blanket



W7912*
Inner: 1 Master: 4

PENLIGHT DIGITAL TIRE GAUGE

NEW

- Two tools in one Ð dual source penlight and digital tire gauge
- Dual power buttons allow independent operation of the tire gauge or the area light/spotlight
- Backlit pressure gauge display is easy to read, and measures pressure in PSI, BAR, Kpa, and Kg/cm2
- Tests pressure from 3 to 150 PSI with an accuracy of 0.5 PSI
- Convenient features like the pocket clip and magnetic back
- Specifications: 3-150 PSI +/- 0.5PSI, 180 lumen area light, 90 lumen spotlight, 5500K, 60 min. runtime, 3.7V 500mAh Li-ion battery, approximate 40 min. charging time @ 1A. Includes 40cm USB-C charging cord







W7910*
Inner: 12 Master: 48

18" SOLID WOOD TIRE THUMPER - 10 OZ.


- Our 10 oz. (283 g) tire thumper to quickly check for tire pressure to help you stay safe on the road
- 18 in. (45.7 cm) Stained hardwood construction is durable and long-lasting
- Nylon wrist strap for carrying the tire thumper or hanging it for easy access



W3069*
Inner: 1 Master: 40

22" 4-WAY LUG WRENCH

- Drop forged steel construction provides greater strength and durability
- Corrosion resistant black powder coated finish
- Star-shaped design for applying sufficient torque and includes four popular socket sizes
- Tapered socket ends fits SAE and metric lug nuts: 7/8 in. (22 mm), 15/16 in. (24 mm), 1 in. (25 mm), 1-1/16 in. (27 mm)





W12*
Inner: 1 Master: 6

*California Residents
Prop 65 warnings see page 24.

WINDSHIELD WIPER ARM REMOVER

- Designed to make removal of the wiper arms quick and easy without damage to the car finish
- Use it to pry up the arm from the splined shaft without damaging the assembly
- Keep from using the wrong tools or excessive force that could damage the arm or other components
- Use on wiper arms that have a small notch under the base, look to confirm it works on your vehicle
- Specifications: 7 in. (17.78 cm.) overall length

W83212*
Inner: 6 Master: 144



4 PC. TRIM REMOVAL TOOL SET

NEW

- Non-marring trim tool set gently removes door panels, dashboards, bezels, and more
- Designed for universal use on automotive as well as, boats, RVs and industrial applications
- Features different wedge shapes allowing you to get under and lift pieces away without damage
- Perfect for professional mechanics and even beginners making modification or repairs
- Two different materials, a PVC composite for hard prying and a nylon composite for soft prying

W83301*
Inner: 6 Master: 24



DUAL COMPOSITE



8 PC. TRIM CLIP LIFTING TOOL SET

- Use to remove mounted door panel clips and plastic fenders on late-model vehicles
- Great for prying without breaking many types of plastic and metal fasteners
- Reduces damage to door panels and prevents you from losing clips
- Made of hardened steel with a high polish chrome finish, each with a unique angled forked tip
- Eight different offsets with a range of three different jaw spreads 5 mm (0.20 in.), 7.5 mm (0.30 in.), and 11 mm (0.43 in.)

W86568*
Inner: 1 Master: 5

NEW



HANDY BLOW MOLD CASE



WINDSHIELD LOCKING STRIP TOOL

NEW

- It is specifically designed for self-sealing two-piece rubber weather-stripping found on some vehicles
- This tool is used when replacing the windshield, rear glass, or sliding rear glass on vehicles
- The unique design allows the user to swivel the tip 90° in either direction to follow the window track
- Two double-ended tips provide four sizes to fit most applications, .632, .538, .449, and .293 in. (16 mm, 13.5 mm, 11.5 mm, and 7.5 mm)

W86566*
Inner: 6 Master: 48



MAGNETIC E-CLIP INSTALLING TOOL

- Use to install or replace E-Clips ranging from E9 to E13, and C style U-Joint clips
- A magnetic clip holder on an ergonomic handle with a pound through end cap
- The end of the tool can be stuck with a small hammer to help push clips into place
- Improved design allows better access options on difficult to reach clip grooves
- High strength go-through steel shaft design features a smooth striking face end cap
- Suitable for use with Performance Tool E Clip Assortment, Part No. W5208

W88000*
Inner: 12 Master: 72

NEW



PAINTLESS DENT REPAIR KIT

C28500*
Inner: 1 Master: 2

- Used to pull shallow dents from sheet metal body panels without the need to repaint
- Small dents or door dings no longer mean an expensive trip to the body shop
- Kit provides everything needed to restore the sheet metal
- Includes: Glue gun, glue sticks, a slide hammer and bridge puller, a spray bottle, and button remover





HANDY BLOW MOLD CASE

10 PC. 3/8 IN. DR. FLARE NUT SOCKET SET

- Allows access to difficult wired temperature sensors, thermal switches and other components
- Can easily tighten or loosen nuts and bolts and is suitable for limited access spaces
- Use on sensors, ABS pipe, master cylinders, coolant, fuel injectors, and diesel inject sensors and lines
- Made of chrome vanadium steel with a black phosphorus finish to resist rusting and is 3/8 in. square drive
- Includes: 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 16 mm, 17 mm, 18 mm and 19 mm

NEW





W84027*
Inner: 6 Master: 24

8 PC. PNEUMATIC FAN CLUTCH WRENCH SET

- Allows for quick removal and installation when servicing your fan clutch or water pump
- Your pneumatic air hammer provides the striking force for this tool, so no holding tool is required
- Set includes 7 of the following size wrenches 7/8, 1-7/8, and 2 in., also 32, 36, 40, and 47 mm
- Wrenches are made of #45 steel and the driver is made of Q235B steel
- Note: Air Hammer is NOT included

W80501*
Inner: 1 Master: 4







Connect with us! TikTok
Limited to stock on hand.

PISTON RING PLIERS

NEW

- Removes or installs piston rings quickly, and easily without risk of breakage
- Supports around the entire piston ring preventing the ring from twisting and distorting
- Universal design, used on most vehicles with smaller to mid-size piston-driven engines
- High-quality alloy steel construction with molded plastic grips

6 IN. - W80599*
Inner: 5 Master: 50

4 IN. - W80598*
Inner: 5 Master: 50





WHEEL STUD INSTALLER SET

NEW

- Use to install new wheel studs, when they've been damaged, broken, or stripped
- The attached bearing reduces friction allowing the replacement stud to be easily pulled into the hub
- Prevent damage to the lug nut or the threads of a new wheel stud
- Included Sizes: 9/16 in. (14 mm) in diameter, 7/8 in. (22 mm) in diameter



W83045*
Inner: 12 Master: 48

38MM 12PT AXLE NUT SOCKET CRMO

IMPACT

- Heavy duty, drop forged premium chrome molybdenum steel construction
- Black phosphate coating provides corrosion protection ensuring a long life
- The 12-point socket is designed to fit both the 12-point and 6-point axle nuts





W83176*
Inner: 6 Master: 24


EXHAUST HANGER PLIERS

- Use to easily separate the rubber donut supports from the exhaust hanger bracket
- Works on import and domestic car and truck exhaust systems using rubber donut supports
- Simply squeeze the plier handles, this forces the rubber support from the exhaust hanger
- Saves time and labor making a difficult job much easier



NEW





W80687*
Inner: 6 Master: 24

8 LUG TOYOTA AXLE NUT SOCKET

TOYOTA®

- Use for easy removal and installation of the 8 pin front locknut on newer Toyota and Lexus trucks and SUV's. 2WD
- For 2007-2014 Toyota 4Runner 2WD, 2008-2014 Sequoia and 2007-2014 Tundra




W83005*
Inner: 6 Master: 24

RELAY REMOVAL PLIERS

- Special-designed pliers for removing electrical relays on most vehicles
- The handles offset and the thin tips allow access to relays in confined areas
- Allows relays to be pulled free from the socket without the chance of damage
- The versatile tool can also be used to pull fuses or stuck battery terminals
- Durable steel construction with anti-slip cushion grips for comfort and hand protection

W80518*
Inner: 6 Master: 48



NEW



MANUAL BUSHING INSTALLER & REMOVAL KIT

- Allows the technician or DIY to service bushings without removing the parts reducing the possibility of damaging the bearing or suspension housings
- Saves time and frustration when servicing wheel bearings, suspension bushing, and seal replacements
- Includes 20 cups and receivers, 4 Acme thread forcing screws, 4 end plates, and 1 shop press adapter
- Range: External sleeve diameter 44 mm (1.73 in.) to OD 90 mm (3.54 in.)
- Acme forcing screws: M10 X 1.5, M12 X 2.0, M14 X 2.0, M16 X 2.5 mm x 450 mm (17.72 in.) long



NEW



W89301*
Inner: 1 Master: 1

SPARK PLUG ANALYZER

ADJUSTABLE FROM 500 TO 600 RPM

- The spark plug tester has dual test holes to help compare the spark strength of two plugs at once
- Adjustable RPM range from 500 to 6000 RPM
- The spark plug tester works with nearly all gasoline engine spark plugs
- Protective cover safeguards the users from accidental contact with live electrical components
- Helps diagnose a wide range of fuel and spark related issues

W3003*
Inner: 1 Master: 36



NEW



3 PC. DETENT BALL SPARK PLUG SOCKET SET

- Set includes 3/8 in. Dr. 14 mm, 16 mm, and 21 mm spark plug sockets
- Sockets feature a ball bearing detent retention system that grips the spark plug better than traditional rubber inserts
- The ball bearing detent retention system will not wear out and become loose like a traditional rubber insert
- Constructed of heat-treated chromium-vanadium alloy steel for strength and durability
- Polished nickel chrome plated finish resists corrosion

NEW







W38174*
Inner: 12 Master: 36

*California Residents
Prop 65 warnings see page 24.

6GA 16' BATTERY JUMPER CABLES

- Standard duty for large cars and mid-size pick-up trucks and SUVs
- Red/black PVC-coated insulated clamps for easy identification
- Tangle-free rubber coated cables
- Heavy duty copper jaw clamps
- 6 Gauge, 16 Foot, 400 AMP/500 Peak
- All weather use





W1672*
Inner: 1 Master: 6

4GA 20' BATTERY JUMPER CABLES

- Heavy duty for full size trucks, vans and SUVs
- Red/black PVC-coated insulated clamps for easy identification
- Tangle-free rubber coated cables
- Heavy duty copper jaw clamps
- 4 Gauge, 20 foot, 500 AMP/600 AMP peak
- All weather use





W1673*
Inner: 1 Master: 6

2GA 20' BATTERY JUMPER CABLES

- Commercial duty for tractors, semis, buses, and RVs
- Red/black PVC-coated insulated clamps for easy identification
- Tangle-free rubber coated cables
- High tension parrot style clamps
- 2 Gauge, 20 Foot, 600 AMP/800 Peak
- All weather use





W1669*
Inner: 1 Master: 4

6GA 16' BATTERY JUMPER CABLES

- Heavy duty for full size trucks, vans and SUVs
- Red/black PVC-coated alligator clamps for easy identification
- Tangle-free rubber coated cables are highly flexible in cold weather conditions
- Jaws are designed for both side post and top post batteries
- 6 Gauge, 16 foot, 400 AMP/500 AMP peak
- All weather use
- 100% Copper cable provides unparalleled conductivity





NEW



W1668*
Inner: 1 Master: 6

100% COPPER CABLES

4GA 20' BATTERY JUMPER CABLES

- Heavy duty for full size trucks, vans and SUVs
- Red/black PVC-coated parrot clamps for easy identification
- Tangle-free rubber coated cables
- Heavy duty copper jaw clamps
- 4 Gauge, 20 Foot, 500 AMP/600 AMP Peak
- All weather use
- 100% Copper Cable

W1667*
Inner: 1 Master: 6





100% COPPER CABLES



8GA 12' BATTERY JUMPER CABLES

- Medium duty for passenger light cars & pick-up trucks
- Red/black PVC-coated insulated clamps for easy identification
- Tangle-free rubber coated cables
- Heavy duty copper jaw clamps
- 8 Gauge, 12 Foot, 250 AMP/300 Peak
- All weather use



W1671*
Inner: 6 Master: 12



10GA 12' BATTERY JUMPER CABLES


- Light duty for compact vehicles & motorcycles
- Red/black clamps for easy identification
- Tangle-free rubber coated cables
- Heavy duty copper jaw clamps
- 10 Gauge, 12 Foot,150 AMP/250 Peak
- All weather use



W1670*
Inner: 6 Master: 12

DIGITAL 12V BATTERY ANALYZER

- Portable, fast, and very simple to use battery starting and charging system analyzer
- Digital display indicates the condition of your battery and charging system
- Tests 12VDC systems, guiding you through the testing process
- Clear and easy to understand results to indicate systems condition
- Battery CCAs: 200-1200 Battery Types: LA, and AGM
- Voltage: 7-15VDC Testing Standards: SAE







W2999*
Inner: 8 Master: 48

ANTI-FREEZE TESTER

- Color coded balls for easy readings



W1655C*
Inner: 24 Master: 288

2 QT. BATTERY FILLER

- 2 quart capacity
- Spring loaded filler valve
- Durable injection molded plastic



W54274*
Inner: 1 Master: 10

Connect with us! TikTok

Limited to stock on hand.

OIL FILTER REMOVAL CUP

- Specially designed for removing oil filter to catch used engine oil
- Provides protection from heat and splashes associated with oil filter removal
- Safely holds oils, gasoline, diesel, and biofuels, any time a thread on filter is removed
- Speed up your oil change service, allows for faster filter change-outs


W4085*
Inner: 1 Master: 12





NEW

6" Inside Diameter (152.4 mm)



MESS FREE
Helps avoid any spillage or contamination

EXTRA GROMMET
For a long life

ADAPTER INCLUDED
Fits 3/8 and 1/2 in. Dr. oil filter cap wrenches

HEAVY DUTY
Provides protection from heat and splashes

3/8

1/2

6 QT. STEEL GALVANIZED FUNNEL

- Use this large-capacity funnel for filling drive casings, hydraulics, and other shop equipment
- Heavy-duty construction with an offset outlet to access awkwardly placed filler openings
- Galvanized steel construction for weather-resistant year-round rugged use
- A grooved spout for air-venting, a 1-3/16 in. (3 cm) outlet I.D., with a removable strainer

W54299*
Inner: 1 Master: 12





OFFSET DESIGN

SPILL PROOF COOLANT FUNNEL KIT

- Easily used to properly refill automotive cooling systems without the chance of spilling
- Eliminates trapped air pockets which causes erratic cooling system and heater performance
- Better control when adding coolant preventing overflow onto belts and other engine components
- Includes threaded cap adapters for newer GM and Ford threaded style radiator openings
- Contents: 5-inch straight extension, two 2 1/4-inch 45 degree elbows, 5 cap adapters, 4 caps, stopper, funnel, and lid

W89740*
Inner: 1 Master: 12






5 QUART OIL JUG W/ LID

- Oil jug is made from high-quality chemical resistant plastic
- Measurements are mark in quarts and liters
- Tight fitting lid and pour spout protect the fluid inside the cup from dust and other contamination
- Sturdy handle makes pouring safer and easier
- Flexible spout allows user to reach tight areas while pouring
- Capacity 5 quart, 4730 ml, 160 ounces

NEW

W4046*
Inner: 1 Master: 16



FLEXIBLE SPOUT

2 PC. HANDS-FREE OIL FUNNEL

- Innovative clamp keeps funnel in position allowing the user to pour with both hands
- Transparent lower chamber shows oil flow
- Universal design fits most foreign and domestic vehicles
- Funnel dimensions 257mm deep x 127mm diameter

W4069*
Inner: 1 Master: 6





35 OZ. MEASURING CUP W/LID

- Measuring cup is made from high-quality chemical resistant plastic
- Measurements are marked in fluid ounces and milliliters
- Measurements are marked in both black and clear to remain visible with use of any color fluid
- Tight fitting lid and pour spout protect the fluid inside the cup from dust and other contamination
- Sturdy handle makes pouring safer and easier
- Capacity 1 quart, 1000 ml, 35 ounces

W4047*
Inner: 1 Master: 24

NEW



NEW

90-DEG. QUICK RELEASE GREASE COUPLER

- 90-degree coupler provides quick installation and removal with one hand
- The coupler has a narrow head to be used in confined areas that are hard to access
- Heavy duty steel construction with, 4 hardened jaws, high grade rubber seal, & a check valve
- Lock on lever remains connected during use to ensure a leak-free grease delivery
- Max pressure 12,000 psi







360° ROTATION

W54178*
Inner: 12 Master: 48

*California Residents
Prop 65 warnings see page 24.

CLEAR VIEW™ FUNNEL Program



CLEAR VIEW EASY-FILL FUNNEL 1 GALLON

- Contoured designed provides an easy-to-carry handle for holding and positioning
- Vented nozzle and wide opening enable filling at a high velocity
- Mesh filter prevents larger contaminants from entering your tank, radiator, or engine
- Approximate capacity: 3500ml, 3.7 Quarts, 0.92 gallons, 118.3 ounces



W4051*
Inner: 1 Master: 72

CLEAR VIEW EASY-FILL FUNNEL 1 QUART

- Large bowl area is designed to accommodate larger fluid bottles
- Oversized spout increases flow and fill rate
- Splash guard directs fluid where you want it, and reduces spillage
- Approximate capacity: 800ml, 1.7 Pints, 27 ounces



W4057*
Inner: 1 Master: 48

CLEAR VIEW EASY HOLD FUNNEL 2 PINT

- Unique design holds standard quart sized oil bottles while they drain allowing hands-free operation
- Spout features concentric ridges that secure the funnel in your engine's filler hole
- Accommodates nearly all shapes and sizes of 1-quart oil bottles
- Approximate capacity: 800ml, 1.7 Pints, 27 Ounces



W4055*
Inner: 1 Master: 64

CLEAR VIEW LONG REACH FUNNEL 1 PINT

- Upgraded design features thicker construction, extended vent channels, and positive handholds
- Splash resistant guard and extended length provide quicker, cleaner transfer of liquid
- Approximate capacity: 500ml, 1.1 pints, 16.9 ounces



W4052*
Inner: 1 Master: 144

CLEAR VIEW LONG REACH FUNNEL 1/2 PINT

- Great multi-purpose funnel for every day needs such as oil, coolant, gasoline, transmission fluid and more
- Splash guard directs fluid where you want it, and reduces spillage
- Approximate capacity: 200ml, 0.4 Pints, 6.8 Ounces



W4054*
Inner: 12 Master: 168

CLEAR VIEW EASY-FILL FUNNEL 1/2 PINT

- Specifically designed with a shallow spout for use with radiators, but can also be used for oil, gas, and other fluids
- Notched lip works as a bottle rest for easier pouring
- Wide mouth openings for quick, high velocity pouring
- Approximate capacity: 200ml, 0.4 Pints, 6.8 Ounces



W4056*
Inner: 1 Master: 144

3 PC. CLEAR VIEW FUNNELS



- Features three distinct funnels for all your liquid filling needs: multi-purpose long reach funnel, Easy-Fill radiator funnel, and Jr. Jumbo Easy-Fill
- Having a different funnel for each liquid helps prevents cross contamination
- Integrated hang holes for convenient storage
- Approximate capacities: 200, 300, 800ml; 0.4, 0.6, 1.7 Pints; 6.8, 10.1, 27 ounces



W4053*
Inner: 1 Master: 24

Connect with us! TikTok
Limited to stock on hand.

FLEXIBLE FUNNEL SPOUT

- Easily add oil, coolant, or window cleaner from a gallon jug to any vehicle without mess or spills
- The double-threaded cap fits both gallon-size containers, standard (37mm) and wide mouth (50mm)
- Uniquely designed air bleed-off valve for faster and smoother fluid flow, up to five times faster
- A special rotary on-off switch helps effectively control the flow providing a positive shut-off
- The accordion-style spout is moldable and will hold its shape allowing for easier and more exact pours
- Patent Pending


CARDED
W4060*
Inner: 6 Master: 36



BULK
W4065*
Inner: 12 Master: 72







CLEAR VIEW

CLEAR VIEW 7 QT. PLASTIC DRAIN PAN

- Transparent polypropylene constructions allows quick and easy monitoring of liquid
- Molded handles and pour spout are easy to use
- Chemical and solvent resistant, won't rust or corrode
- Dimensions: 13-1/2 x 11 x 4 in. (343x 279 x 102 mm)
- Approximate capacity: 7 quarts, 1.75 gallons, 6.6 liters


W4068*
Inner: 1 Master: 12





11 QUART OIL DRAIN PAN

- Rectangular shape is designed to better collect oil and prevents messy spills without having to move the pan around
- High-capacity volume is large enough to hold up to two oil changes or 11 quarts of oil (10 L) or a complete radiator flush
- Made from durable, chemical-resistant plastic, this oil drain pan is built to last and perfect for your garage
- Convenient integrated oil filter stand allows you to drain the excess oil in filter without getting it messy




W4079*
Inner: 1 Master: 10



OIL DRAIN CONTAINERS


- Heavy wall construction keeps container rigid, even when draining hot engine oil.
- Integrated handles for convenient carrying, pouring, and transport to recycling center.
- Deep drain well with angled sides minimize splashing and spilling during oil draining.
- High quality tethered plastic caps with rubber gaskets for a leak free seal.
- Made from durable polypropylene material.



UPDATED DESIGN

DEEP DRAIN WELL
Angled sides minimize splashing and spilling

LARGER VENTING HOLE
5/8 in. opening, over 300% larger than competition



HEAVY WALL CONSTRUCTION
Keeps container rigid, even when draining hot oil

INTEGRATED HANDLE
For convenient carrying, pouring, and transport

TETHERED PLASTIC CAPS
With rubber gaskets for a leak free seal

VIDEO LINK

Due to continuing improvements, actual product may differ slightly from photo shown.

16 QUART

- Heavy wall construction keeps container rigid, even when draining hot engine oil
- Integrated handle for convenient carrying, pouring, and transport to recycling center
- Deep drain well with angled sides minimize splashing and spilling during oil draining
- Integrated feet for multiple storage options
- High quality tethered plastic caps with rubber gaskets for a leak free seal
- Made from durable polypropylene material
- 16 Quart (15.14 L) capacity





10 QUART
W4076*
Inner: 1 Master: 6

10 Quart Litre Cuarto



24 QUART
W4078*
Inner: 1 Master: 2

24 Quart Litre Cuarto



16 QUART
W4077*
Inner: 1 Master: 4


16 Quart Litre Cuarto

*California Residents
Prop 65 warnings see page 24.

265 PC. TRI-FOLD TOOL SET

- Versatile set contains the tools needed for most small repairs around the house, on vehicles, or in a shop, all organized in a convenient storage case





HANDY CASE

W1519*
Inner: 1 Master: 5

94 PC. GARAGE TOOL SET

- Versatile tool assortment for repairs around your garage
- 3/8" drive reversible ratchet
- SAE and metric sockets and accessories
- Pliers, adjustable wrench, screwdrivers, magnetic bit driver,
- Assorted hex bits and hex key wrenches
- Heavy duty case for organized storage



HANDY CASE

W1538*
Inner: 1 Master: 4

119 PC. TOOL SET

- Set features: Ratchet, SAE and metric sockets and accessories, pliers, wrenches, screwdrivers, bit drivers with bits and much more
- Heavy duty blow molded case





HANDY CASE

W1193*
Inner: 1 Master: 5

107 PC. HOME & AUTO TOOL SET

- Versatile tool assortment for repairs around your garage
- 3/8" drive reversible ratchet
- SAE and metric sockets and accessories
- Pliers, wrenches, bit driver hammer, tape measure, knife, adjustable wrench, precision screwdrivers, hex key wrenches
- 50 piece fastener assortment



HANDY CASE

W1532*
Inner: 1 Master: 4

38 PC. COMPACT AUTO TOOL KIT

- GREAT EMERGENCY KIT: Perfect to keep in your trunk in case of emergencies, this kit can address a multitude of problems with cars
- ZIPPERED CASE: Nylon case closes securely and is tough enough to take to any job





HANDY CASE

W1197*
Inner: 6 Master: 24

75 PC. HOMEOWNER'S TOOL SET

- Versatile set contains the tools needed for most small repairs around the house, all organized in a convenient storage case





HANDY CASE

W1543*
Inner: 1 Master: 10

5-IN-1 HAMMER MULTI-TOOL

- Perfect tool for building furniture, hanging pictures, and small appliance repairs
- Simply unscrew the bottom of the screwdriver to reveal the 4 screwdrivers
- Tool includes commonly used screwdriver sizes, slotted 3/16 and 1/8 in., Phillips #1 and #0



NEW

W1009*
Inner: 6 Master: 24

4 PC. TOOL SET

- 2-in-1 screwdriver 7-3/4 in. (19.7 cm) with Phillips #2 and Slotted 3/16 in. ends
- 10 ft. x 5/8 in. (3 M x 16 mm) SAE/metric tape measure with comfortable rubber boot
- 6-1/2 in. (16.5 cm) Snap blade utility knife
- 5 pc. Knife replacement blades in a storage case



Sold in INNER QTY.

SAE METRIC



NEW

W5049*
Inner: 6 Master: 24

78 PC. RATCHETING DRIVER TOOL SET



- Versatile socket and bit driver and 1/4 in. drive ratchet with 70 bits and sockets in a variety of sizes and drive types
- 48 gear teeth 1/4 in. drive ratchet and 1/4 in. hex bit driver with comfortable cushion grip handles
- Accessories include: 2 in. (50 cm) x 1/4 in. drive extension, 2-1/4 in. (60 mm) magnetic bit holder, 2-1/4 in. (60 mm) precision bit extension, tweezers all in an innovative and space-saving case that features inner storage compartments

SAE METRIC

NEW



HANDY CASE

W1745*
Inner: 3 Master: 12

Connect with us! TikTok

Limited to stock on hand.

9 PC. MASTER 10MM SOCKET & WRENCH SET

NEW



- Nine different versions of the most popular size socket/wrench on the market
- Features deep and shallow wall, universal, and impact sockets in assorted 1/4 in. and 3/8 in. drive sizes with a combination wrench
- Chrome vanadium alloy steel construction for strength and durability
- Polished nickel chrome and black phosphate finishes resist corrosion





W39001*
Inner: 6 Master: 36

6" LI-ION STEEL DIGITAL CALIPER

NEW

- Eliminate the need for battery changes with the convenient built-in rechargeable lithium-ion battery that lasts for months of typical use
- Built to last with a high-quality, corrosion resistant, 4CR13 stainless steel body for a lifetime of performance
- Determine your measurements clearly and easily with an oversized 2.25 in. x 0.9 in. (57 mm x 22 mm) LCD display and a convenient conversion chart on the back
- Features zero function, inside, outside, depth, and step measurements for tackling a wide range of measuring tasks
- Easily switch between inches and millimeters at the touch of a button
- Auto-power function switches unit on simply by moving the jaws, and shuts off after 5 minutes of inactivity
- Includes 10 in. (25 cm) USB-C cable for quick and easy charging
- Specifications: 0 in. to 6 in. (0 mm to 150 mm) measuring range, ±0.001 in. / 0.02 mm accuracy; 0.0005 in. / 0.01 mm resolution; rechargeable lithium-ion battery (3.7V, 120mAh); approximate 20 minutes charging time; up to 3 months (typical usage) battery life

W80153*
Inner: 6 Master: 24



8" PUNCH & CHISEL HOLDER



- Square punch and chisel holder is designed to greatly reduce the risk of injuring your hand when striking with a hammer or mallet
- The ergonomic 4-3/4 in. (12.1 cm) high-impact plastic handle provides an excellent grip with a maximum total length of 8.5 in. (21.6 cm)
- The 1/2 in. (12.7 mm) thick grade 45 high-carbon steel shaft ensures superior strength and durability
- Securely holds punches and chisels up to 1 inch in diameter

NEW

W7557*
Inner: 12 Master: 48



5 PC. HAMMER SCREWDRIVER KIT

NEW

- Twisting force delivered by the screwdriver when struck with a hammer breaks frozen or rusted screws loose
- Can be set to impact left and right directions
- 5.85 in. (148 mm) bits help reach screws that conventional impact drivers may not be able to
- Bits included: Phillips bits #1, #2, Slotted bits 7/32 in., 1/4 in
- Bits are made from tough S2 steel with an anodized finish





W2505*
Inner: 12 Master: 48

8 PC. HAMMER & PUNCH SET

- High quality and versatile hammer and punch set
- Includes: 10.5 oz. (297 g) machinist hammer, 2 cold chisels, 4 pin punches and 1 tapered punch
- Hex shanks for better grip and to ensure they do not roll away
- Carbon steel material with a black oxide finish to prevent rust and corrosion

NEW

M7046*
Inner: 1 Master: 6





9 PC. HAMMER & PUNCH SET

NEW

- High quality and versatile hammer and punch set
- Includes: 10.5 oz. (297 g) machinist hammer, 13 oz. (368 g) nylon install hammer, 2 cold chisels, 4 pin punches and 1 tapered punch
- Hammer handles made of hickory
- Carbon steel material with a black oxide finish to prevent rust and corrosion

M7047*
Inner: 1 Master: 6





4 PC. CLEAR TAPE MEASURE SET

- 4 pack of different length tapes: 12 ft. x 1/2 in. (purple), 16 ft. x 3/4 in. (green), 25 ft. x 1 in. (orange), and 33 ft. x 1 in. (yellow)
- Clear polycarbonate housing is lightweight and impact resistant with high-vis accent case colors
- Highly accurate SAE and Metric measurements
- Auto-retracting blade glides smoothly both in and out
- Easy to operate thumb lock secures blade tightly until it is released to retract the tape

W5039*
Inner: 4 Master: 16



5 PC. PIPE TAP SET

- Use to clean and re-thread damaged or corroded pipe threads in engine blocks and plumbing
- Ideal for pipe fitters, DIY, handymen, and professionals who need to repair damaged pipe threads
- Precision ground right-hand threads, square end round shank with 4 straight flutes
- Includes: 1/8 in. NPT, 1/4 in. NPT, 3/8 in. NPT, 1/2 in. NPT, 3/4 in. NPT

W86950*
Inner: 1 Master: 10





42 PC. MASTER THREAD RESTORER KIT

- Contains commonly found automotive and household hardware sizes
- Taps and dies are Metric/SAE UNC and SAE UNF
- Made for restoring stripped threads on damaged/corroded nuts and bolts
- Hex sized taps and dies provide multiple tool options for turning the taps and dies
- Thread gauges make it easy to choose the correct sized tool

SAE METRIC

W8660*
Inner: 10 Master: 20





*California Residents
Prop 65 warnings see page 24.

8" RATCHETING ADJUSTABLE WRENCH


- Adjustable ratcheting design features an innovative sliding jaw piece that allows you to turn nuts and bolts without removing the wrench, making jobs faster, easier, and more accessible
- Precision-machined sliding jaw and worm gear allows for exact fastener fit and smooth action
- SAE graduations for accurate sizing
- Specifications: 8 in. (200 mm) overall length; 1 in. (25 mm) jaw capacity; 0.7 lbs. (0.32 kg) weight





NEW

RATCHETING DESING



W30625*
Inner: 6 Master: 24

3 PC. HAND TOOL SET

- Drop forged alloy steel construction
- Machined jaws for maximum gripping strength
- Ergonomic cushion grip handles for comfort and control
- Contents: 8 in. (200 mm) slip joint pliers, 8 in. (200 mm) adjustable wrench, 10 in. (250 mm) groove joint pliers



NEW




W1781*
Inner: 6 Master: 24

UNIVERSAL WRENCHES

- Time-saving design uses a spring-loaded jaw that automatically adjusts to standard and metric fasteners - no collar or wheel to adjust to the right size
- Quick and easy ratcheting action allows continuous operation without having to remove and reposition the wrench after each turn
- Precision ground serrated teeth deliver optimal gripping power
- Drop forged chrome vanadium construction with a rust-resistant poly coating
- Ergonomic TPR handle provides comfort and control



NEW



8 IN. - W30797*
Inner: 6 Master: 60
Adjusts to standard and metric fasteners 3/8 - 1 in. (9 - 25 mm) in diameter.

10 IN. - W30799*
Inner: 6 Master: 48
Adjusts to standard and metric fasteners 9/16 – 1-3/8 in. (15-35 mm) in diameter.

12 IN. - W30798*
Inner: 6 Master: 36
Adjusts to standard and metric fasteners 3/4 - 1-11/16 in. (19 - 43 mm) in diameter.

AUTOMATICALLY ADJUSTS TO SAE & METRIC FASTENERS



3 PC. LOCKING PLIERS SET

- Drop forged alloy steel construction with heat-treatment
- Hardened milled teeth with integrated wire cutters
- Nickel-plated to resist rust and corrosion
- Quick release levers for easy unlocking
- Contents: 5 in. (125 mm) locking pliers, 6-1/2 in. (165 mm) locking pliers, 7 in. (178 mm) locking pliers

W1782*
Inner: 6 Master: 36

NEW





6-1/2" MULTIFUNCTION FLUSH CUTTING PLIERS

- Multifunction flush cutting and stripping pliers allow you to cut, strip, crimp, and shear for a range of electrical projects
- Hardened cutting edges cut wire up to 2 mm diameter (5/64 in.)
- Strip and cut 10-20 AWG solid wire
- Professional grade steel construction with handle lock
- Crimper for insulated and non-insulated connectors from 0.8-2.6 mm (1/32-7/64 in.)

2-IN-1 DESIGN



W86510*
Inner: 12 Master: 72

1-3/8" RATCHETING PVC PIPE CUTTER

- Professional grade PVC pipe and soft tubing cutter is made of corrosion resistant aluminum and features ratcheting action for maximum cutting power
- Heavy duty SK5 steel cutting blade is 2.5 mm thick and features a non-slip coating for even smoother action
- Jaws accommodate plastic and rubber pipe and tubing up to 1-3/8 in. (36 mm) in diameter
- Indispensable tool for anyone working with PVC, CPVC, PP-R, PEX, PE, or rubber hoses, tubing, or pipe



NEW



RATCHETING DESING



W82009*
Inner: 10 Master: 60

24 PC. SAE & METRIC COMBO WRENCH SET

- Heat treated alloy steel
- Raised panel design
- Roll pouch for storage

W1074*
Inner: 1 Master: 6





SAE & METRIC



11 PC. WRENCH SETS


- Carbon steel construction with raised panel design
- Handy storage rack
- Nickel chrome plated finish
- Meets or exceeds ANSI standards

NEW



METRIC - W1042*
Inner: 6 Master: 12
Metric sizes included 6, 7, 8, 9, 10, 11, 12, 13, 15, 17 and 19mm.

SAE - W1043*
Inner: 6 Master: 12
SAE sizes included 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, and 3/4 in.



Connect with us! TikTok

Limited to stock on hand.

66 PC. SCREWDRIVER & BIT SET

- High torque reversible and locking ratcheting driver with ergonomic molded grip
- Full range of driver bits and nut drivers with sand blasted finish and organizing holders
- 8 in. (200 mm) rotating flexible extension is chrome plated to resist rust and corrosion is great for confined areas

SAE & METRIC

NEW





W1784*
Inner: 6 Master: 24

6 PC. ALUMINUM PRECISION SCREWDRIVER SET

- Three slotted and three Phillips screwdrivers for general purpose applications
- Includes protective plastic case
- Features aluminum handles with rotating rear cap for extra control when using in precise locations
- Phillips bit sizes: #1, #0, #00
- Slotted bit sizes: 1/16, 5/64, 3/32 in. (2.0, 2.4, 3.0 mm)

W80032*
Inner: 12 Master: 48

NEW





HANDY CASE

20 PC. MULTI-PURPOSE FLEXIBLE DRIVER SET

- Flexible screwdriver set offers a wide range of sizes for many applications at home or in the garage
- Flexible shaft allows user to reach areas not accessible to normal screwdrivers
- Set includes 12 power bits: Phillips #1, #2, #3, Slotted 7/32 in., 1/4 in., Tamper resistant Star TR8, TR10, TR15, TR20, TR25, TR27, TR30
- Set includes 6 sockets: 1/4 in., 5/16 in., 6 mm, 7 mm, 8 mm, and 10 mm
- Sockets made from high quality chrome vanadium steel
- Bits made from high quality S2 steel
- 1/4 in. Drive power bit adapter





NEW

FLEXIBLE SHAFT



W1744*
Inner: 12 Master: 48

LONG ARM KEY SETS

- Slip resistant textured powder coat finish improves grip
- Laser etched size markings for easy identification
- Includes handy folding organizer

13 PC. STAR
W80200*
Inner: 10 Master: 40

- Drilled tip allows for use on tamper resistant security fasteners
- Sizes included: T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40, T45 and T50

13 PC. SAE
W80202*
Inner: 10 Master: 40

- Ball end on the long arm allows use at angles up to 25 deg
- SAE sizes: 3/64 in. 1/16 in. 5/64 in. 3/32 in. 7/64 in. 1/8 in. 9/64 in. 5/32 in. 3/16 in. 7/32 in. 1/4 in. 5/16 in. 3/8 in.

9 PC. METRIC
W80201*
Inner: 10 Master: 40

- Ball end on the long arm allows use at angles up to 25 deg
- Metric sizes: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm

NEW



6 PC. SCREWDRIVER SET

- Alloy steel blades with chrome plated finish to resist rust and corrosion
- Comfortable fluted handles for positive grip
- Convenient storage/organizer rack
- Contents: 3/16 x 6 in. (150 mm), 1/4 x 4 in. (100 mm), 3/16 x 4 in. (100 mm) slotted; #2 x 4 in. (100 mm), #2 x 6 in. (150 mm), #1 x 3 in. (75 mm) Phillips



W1785*
Inner: 4 Master: 24




NEW



GO-THRU SCREWDRIVER SETS

- Color coded, ergonomic non-slip molded grips for improved comfort and control
- High strength go-thru shank design features smooth striking face end caps
- Heat-treated satin plated hexagonal shafts with black magnetic tips





12 PC. - W1741*
Inner: 1 Master: 4

Sizes: 1/4" x 6", 3/8 x 6", 5/16 x 6" Slotted; #1 x 6", #2 x 6", #3 x 6" Phillips; T25 x 6", T27 x 6", T30 x 6" Star; S1 x 6", S2 x 6", S3 x 6".

MAGNETIC

FEATURES STRIKING CAP

9 PC. - W1742*
Inner: 1 Master: 6

Sizes: 1/8 x 3 in., 1/4 x 6 in., 5/16 x 6 in., 3/8 x 6 in. Slotted; #0 x 3 in. #1 x 3 in., #2 x 6 in., #3 x 6 in. Phillips; T25 x 3 in. Star.

7 PC. TPE DIAMOND TIP SCREWDRIVER SET

- Diamond coated tips provide superior gripping power to resist slippage and allow for greater torque - 2X better grab than standard screwdrivers
- Triple injected handle features advanced thermoplastic elastomer material that boasts longer life
- Heat treated oil resistant black phosphate shafts are made of high-strength chrome vanadium steel and have magnetic tips
- Includes: stubby #2 x 1-1/2 in., #0 x 3 in., #1 x 3 in., #2 x 4 in. Phillips; 3/16 x 3 in. slotted; T25 x 4 in. Star; S2 x 4 in. square



NEW

DIAMOND TIPS 2X MORE GRIP



W1743*
Inner: 6 Master: 24



MAGNETIC

*California Residents
Prop 65 warnings see page 24.

HYDRAULIC BOTTLE JACKS

- Heat treated critical stress areas ensure long life performance
- Steel lifting saddle cleated for better load stability
- Oversize cast iron base for extra durability but still easily portable
- Extension top screw adjusts to accommodate work height
- Meets or exceeds ASME PALD-2009



4 TON - W1623*
Inner: 1 Master: 6
Lift Range: 7-5/8 to 14-5/8 in.

6 TON - W1625*
Inner: 1 Master: 4
Lift Range: 8-1/2 to 16-1/4 in.

8 TON - W1628*
Inner: 1 Master: 4
Lift Range: 9 to 18 in.

12 TON - W1632*
Inner: 1 Master: 4
Lift Range: 9-1/4 to 18-1/2 in.

20 TON - W1633*
Inner: 1 Master: 2
Lift Range: 9-1/2 to 17-3/4 in.

2 TON COMPACT TROLLEY JACK

- 4,000 lb capacity
- Maximum height 13"
- Swivel casters for easy positioning

4000 lb. CAPACITY



W1606*
Inner: 1 Master: 1

2 TON FLOOR JACK

- 4,000 lb. capacity
- Maximum height 15"
- Swivel casters for easy positioning

4000 lb. CAPACITY




W1614*
Inner: 1 Master: 1

3 TON TROLLEY JACK & JACK STANDS

- Jack features 6,000 lb. (2.72 mt) capacity
- Lift Range 5-3/4 in. to 17-1/8 in. (14.61 cm to 43.22 cm)
- Heavy-duty steel lifting arm with swivel casters for easy positioning
- Stands feature ratchet style mechanism for easy adjustment, range 11-1/4 in. to 16-3/4 in. (28.58 cm to 42.55 cm)
- Meets or Exceeds ASME PASE-2019

NEW





6000 lb. CAPACITY

W1619*
Inner: 1 Master: 1

2-1/2 TON GARAGE JACK

- A durable flanged steel frame powder coated and assembled with rust-resistant hardware
- Steel lifting saddle, cleated for better load stability
- Heavy-duty steel front wheels and ball-bearing swivel rear wheels provide easy positioning
- Convenient carry handle and only 28 lbs.
- Lift Range: 5-3/8 to 15-1/4 in
- Meets or exceeds ASME PALD-2005

5000 lb. CAPACITY



W1640*
Inner: 1 Master: 1

2 TON TROLLEY JACK & STAND

- Jack features 4,000 lb. capacity, maximum height 13", swivel casters for easy positioning
- Heavy duty steel lifting arm
- Lightweight for fast positioning
- Great for cars and light duty trucks
- Tough enamel finish
- Jack stands feature ratchet style for easy adjustment, 10 3/8" to 16 3/8" range and 10 Lock safe settings

W1605*
Inner: 1 Master: 1



4000 lb. CAPACITY

3-1/2 TON LOW PROFILE FLOOR JACK

- 3-5/8'' to 20-1/2'' Lift range
- Double-pump mechanism for quick lifting
- Rubber saddle pad included
- Meets or Exceeds ASME PASE-2019

W1645*
Inner: 1 Master: 1



7000 lb. LOAD CAPACITY

2 TON SUV SCISSOR JACK

- Sturdy steel construction with a 4,000 lb. load capacity
- Includes a ratchet wrench for tight spaces and the standard speed wrench
- Lifting range is 3.9 in. to 17.3 in. perfect for the taller SUV's
- 15 in. x 4.75 in., oversized base for added stability and support

W1622*
Inner: 1 Master: 6

4000 lb. CAPACITY



16,000 LB. GVW VEHICLE RAMPS

- 16,000 lb. (7,272 kg) total gross vehicle weight capacity allows safe performance of repair and maintenance underneath your vehicle
- Patented stackable design utilizes reinforced channels to nest and save space while in storage
- Raised stop end provides added strength and stability
- Molded traction treads and gentle 17° incline provide easy loading even for low clearance vehicles
- Heavy duty polypropylene construction with slip-resistant rubber feet to resist sliding while loading



PATENTED STACKABLE DESIGN

W41014*
Inner: 1 Master: 1

NEW





4000 lb. CAPACITY
*Per Ramp**

MOLDED TRACTION THREADS

13,000 LB. GVW VEHICLE RAMPS

- 13,000 lb. (5,909 kg) total gross vehicle weight capacity allows safe performance of repair and maintenance underneath your vehicle
- Concave wheel rest surface and raised stop end provide added strength and stability
- Molded traction treads and gentle 17° incline provide easy loading even for low clearance vehicles
- Openings in the side and low end allow for easy carrying, positioning, and hanging ramps in storage

W41013*
Inner: 1 Master: 1
Specifications: maximum 3,250 lb. (1,477 kg) per ramp, 6,500 lb. (2,955 kg) per pair working load capacity; dimensions: 35-5/8 x 12-1/8 x 8-1/4 in. (90.5 x 30.8 x 21 cm); 6-1/4 in. (15.9 cm) maximum lift height

CONCAVE WHEEL REST





3250 lb. CAPACITY
*Per Ramp**



2-IN-1 36" Z-FRAME FOLDING CREEPER

- Easily converts from a creeper to rolling seat
- Padded cushions for added comfort both lying flat and sitting upright
- Six 2 in. (50 mm) swivel casters allow for effortless movement and added stability
- Low profile for added clearance under vehicles
- Powder-coated tubular steel frame with a large 12-1/2 in. x 10-1/4 in. cushioned headrest
- Locking pin prevents unwanted movement, and retracts easily for quick conversion
- Flat dimensions: 36 in. L x 16-1/2 in. W x 4-7/8 in. H (914 x 419 x 124 mm)
- Folded dimensions: 18-1/4 L x 14-5/8 H x 16-1/2 in. W (464 x 371 x 419 mm)
- Flat capacity: 300 lb. (136 Kg, Folded capacity: 264 lb. (120 Kg)
- Replacement casters available: Performance Tool model W85002

W85034*
Inner: 1 Master: 1

300 lb. LOAD CAPACITY



LOW PROFILE

FOLDING TOOL CART

NEW COLLAPSIBLE

- Three shelf collapsible rolling cart features tough polypropylene trays, durable aluminum posts, and 3 in. (75 mm) swivel casters
- Innovative design quickly and easily folds up for compact portability and storage in spaces less than 8 inches in depth - Approximate folded size: 7.5 x 16 x 42 in. (19 x 40 x 107 cm)
- Maximum total load capacity of 200 lb. (90 kg.) distributed evenly
- Each shelf measures approximately 23 x 14.3 x 1 in. deep (58 x 36 x 2.5 cm)

W53990*
Inner: 1 Master: 1





200 lb. LOAD CAPACITY

TRANSMISSION ADAPTER

W41044*
Inner: 1 Master: 1

- Converts floor jacks into transmission jacks
- Fits all jacks with 1 5/32" removable saddle shaft
- Tilts forward and back and includes safety chain








1 TON CAPACITY FOLDABLE SHOP CRANE

- 2,000 lb. capacity (909 kg) shop crane with fold-up legs for easy storage
- The long ram jack is equipped with a load-limiting safety valve preventing over lifting
- Maximum crane height adjusts from 75 in. to 84-3/8 in. (190.5 cm to 214 cm)
- Boom extends from 35-1/4 in. to 45-7/8 in. (89.34 cm to 116.5 cm)
- Base length 63 in. (160 cm) Base width 35 in. (89 cm)
- Engineered to comply with ASME-PASE 2019 industry standards

COLLAPSIBLE





W41049*
Inner: 1 Master: 1

2000 lb. CAPACITY

2-IN-1 ADJUSTABLE MOBILE TOOL TABLE

- Two-in-one rolling service table, with removable mobile tool tray
- Keep tools and parts close while under the hood making repairs or conducting diagnostic service
- The worktop can be removed and used under the vehicle as a rolling part and tool tray
- Includes 9 holes for screwdriver storage and a 15 pc. cut-out to hold sockets

W85039*
Inner: 1 Master: 1



2-IN-1 DESIGN

130 lb. LOAD CAPACITY

*California Residents
Prop 65 warnings see page 24.

250LM LI-ION LIGHTED SAFETY GLASSES

NEW

- 250 lumen output with extra cushion for extreme comfort and venting
- Safety lens with anti-UV, anti-scratch, and ANSI approved impact resistance
- Detachable cushion insert allows for more cushion and comfort
- ABS and TPR construction provide more durability
- IP44 water resistance with detachable strap if needed
- High beam: 250 lumens output, Medium beam: 110 lumens output, Low beam: 24 lumens output
- Powered by 3.7V 500 mAh Li-Polymer rechargeable battery and USB-C charging cable included



W2699*
Inner: 8 Master: 32

650LM LI-ION FOLDING HEADLAMP



- Professional grade licensed COB (Chip-On-Board) Strip
- Rigid ABS frame with elastic strap for a comfortable fit
- Frame folds for easy storage
- Outputs: High beam 650 lumens, dimmable down to low beam 65 lumens
- Motion sensor mode for touch-free on/off
- Powered by built-in 3.7V 1500mAh Li-Polymer rechargeable battery
- USB-C charging cable included



W2690*
Inner: 6 Master: 24

300LM LI-ION HEADLAMP W/DIMMER

- Professional grade lifetime Seoul LED with licensed COB (Chip-On-Board) Strip
- Variable output dial adjust light output from 30 to 300 lumens
- ABS frame with elastic strap for a comfortable fit
- High: 300 lumens, 1.5 hour runtime, beam distance 197 ft. (60 m); Low: 30 lumens, 5.5 hour runtime, 46 ft. (14 m) beam distance
- Powered by (1) 14500 500mAh Lithium Ion battery (included)
- USB-C Charging cord included
- IP42 water resistant rating



W2692*
Inner: 8 Master: 32

500+LM DUAL POWER LED HEADLAMP

- Produces a total output of over 500 lumens with combination spot and flood beams of light
- Comfortable and lightweight design with adjustable head strap and pivoting head
- Four operating modes: dual light, area light, spotlight, and 395-400 nm UV light (enter UV light mode by holding power button for 3 seconds)
- UV light great for fluid and glass leak detection, ID and document verification, currency detection and more
- Dual power source capability allows operation on the included li-ion battery pack or regular dry cell batteries (sold separately)

W2621*
Inner: 6 Master: 24



70LM HEADLAMP

IP42 WATER RESISTANCE

- Professional grade licensed COB (Chip-On-Board) Strip
- Durable ABS frame with elastic band for comfort
- Powered by (1) AA battery included
- IP42 water resistant rating
- 70 lumens, 4.5 hour runtime, 60 ft. (20 m) beam distance



W2691*
Inner: 8 Master: 32

500LM LI-ION UTILITY HEADLAMP

NEW

- Powered by built-in 500mAh polymer Li-ion battery
- Includes removeable head strap and 6 in. (152 mm) USB-C charging cable
- Unique ability to easily remove light from head strap and use as a utility light
- Integrated magnet for hands free use while off of head strap
- 500 lumen boost mode, 1 hour runtime, 70 ft. (21 m) beam distance. 300 lumen, 1.5 hour runtime, 56 ft. (17 m) beam distance. 150 lumen, 3 hour runtime, 39 ft. (12 m) beam distance.



W2641*
Inner: 8 Master: 32

500LM LI-ION UTILITY LIGHT W/CARABINER

NEW

- Powered by built-in 500mAh polymer Li-Ion battery
- Includes 6 in. (152 mm) USB-C charging cable
- Unique ability with clip that also can work with a head strap (not included)
- Aluminum and ABS housing with integrated magnet for hands free use
- 500 lumen boost mode, 1 hour runtime, 70 ft. (21 m) beam distance. 300 lumen medium mode, 1.5 hour runtime, 56 ft. (17 m) beam distance. 150 lumen low mode, 3 hour runtime, 39 ft. (12 m) beam distance.



W2642*
Inner: 8 Master: 32

Connect with us! TikTok
Limited to stock on hand.

1200LM LI-ION CLAMP LIGHT

NEW

- Professional grade lifetime OSRAM 2835 SMD LEDs
- Magnetic base included for variable mounting
- Heavy duty ABS and TPR housing
- Metal clamp with rubber grip
- Powered by 3.7V 2600 mAh Li-Ion battery with 6 ft. (1.83 m) USB-C cord included
- High: 1200 lumens, 1 hour runtime, 128 ft. (39 m) beam distance. Low: 400 lumens, 3 hour runtime, 79 ft. (24 m) beam distance

1200 LUMENS



W2246*
Inner: 6 Master: 24

1500+LM LI-ION UTILITY WORK LIGHT

NEW



- Wide angle LEDs produce over 1500 lumens and distribute a large flood beam of light
- 360° swivel base provides light in any direction and features magnetic base for hands free operation
- USB charging port allows unit to function as a power bank - 5V @ 1A input/output power, battery indicator, (2) integrated 2000 mAh 18650 li-ion batteries
- 2 output settings: 1515 lumens & 850 lumens
- IP54 rating & 1 m USB-C charging cable

W2635*
Inner: 6 Master: 24

1500 LUMENS

MAGNETIC

HANDS FREE OPERATION



12000+LM LI-ION HD FLASHLIGHT

- FP-Max flashlights combine heat dissipating housing and multi-cluster LEDs to provide a huge flood of light and an intense spot light
- Aggressive anodized aluminum housing with compact design that fits comfortably in the palm of your hand
- IPX4 Water and impact resistance for rugged durability
- Safety power switch prevents accidental power on - double tap to turn light on
- Includes braided 8 in. (20 cm) USB-C charging cable

12000 LUMENS

W2633*
Inner: 4 Master: 36

IPX4 WATER RESISTANCE





NEW

Specifications: 12 x Cree XPG3 LEDs, 12153 lumens on boost mode; 5108 lumens on high; 2855 lumens on medium; 508 lumens on low; 68 lumens in energy-save mode; 3 integrated 18650 2500mAh li-ion batteries

750+LM LI-ION FLASHLIGHT

750 LUMENS

- Specifications: Cree XPG3 LED, 765 lumens on high, 350 lumens on medium; 56 lumens on low; replaceable 16340 700mAh li-ion battery
- Includes braided 8 in. (20 cm) USB-C charging cable



NEW



IPX4 WATER RESISTANCE

W2624*
Inner: 6 Master: 48

800+LM FLEX NECK LI-ION TASK LIGHT


- Three lights in one – handheld pocket light, flexible inspection light, and red emergency/night light
- High output area light produces 800+ lumens for lighting up your work area
- Built-in flexible neck inspection light features a 9 in. (23 cm) flexible neck and 120+ lumen lighted end
- Also features red LED strip lights that can be used in low light settings, or flash for emergency use
- Power bank function, pocket clip, magnetic back, and folding swivel hook provided added versatility



NEW

FLEXIBLE NECK





SUPER BRIGHT



SWIVEL HOOK

800 LUMENS

W2695*
Inner: 10 Master: 60

400+ LM LI-ION SLIM POCKET LIGHT

- Compact, high performance work light produces 400+ lumens in boost mode
- High output Cree LED and crystal clear convex lens combine to produce a bright beam of focused light
- Anodized aluminum housing with pocket clip, high strength magnetic base, and keychain carabiner
- Includes 12 in. (30 cm) USB-C charging cable



NEW

400 LUMENS



SUPER SLEEK DESIGN



W2623*
Inner: 12 Master: 48

1000+LM LI-ION FOLDING UNDERHOOD LIGHT

- Flexible and versatile design allows compact operation as a dual sided area light or fully extend for use as an under hood work light
- High output SMD LEDs provide over 1000 lumens of bright white light
- Swiveling brackets on ends of work light feature magnets and a carabiner hook for hands-free operation
- Multiple operating modes allow use of either side of the work light or both at once
- Innovative folding design stands upright, hangs, or collapses for compact use and storage
- Includes a 1/4-20 thread insert for use with a tripod



W2697*
Inner: 6 Master: 12

NEW

INNOVATIVE FOLDING DESIGN



1000 LUMENS

SUPER BRIGHT

395NM UV LI-ION FLASHLIGHT

- FP-Max flashlights combine heat dissipating housing and a high power LED to provide a huge flood of light and an intense spot beam
- IPX4 Water and impact resistance for rugged durability
- Specifications: 395nm UV LED; 25 hour runtime; 2 hour charging time; 10850 3.7V 750mAh li-ion battery; 6.6 in. (168 mm) length; 0.7 in. (18 mm) diameter
- Includes braided 10 in. (25 cm) USB-C charging cable



NEW



IPX4 WATER RESISTANCE

UV

W2622*
Inner: 6 Master: 48

*California Residents
Prop 65 warnings see page 24.

CORDLESS HOT GLUE GUN

- USB-C rechargeable cordless glue gun
- Heats up quickly in just 1-2 minutes
- Integrated flip out stand keeps glue gun flat and stable
- LED charge indicator/power indicator
- Includes 6 standard 7 mm (0.27 in.) mini glue sticks
- Runs continuously for 1 hour on a full charge
- GS/CE/EMC/ROHS certified
- Battery can be fully charged in 3 hours

CORDLESS DESIGN

NEW










USB-C


W2083*
Inner: 6 Master: 24



3/4" X 30' BLACK ELECTRICAL TAPE

- General purpose electrical tape
- Suitable for use in all kinds of electrical and mechanical applications such as cable insulation, wire bundling, and reinforcing
- Suitable for use at no more than 600V and not more than 176°F (80°C)
- UL Listed







W6085*
Inner: 10 Master: 200

16 PC. DRAWER ORGANIZER LOCKING BIN SET

- 3 different sizes of interlocking bins can be used together or separately to help organize your toolbox, workbench, or desk drawers
- Bins are made of high-quality durable plastic which are break resistant and easy to clean
- Buy multiple sets, to mix and match, for larger organizational needs
- Bin included: 6 small, 6 medium, and 4 large

NEW

W1570*
Inner: 1 Master: 20





STAY ORGANIZED

Bin measurements: Small - 2.9 x 3 x 1.8 in. (7.5 x 7.5 x 4.8 cm), Medium - 9 x 3 x 1.8 in. (23.5 x 7.5 x 4.8 cm), Large - 9 x 6 x 1.8 in. (23.5 x 15.5 x 4.8 cm)

2 PC. STACKABLE STORAGE CASE

- Unique stackable storage bins connect to each other for maximum portability
- Lids' channels lock dividers in place keeping fasteners neatly organizes without mixing contents
- Semi-transparent lid, comfortable carry handle, secure latches, and the ability to stack multiple cases
- Each of the two case has 18 separate bins for storage with removable dividers

W5266*
Inner: 3 Master: 12



STAY ORGANIZED



STACK PACKS



2 PK. STORAGE STRAPS

- Total unfolded length of 16 in. (41 cm) and 1-1/2 in. (3.8 cm) wide, with 14 total inches of hook and loop fabric allows storage of items with a diameter of up to 5 in. (12.5 cm)
- Triangle-shaped carabiner buckle can be hung on nails, hooks, ropes, wire, eyelets, and more
- Maximum 33 lb. (15 kg) load capacity and a lifecycle of more than 10,000 uses







Sold in INNER QTY.

W494*
Inner: 12 Master: 144

DIY HOOK AND LOOP STRAP KIT

- Designed to be cut to any length for any application
- With this kit you are able to make up to 30 straps
- 26 ft. (7.92 m) of hook & loop strapping with 30 buckles
- Designed for cable management and other organizational needs
- 0.8 in. (20 mm) wide strap material

W2949*
Inner: 1 Master: 60







CUT TO ANY LENGTH

NEW

LED 3X MAGNIFYING GLASS

- Features 12 wide angle LEDs that brighten up your entire work area with up to 80 lumens of light
- Large 3-1/2 in. (89 mm) non-distorting optical grade glass provides 3X magnification power
- Comfortable rubber coating for a positive grip and a convenient on/off button
- 9-1/2 in. overall length (240 mm)
- Requires (2) AA batteries (included)

NEW



W15040*
Inner: 6 Master: 24



170 PC. U-CLIP FASTENER ASSORTMENT

- Used on door panels, trim, radiator shields, fenders, bumpers, license plates, splash shield, and more
- The u-clips are made of heat-treated black finished spring steel, the screws are made of zinc plated steel
- Reusable fastener that provides dependability and a long service life
- Assortment contains 5 of the most popular U-clips and screws

W5285*
Inner: 6 Master: 24

NEW





Includes: 3 x 8 mm - 20 pcs., 4 x 16 mm - 40 pcs. notched, 5 x 12 mm - 15 pcs. notched, 6 x 20 mm – 10 pcs. with matching screws in a handy storage case

Connect with us! TikTok

Limited to stock on hand.

12V HEATED TRAVEL BLANKET

- Whether you use this 12v DC heated travel blanket as a seat cover, over your whole body or just on your lap for added warmth you will remain comfortable while traveling in your car, RV or boat
- 3 heat settings, Low/Medium/High, lets you adjust the temperature to just the right amount of heat; up to 149°F (65°C) max
- Built-in automatic 45 minute timer prevents overheating and will not unintentionally drain your battery leaving you stranded
- At approximately 43" x 59" it is large enough for two people and made out of plush polar fleece which easily folds up in the included storage bag with zipper
- Specifications: Input: 12v DC, Max current: 4.5A, Rated power: 50-Watt, In line fuse: 8 Amp, Power cord: 94"



12v volt

W6049*
Inner: 1 Master: 6

12V PORTABLE VACUUM CLEANER

- High-powered suction in a compact, portable, and lightweight unit Replaceable and washable HEPA filter captures smaller particles
- Operates directly from a 12V outlet in your vehicle
- Includes 5 attachments: crevice tool, bristled brush, dust brush, 11 in. hose, 10 in. extension
- Specifications: Input: 12V DC, 5A-7A, 80-100 Watts, 10A fuse; Cord Length: 4m (13.33 ft); Vacuum Pressure: 3000 Pa; Decibels: <80 dB; Extension Hose: 11.5in/292mm
- Item weight and dimensions: 2.2lbs/1000g; Dimensions(L x W x H): 13.78 x 4.33 x 4.33 in, (350 x 110 x 110mm)



12v volt



W50012*
Inner: 4 Master: 16

LATEX COATED UTILITY GLOVES

- Comfortable and breathable knit fabric in a one size fits all L/XL
- Textured latex palm and fingers for extreme grip
- Great flexibility and dexterity in lightweight design
- Material: 90% Polyester and 10% Latex coating



NEW

W89025*
Inner: 6 Master: 48

Sold in INNER QTY.

ANGLED BACK SCRATCHER

- Angled hand portion provides more direct contact in those hard to reach spots
- Includes magnet for picking up dropped nuts, bolts, staples and more
- Anti-swivel groove to stabilize and prevent turning
- Extends to over 20 inches



Sold in INNER QTY.

W9204*
Inner: 9 Master: 54

USB-C CHARGING CABLE

- 2-in-1 design features removable tethered cover for plugging into a standard USB or USB-C port
- Universal compatibility supports all USB-C powered devices
- Tangle-free braided nylon cable is poly coated
- 60W Quick charging and data transfer up to 20V @ 3A
- USB 2.0 supports data transfer at up to 480Mbps and simultaneous charging
- 40 in. total length (1 m)

W492*
Inner: 8 Master: 64



Sold in INNER QTY.

USB & USB-C

DUAL 12V USB/ USB-C ADAPTER

- Charge two devices at the same time-one standard USB cord and one USB-C cord
- Compatible with most USB charging devices and recharges most phones completely in 3-4 hours
- Specifications: 12-24V input, 36W total output: 3A @ 5V, 2A @ 9V, 1.5A @ 12V





Sold in INNER QTY.



W493*
Inner: 8 Master: 64

120V USB CHARGER

- Built-in features protect from over current and short circuit protection
- Delivers up to 1 AMP at 5 volts for most cell phones
- Specs: Rated input voltage: 100-240V AC, Input Current: 0.2A Max, Output: 5V @ 1000mA, 32-104° F (0-40° C) operating temperature
- US Patents D673370 and D685580



Sold in INNER QTY.



120v volt

W3319*
Inner: 12 Master: 96

400+LM LI-ION NECK LIGHT

- Features two individually controlled lighted ends for positioning light wherever you need it
- Flexible neck is 19-1/2 in. long (49.5 cm) and stays in whatever shape or configuration you place it in
- Each lighted end includes a focused spotlight LED and two multi-color temperature LEDs
- Specifications: 408 maximum lumen output, 3-hour runtime, 3-hour charging time, 4.7 oz. (162 g), 3.7V 650mAh battery, 40 in. USB-C cable (1 M)



2 INDIVIDUALLY CONTROLLED LIGHTED ENDS



400+ LUMENS

W2687*
Inner: 6 Master: 48

150+LM RUBBER GRIP LI-ION FLASHLIGHT

- High output LED never needs replacing and creates a bright spot and broad flood of light
- Ergonomic wide handle design provides a more comfortable grip and prevents light from rolling away
- Rubberized head and grip are tactile and shock absorbent
- Built-in 14500, 500mAh capacity lithium ion battery, and 3 in. (8 cm) USB-C charging cord included
- Specifications: 168 lumens and 1 hr. runtime on high, 98 lumens, 2-1/2 hr. runtime on low.; 1-1/2 hr. charging time. 5 in. long (25 cm), 1-1/2 in. diameter (3.8 cm)



CARDED
W2431*
Inner: 10 Master: 40

BULK
W2431*
Inner: 10 Master: 40



150+ LUMENS

*California Residents
Prop 65 warnings see page 24.

12 PK. MICROFIBER TOWELS

- Clean without harsh chemicals, scratching or leaving lint
- Textured cloth lifts and traps dust to prevent scratches
- Nonabrasive for delicate surfaces
- Machine wash and dry
- Multiple cleaning, care, and detailing uses: washing, dusting, polishing, and wiping glass
- Approximate size: 12 in. x 16 in. (30 cm x 40 cm)
- Cloth weight: 200g/m2, 83% polyester, 17% polyamide



W1482*
Inner: 1 Master: 20

Sold in MASTER QTY.

ICE SCRAPER / SQUEEGEE

- 3-in-1 tool for ice breaking, scraping and wiping
- Low-profile design stores anywhere
- Impact-resistant ABS construction



Sold in INNER QTY.



W9166*
Inner: 24 Master: 96

24" SHOP BROOM W/ STEEL HANDLE

- Soft 3-in. bristles for use on smooth to medium surfaces such as garage/shop floors, finished concrete, masonry and more
- Durable polypropylene brush bristles
- 60-in. powder-coated steel handle with universal aluminum ferrule and a handle with a hang hole
- 15/16 in. (23.8mm) diameter steel handle
- Threaded handle insert on both sides for even wear

60 INCH HANDLE

W28*
Inner: 1 Master: 12

Sold in MASTER QTY.






48 X 30" ANTI-FATIGUE FLOOR MAT

- Non-slip neoprene rubber backing holds mat firmly in place for safety and is low profile enough for use as an inside threshold doormat
- 1/4 in. Thick mat dramatically reduces pressure on your feet, knees, lower back and insulates your feet from a cold or slick floor
- High-quality materials used in construction are solvent, oil, and dirt resistant, providing a long service life
- Nominal Measurements: 30 x 48 x 1/4 in. thick

Sold in MASTER QTY.

W7702*
Inner: 1 Master: 4





ICE SCRAPER

- Heavy-duty scraping blade with ice-ripping teeth
- Sturdy construction holds up in extreme weather
- Flat, compact design stores easily
- 9 1/2 in. long with 4 1/4 in. wide blade



W9197*
Inner: 12 Master: 48



Sold in INNER QTY.


EMERGENCY FIRE BLANKET

- 40 in. x 40 in. (1 m x 1 m) Emergency fire blanket
- Designed to throw over small fires to extinguish them before they become out of control
- Designed for use in homes, shops, cars, and RVs
- Rated to extinguish class A, B, and C fires
- Simple to use and less mess than traditional fire extinguishers



W905*
Inner: 8 Master: 32

Sold in INNER QTY.



PLASTIC BOOT TRAY

- Perfect for muddy and wet boots and shoes
- Large enough to hold 3 pairs
- Made of 100% recycled materials

W89018*
Inner: 1 Master: 12

Sold in MASTER QTY.



BOOT & SHOE BRUSH

- Wood blocks with heavy duty steel frame
- Screw down to any surface using the integrated tabs
- Heavy duty poly bristles that last

W9451*
Inner: 1 Master: 6





Wilmar, LLC
P.O. Box 88259 Tukwila, WA 98138
WS-2025-09

e-mail: tools@wilmarllc.com
1-800-426-1262 USA & Canada

*⚠**WARNING:** Cancer and Reproductive Harm -www.P65Warnings.ca.gov

© Copyright 2025 Wilmar, LLC. This material is being furnished for the exclusive use of Wilmar LLC customers and may only be used in connection with the sale of Wilmar®, Performance Tool®, PT POWER®, airTIGHT™, Northwest Trail®, Project Pro®, Mechanics Products® and ATAK® brand merchandise. Any other use is strictly prohibited. Illustrations and photographs are intended for reference only. Actual products may vary. On occasion, after printing of our catalogs, flyers or other sales aids is completed, the manufacturers may make changes and/or modifications to merchandise which will not be reflected in this literature. Accordingly, when ordering, please inquire of our sales representative as to any such changes or modifications which have been made following publication. Wilmar is not responsible for typographical, grammatical, numerical or hyphenation errors.