PT® Performance Tool

QUALITY I INNOVATION I SATISFACTION

SPECIALTY TOOLS I HAND TOOLS I ELECTRICAL I TIRE REPAIR I DEMOLITION I FIREPOINT X LIGHTING I BATTERY SERVICE I LUBRICATION I OIL CHANGE I SPECIALTY TOOLS I HAND TOOLS I ELECTRICAL I TIRE REPAIR I DEMOLITION I FIREPOINT X LIGHTING I BATTERY SERVICE I LUBRICATION I OIL CHANGE I SPECIALTY TOOLS I HAND TOOLS I ELECTRICAL I TIRE REPAIR I DEMOLITION I FIREPOINT X LIGHTING I BATTERY SERVICE I LUBRICATION I OIL CHANGE I

PERFORMANCE TOOL

Summer 2022

FEATURED ITEMS

Wilmar, LLC

PT POWER®

Northwest Trail

ATAK®

UNDERHOOD WORK LIGHT X

15 IN. FLEXIBLE LIGHT BAR*

- Innovative design spans hoods over 6 feet wide and wraps up for compact storage.
- 15-Inch flexible light bar provides a variety of uses and allows light to be directed right where you need it.
- 60 Wide angle LEDs provide over 1000 lumens of flood light.
- Adjustable elastic strap fits almost any size hood.
- Rubber padded hooks prevent scratching or denting.
- Powered by dual 18650 2200mAh Li-Ion batteries (included) and USB charging cable.





1000+ LUMENS

NEW

W2673*
Inner: 1 Master: 20



120V 6500LM WORK LIGHT W/TRIPOD STAND

NEW



HEIGHT RANGE: 27.5" - 78.5"

6500+ LUMENS

- Complete worklight system produces 6500+ lumens
- Includes 120V E26 threaded ceiling light, 120V adapter with 12ft cord, and 3-section telescoping tripod stand
- Energy efficient replacement to high output halogen, halide, sodium or other incandescent lights
- Uses the same energy as a 60W incandescent light bulb, but produces nearly 8 times the amount of light
- Fully adjustable tripod with a height range of 70-200cm (27.5-78.5") and standard 1/4"-20 threaded receiver



W2286*
Inner: 1 Master: 4



6500LM 120V LED CEILING LIGHT

- Produces 6500+ lumens and fits standard E26 threaded 120V light bulb sockets
- Energy efficient replacement to high output halogen, halide, sodium or other incandescent lights
- Uses the same energy as a 60W incandescent light bulb, but produces nearly 8 times the amount of light
- Die cast cooling blades dissipate heat to provide optimal output

W2284*
Inner: 1 Master: 18




1200LM+ LED DROP LIGHT W/CHARGING BASE

- All the durability of a traditional drop light with the efficiency of LED technology
- Built-in lithium ion batteries provide cordless operation for up to two hours
- Impact resistant handle with non-slip rubber grip and magnetic bracket
- Powder coated metal lamp shield with swivel hang hook
- Includes wall mountable, self-standing charging base and 1M (39 inch) micro USB charging cable



W2242*
Inner: 1 Master: 16



1200+ LUMENS

MAGNETIC



120V olt

NEW



1600+ LM 12V LED DROP LIGHT





- All the durability of a traditional drop light with the efficiency of LED technology
- Warm white LEDs provide over 1600 lumens of more natural, true-to-life color
- Impact resistant handle with non-slip rubber grip and magnetic bracket
- USB port on the bottom of the handle to charge your phone, tablet or other device while you work
- 20ft 22GA cord with 12V pluG

W2238*
Inner: 4 Master: 16



1600+ LUMENS

MAGNETIC

30 LED SLIM WORK LIGHT



- Variable output dial adjust light output from 150 to over 600 lumens
- Thin, low profile light bar body for access in confined areas
- Swivel hook and removable 360° swivel magnetic base for hands free use
- Comfortable lightweight housing with ergonomic grip
- Built-in rechargeable lithium ion 18650 battery and charging cable

W2231*
Inner: 10 Master: 50



120V STEEL CAGE PRO DROP LIGHT

NEW


- Reflective galvanized metal lamp shield with swivel hang hook
- Impact resistant handle with comfortable non-slip rubber grip
- Standard E26 light socket uses up to 75 watt incandescent bulb or LED equivalent
- 25ft grounded cord with built-in 120V outlet (600W MAX)
- Designed for use with LED A19/A26 style bulbs, Performance Tool Models W2282/W2283



Bulb not included.

120V olt

W2243*
Inner: 4 Master: 16



500+LM 3-IN-1 WORK LIGHT

NEW

- Multiple output settings: flashlight; focused spot light, area light, combined spot/area light provides from 130 to 500+ lumens
- Spot light features warm white for a more natural light and better color recognition
- Magnetic swivel base for hands free use and positioning light where you need it

500+ LUMENS



W2325*
Inner: 6 Master: 48

Limited to stock on hand.

120V 1000LM WORK LIGHT


120 Volt

- Ultra high output of more than 1150 lumens
- SMD LED technology means unit stays cool enough to touch
- Wide angle LEDs distribute large flood beam of light
- 5 foot 18GA grounded power cable
- Specs: 1186 lumens, 47.2m Beam distance, 556cd peak beam intensity

W2230*
Inner: 1 Master: 8

1150+ LUMENS





WIDE ANGLE LED 2000+ LM WORK LIGHT

120 Volt

- Incredibly high output of more than 2000 lumens
- SMD LED technology means unit stays cool enough to touch
- Wide angle LEDs distribute large flood beam of light
- 6ft 18GA power cable with insulated on/off switch

W2402*
Inner: 4 Master: 8

2100+ LUMENS





200 LUMEN COB WORKLIGHT

- 200 lumen LED work light
- Heavy duty ABS plastic housing
- 180 degree folding magnetic base for hands free use
- 360 degree swivel hook
- Emergency red flasher
- Powered by 3AAA batteries (included)



HANDY HANG HOOK



339*
Inner: 6 Master: 24

MAGNETIC BASE

200 LUMENS

500 LM LI-ION COB CLIP LIGHT

NEW

- Professional grade COB technology strip
- Powered by built-in rechargeable 500 mAh Li-poly battery
- USB-C charge cord included
- 6-position kick stand to make sure you get right light angle
- Spring loaded carabiner for secure attachment to belts, back packs, key rings, etc
- Includes magnet for hands free operation while using as a work light



MAGNETIC BASE

500 LUMENS



179*
Inner: 6 Master: 36

7 IN. WIRELESS LIGHT BAR

- Professional grade lifetime Osram SMD
- Powered By 4-AAA batteries
- 120° Light angle for maximum area lumination
- Motion sensor feature shuts light on/off after 28 seconds within 10' radius
- 3M® adhesive to attach/mount to most smooth, level surfaces
- Motion ON/OFF, 65 lumens
- Wireless Unit- No Wires, No Tools & No Mess ! Install in Minutes



MAGNETIC STRIP






720*
Inner: 12 Master: 72

LI-ION UNDER CABINET LIGHT

- Professional grade lifetime SMD.
- 120° Light angle for maximum area lumination.
- Motion sensor feature shuts light on/off after 25 seconds within 10' radius.
- Easy to install, unit has magnetic base & Adhesive to attach/mount to most smooth, level surfaces.
- Powered by rechargeable 3.7V Li-poly battery, micro USB charger included.
- 3 output settings : 1. Auto (Motion) 2. Instant On 3. Instant Off





NO TOOLS NEEDED



MOTION SENSOR

715* 8.5 INCH
Inner: 6 Master: 48

716* 12 INCH
Inner: 6 Master: 48

WIRELESS BULB LIGHT W/REMOTE

- The world's first grab and go light bulb, because it actually a flashlight cleverly disguised as a light bulb
- Energy efficient & professional grade licensed COB tech strips, stays cool to the touch
- Bulb can easily be mounted with 2 small screws (not included) or use the double sided adhesive for a permanent placement
- Powered by 3-AAA batteries (included)

200 LUMENS









713*
Inner: 6 Master: 24

*California Residents
Prop 65 warnings see page 40.

50 FT. RETRACTABLE CORD REEL

- Heavy duty retractable cord reel
- 50ft 16GA cord with polarized plug and 3 grounded 10 AMP outlets
- Resettable 10 AMP circuit breaker
- Spring loaded auto-rewind
- No-snag Level-wind rollers reduce wear
- Mounting bracket included
- Automatic roller guide ensures smooth and even recoil

W2273*
Inner: 1 Master: 4



40FT 12GA RETRACTABLE CORD REEL

NO-SNAG ROLLERS

- Heavy duty retractable cord reel with impact resistant housing
- 40ft 12GA cord with polarized plug and 3 grounded 15 AMP outlets and 2ft lead
- Automatic roller guide ensures smooth and even recoil
- Wall mountable with included bracket and hardware
- Spring loaded auto-rewind and no-snag rollers reduce wear
- The triple tap grounded outlet provides up to 15 AMPs of power

W2278*
Inner: 1 Master: 4



5 SPEED DRILL PRESS W/CHUCK GUARD & VISE

- Ideal for ship and hobby use
- Drills metal, plastic and wood
- Fully adjustable machined table tilts 45 degrees left and right
- Cast iron construction
- CSA Approved
- 1/2" spring loaded chuck with protective guard and 2 1/2" vise

W50005*
Inner: 1 Master: 1



4-1/2 IN. ANGLE GRINDER

- Powerful 4.4 Amp Motor with 12,000 RPM No-Load speed
- 5/8-11 Spindle for mounting the most popular 4 in. to 4.5 in. wheels
- 2-Position side handle for right or left hand use
- Includes: 4-1/2 in. grinding wheel, 2- type 1 metal cut off wheels, 40, 80 and 120 grit flap discs, side handle

W50044*
Inner: 1 Master: 10



ELECTRIC BLOWER

- Moves up to 300 Cubic Feet per Minute (CFM)
- 2 Built-in 15 amp grounded outlets Durable ABS construction
- Variable rheostat switch allows precise speed control

W50061*
Inner: 1 Master: 2



HEATING ELEMENT FOR W50061

- Converts our electric blower, W50061, into an efficient 1400 watt area heater
- Easily attaches to front of blower

W50060*
Inner: 1 Master: 12



HEAVY DUTY ELECTRIC BLOWER

- Moves 1,200 cubic feet per minute of air
- Feel the air flow up to 30 feet away
- Sets in four different positions for concentrated air flow and fast drying
- 3-speed switch allows different levels of air speed
- Grounded convenience outlets and CSA approved
- CSA listed 255294

W50068*
Inner: 1 Master: 2



3-PK 4.5 IN. 120 GRIT FLAP DISK SET

- The high grade zirconium (zirconia alumina) abrasive is self-sharpening as it cuts, lasting up to 5 times longer than standard aluminum oxide flap discs
- The 4.5 inch type 29 angled flap disc can be used with most 4.5 inch angle grinders with a 7/8 inch hub

W50011*
Inner: 12 Master: 48



5-PK 4.5 IN. CUT OFF WHEEL SET

- The 4.5 inch cut off wheel will work on most 4-1/2 inch grinders with a 7/8 inch hub
- 13,300 RPM maximum RPM

W50008*
Inner: 10 Master: 60



3.6V LI-ION LIGHT-DRIVER

- This 3.6v Li-ion Cordless Screwdriver with 2 position swivel handle for a pistol grip or straight in-line for tight spaces
- 1/4" hex rapid change chuck features an adjustable 15+1 clutch
- LEDs are integrated into the front to illuminate your work area and into the base of the handle for a built in flashlight
- Includes 50 of the most popular driver bits in a handy storage case

W1562*
Inner: 1 Master: 8

Specifications: Battery: 3.6v 1300mAh Lithium-Ion, RPM: 210, Chuck: 1/4" Hex, Max. Torque: 5ft. lbs, Charger: 110v 1.0A, Charging speed: 2 hour

LED



2 position swivel handle for a pistol grip or straight in-line for tight spaces.

10-PK 4.5 IN. ABRASIVE WHEEL SET

- The 4.5 inch cut off wheel will work on most 4-1/2 inch grinders with a 7/8 inch hub
- 8pcs cut wheels 4-1/2" X 1/16" X 7/8" Type 27 hubless
- 2pcs grinding wheels 4-1/2" X 1/4" X 7/8" Type 27, hubless w/ depressed center
- 13,300 RPM maximum RPM

W50007*
Inner: 12 Master: 36

Performance Tool abrasive wheels are manufactured using ISO9001 standards and quality certified by MPA - Hanover, the leading authority in abrasives



HEX IMPACT ADAPTER 1/4 HEX X 1/2 IN. DR.

- Convert your 1/2" square drive impact tool into a powerful 1/4" hex bit driver
- The 1/4" drive works with any standard 1/4" hex shaft screw driver bit
- Positive locking quick change collar delivers wiggle free bit retention and solid on center rotation

W9028*
Inner: 12 Master: 72



Limited to stock on hand.

2-IN-1 1/4 IN BIT/SOCKET ADAPTER

- Two in one design works with 1/4 inch hex bits and 1/4 inch drive sockets
- Work smarter and faster by reducing time changing between a bit holder and socket holder
- Pull the sleeve down to expose the 1/4 inch drive socket holder, and pull the sleeve up to retain your 1/4 inch hex driver bits





W8604*
Inner: 12 Master: 72

8 IN. SOCKET ADAPTER

- Transforms your power drill into a power nut/socket driver.
- Free spinning collar allows you to maintain a positive grip while fastening.
- Durable Cr-V construction with black phosphate finish.
- Ball bearing ensures sockets are securely seated.



W1381* 3/8 IN. DR. (3/8)
Inner: 24 Master: 144



W1382* 1/2 IN. DR. (1/2)
Inner: 24 Master: 144



90 DEGREE IMPACT DRIVER ATTACHMENT

- Impact driver attachment lets you use 1/4" quick connect bits in tight spaces
- Die-cast gear housing and 3 sets of ball bearings for torque use up to 18 foot pounds
- Magnetic 1/4" hex adapter accepts standard drill and driver bits




W9029*
Inner: 15 Master: 60

3-PC 10 IN. SOCKET ADAPTER SET

- Impact grade chrome vanadium steel with rust resistant black phosphate finish
- 1/4" hex shank with 8-1/2" (216mm) long shank
- Chamfered square drive in 1/4, 3/8 and 1/2" drive sizes
- Transforms your power drill into a power nut/socket driver







IMPACT

W9052*
Inner: 6 Master: 48

25-PC DAMAGED SCREW EXTRACTOR

- This 25pc kit has two different styles of extractor to quickly remove stripped or broken screws and broken off bolts without damaging surrounding area
- 2 sided flip case with crystal clear lids so you can easily find the needed bit



W9047*
Inner: 4 Master: 24

28-PC DRILL BIT & DRIVER SET

- 28pc 1/4" driver and titanium drill bit set is well equipped to tackle most common jobs
- 2 sided flip case with crystal clear lids so you can easily find the needed bit
- Peg hook hanger tab can be pulled out for hanging or pushed flush into the case for compact storage



W9040*
Inner: 4 Master: 24

75-PC IMPACT SPECIALTY BIT SET

- 75 Specialty Bit driver set made of impact grade S2 steel with the most popular regular and tamper resistant fastener styles
- All bits fit in our 2 sided flip case with crystal clear lids so you can easily find the needed bit
- Peg hook hanger tab can be pulled out for hanging or pushed flush into the case for compact storage



W9051*
Inner: 4 Master: 24

117-PC MICRO BIT SET

- This 117pc Micro screwdriver repair kit is the perfect choice for the electronics enthusiast
- Includes plastic pry bars and tools to disassemble your item with the least amount of damage
- 2 sided flip case with crystal clear lids so you can easily find the needed bit
- Peg hook hanger tab can be pulled out for hanging or pushed flush into the case for compact storage



W9041*
Inner: 4 Master: 24

21-PC SOCKET / BIT / NUT DRIVER

- The 12 magnetic nut drivers are made of Carve steel are 2.5" in length with a universal 1/4-inch detent hex shanks to lock securely into any standard drill.
- Sizes included - SAE: 3/16, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16" and Metric: 5, 5.5, 6, 7, 8, 10, 12mm.
- 3pc square drive socket adapters transforms any drill or 1/4" hex impact driver into a power nut driver for 1/4, 3/8 and 1/2" sockets.



W9049*
Inner: 4 Master: 24

22-PC TERMINAL RELEASE KIT

- Contains styles and sizes to fit most domestic and imported vehicles, computer wiring harnesses and power supply connector plugs.
- Remove connector pins safely without damaging wiring harness or terminal block.
- Made of flexible 301 stainless steel with round rubber coated handles.
- Also included is a compact Delphi Weather Pack style release tool with fully molded easy grip handle.



W9053*
Inner: 4 Master: 24
Sizes include: 7pcs Single Pin Extractor from 0.8 to 2.0mm, 9pcs Double Pin Extractor from 2 to 8mm, 5pcs Casing Tool from 2.0 to 4.9mm I.D.

102-PC DRILL & DRIVER BIT SET

- Includes 78 of the most popular regular and tamper resistant fastener styles made of impact grade S2 steel and universal 1/4" hex shafts.
- Also 24 Titanium Oxide coated 4341 HSS (High speed steel) drill bits with a 118 degree cutting tip.



W9063* IMPACT
Inner: 4 Master: 8

W9060* STANDARD
Inner: 4 Master: 8



6 IN. RANDOM ORBITAL BUFFER/POLISHER

- Random orbital action reduces risk of paint burn through and swirl free finish
- Oval palm grip for better control
- Polish cars, boats, granite counter tops and more
- Includes one terry cloth bonnet and one synthetic wood bonnet
- Motor: 120V 60hz, 0.5 AMP, 3500 RPM no load speed, 17 in. 2-pronged power cord







W50053*
Inner: 1 Master: 6

10 IN. RANDOM ORBITAL BUFFER/POLISHER

- Random orbital action reduces risk of paint burn through and swirl free finish
- Polish cars, boats, granite counter tops and more
- Motor: 120V 60hz, 0.92 AMP, 3000 RPM and no load speed, 6.5ft 2-pronged power cord
- Includes 1 foam backing pad, 1 terry cloth bonnet and 1 synthetic wool bonnet

W50054*
Inner: 1 Master: 6





3-PC POLISHING BONNETS

W50055* *6 INCH*
Inner: 12 Master: 72

W50056* *10 INCH*
Inner: 12 Master: 72



- Includes 1 each application bonnet, removal bonnet and polishing bonnet

3-PC POWER TOOL BRUSH SET

- These cleaning brushes are great for tile, grout, fiberglass, home, auto, boat, and RV interiors
- 3 pc kit contains 2" and 4" round flat brushes and one 3-1/2" dome shaped brush with medium stiffness polypropylene all-purpose bristles
- Standard 1/4" quick connect shaft molded to each brush for secure attachment to your power drill or driver (power tool not included)

W4991*
Inner: 1 Master: 32



POLISHING KITS

- Polishing pads include: 3" mushroom and 2-1/2" tapered cylinder
- Polishing felts include: 3-1/5" bullet, 2-1/5" conical, 2-3/10" cone and 2-3/10" pear
- Polishing wheels include: 2", 3" and 4" and share the same interchangeable shaft
- All have 1/4" round shaft for use with power drills

W50090* *ALUMINUM*
Inner: 1 Master: 16

- This polishing kit is designed to be used for softer finishes like aluminum, brass, and copper
- Includes 4-oz black (first stage), brown (second stage) and white (final polish) polishing compounds



W50091* *STAINLESS*
Inner: 1 Master: 16

- This polishing kit is designed to be used for harder finishes like Chrome, Stainless steel and iron
- Includes 4-oz white (first stage), red (second stage) and blue (final polish) polishing compounds



SHOP BLOWER INFLATOR NOZZLES

- 3 inflator nozzle attachments in 1 adapter
- Use to inflate large volume inflatables such as air mattresses, boats, pool toys, beach toys and more
- Fits Performance Tool shop blower models W50063 and W50069

W50069A*
Inner: 12 Master: 48



900W CORDED STEAM CLEANER

- Non-toxic - no dangerous chemicals, fumes or residues
- Clean grease, grime, dirt, soap scum, wrinkles, stains, bacteria, insects, doors, windows, floors
- Chemical-free solution for insects, bacteria and other household pests
- Includes 9 Accessories: flexible extension, round brush nozzle, 90° spray nozzle, long spray nozzle, wide nozzle, squeegee, fabric towel, funnel and measuring cup
- 10 ft. 2-pronged power cord

W50079*
Inner: 1 Master: 4





Specifications: Rated Voltage/Frequency: 120V/60Hz, Rated Power: 900W, Working pressure: 45PSI, Max. Volume: 10oz. (300ml), Heating time: 3-4 min, Continuous use: 8-10 min

700W VARIABLE SPEED BLOWER

- Amazing blowing power in a compact, easy to handle size
- Variable speed feature allows you to select just the right amount of power
- Two piece nozzle can be used at 9 inches or 18 inches
- Comfortable handle with oversized lockable trigger







Specs: 120 V AC, 60Hz, 700W, 5.8 AMPs, 17,000 max RPM, 90 MPH (145KPH) air speed, 100 CFM, 3.3 lbs (1.5Kg), 98 db(A)

W50069*
Inner: 1 Master: 4

Limited to stock on hand.


120V AC OUTLETS




2.4A USB PORT



FAILSAFE FEATURES



- Advanced technology features: Micro Computer Unit for precise output; more efficient heat dissipation extends life of the inverter
- Thermal protection: unit shuts down if operating temperature range is exceeded
- Built-in protection including overload, overheating, high/low input voltage, battery drain and reverse polarity result in multiple level of safe operation
- Surge protection: protects against excessive current fluctuations
- Low Battery alarm: unit triggers alarm if vehicle battery level is too low
- Short-circuit: prevents damage from incorrect wiring or installation



2000-WATT POWER INVERTER

- Features three standard 120V AC outlets and single 2.1A USB charging port.
- Three high-speed, built-in fans provide cool, constant operation.
- Digital display indicates battery voltage, output power in W or KW and error codes.
- Mounting rack to install unit on a flat area.





Intertek 3049523 Conforms to UL Std. 458 Cert to CSA Std. C22.2 No. 107.1

W16653* 2000 WATT
Inner: 1 Master: 2

120-WATT CUP POWER INVERTER

- Features one standard 120V AC outlet and dual USB charging ports (3.1A shared)
- High-speed, built-in fan provides cool, constant operation
- 3ft cigarette plug with built-in replaceable fuse
- Spill and slip resistant rubber boot
- Designed to fit into your vehicle's cup holder



W16650* 120 WATT
Inner: 1 Master: 6

1000-WATT POWER INVERTER

- Features two standard 120V AC outlets and single 2.1A USB charging port.
- High-speed, built-in fan provides cool, constant operation.
- Digital display indicates battery voltage, output power in W or KW and error codes.
- Mounting rack to install unit on a flat area.

W16652* 1000 WATT
Inner: 1 Master: 6





Intertek 3049523 Conforms to UL Std. 458 Cert to CSA Std. C22.2 No. 107.1

400-WATT POWER INVERTER

- Features two standard 120V AC outlets and 2.4A USB charging port.
- High-speed, built-in fan provides cool, constant operation.
- Includes 12V power cord and battery clamp cables.

W16651* 400 WATT
Inner: 1 Master: 10



Intertek 3049523 Conforms to UL Std. 458 Cert to CSA Std. C22.2 No. 107.1



12V PORTABLE VACUUM CLEANER

- High powered suction in a compact, portable and lightweight unit
- Replaceable and washable HEPA filter captures smaller particles
- Operates directly from a 12V outlet in your vehicle
- Includes 5 attachments: crevice tool, bristled brush, dust brush, 11 in. hose, 10 in. extension

HANDY STORAGE BAG



W50012*
Inner: 4 Master: 16

Specifications: Input: 12V DC, 5A-7A, 80-100 Watts, 10A fuse; Cord Length: 4m (13.33 ft); Vacuum Pressure: 3000 Pa; Decibels: <80 dB; Extension Hose: 11.5in/292mm

STEERING WHEEL CADDY DESK TOP

NEW

- This ergonomic desk caddy hooks to your steering wheel to provide an instant tray, or desk top
- Use one as a desk top for taking notes, or conducting business on your laptop
- Use the other side as a lunch table with a drink cut out and plenty of space to spread out your feast
- Designed to fit most steering wheels in seconds and can easily be stowed away when not in use





W1283*
Inner: 1 Master: 10

EMERGENCY AUTO SAFETY TOOL

- Bright LED flashlight
- 9 flashing red LED lights to alert others
- Seat belt cutter to quickly exit vehicle
- Glass breaker for emergency escapes
- Magnetic base holds the tool to any steel surface
- Powered by two AA batteries (not included)





W1553*
Inner: 6 Master: 48

ROADSIDE SAFETY TOOL KIT

Contents: 8 ft Jumper Cables, Flashlight, Pencil Tire Gauge, Knit Gloves, Whistle, 10pc Fuse and Terminal Kit, 6 in. Slip Joint Pliers, #2 Philips Screwdriver, 1/4 in. Slotted Screwdriver, 9 1/4 in. Drive Sockets: 1/4, 5/16, 3/8, 7/16 in., 4, 6, 8, 10, 12mm, 1/4 in. Drive Spinner Handle, 3/4 in. x 25 ft Electrical Tape. 2AA Batteries included.



W1556*
Inner: 1 Master: 10

*California Residents
Prop 65 warnings see page 40.

HEAVY DUTY SOLDERING GUN KIT



- UL listed
- pistol grip style
- instant heat 85 watts
- includes extra tip

W2019A*
Inner: 6 Master: 24



151-PC RATCHETING CRIMPER SET

- Crimps wires and cables with a professional and secure connection
- Designed for 10 to 22 gauge wire
- Includes 150 piece assortment of 10-22 gauge connectors

W185*
Inner: 1 Master: 20





CORDLESS SOLDERING IRON

- Reaches 365° F (185° C) in about 7 seconds
- Heats up to working temperature in under 15 seconds
- Maximum temperature of 1050° (585° C)
- Equivalent to a 15W soldering iron
- Bright LED lights up your work area
- Uses 4AA batteries (not included)
- Continuous run time: 30 minutes
- Includes 3g of solder (1.2mm diameter, 45cm L) and safety cap

** Use replacement tip model W2000-2 (if you have an older model please use W2000-1) **

W2000*
Inner: 6 Master: 24



WIRE CRIMPER/ STRIPPER

- Contains wire cutter, bolt cutter, crimper and stripper
- Includes assorted terminals



W190C*
Inner: 6 Master: 72

SOLDERING GUN REPLACEMENT TIPS

NEW

W2019-1*
Inner: 12 Master: 144
2pk Replacement tips for pistol grip type soldering guns, Performance Tool models W2012 and W2019A



W2000-2*
Inner: 50 Master: 300
Replacement tip for generation II W2000 cordless soldering iron

DIGITAL MULTIMETER

- Designed to safely and accurately troubleshoot a variety of automotive, household and shop electrical circuits
- Automatic ranging eliminate the need to dial in the correct range when making electronic or electrical measurements
- Features AC & DC voltage, DC current, resistance measurements, and diode test
- 10 Meg-Ohm input impedance, attachable test leads, holders and stand
- Single-setting resistance function for AC and DC voltage







W2971*
Inner: 6 Master: 36



REFILLABLE JET TORCH

- Heating temperature up to 1300 deg. Celsius, 2500 deg. Fahrenheit
- Refillable with an adjustable flame
- Melts solder, gold, small brazing rod, tin and much more



W2002*
Inner: 6 Master: 24

POCKET MULTI-TESTER

- Tests AC and DC circuits
- Volt and ohm analyzer
- Includes batteries and instructions





BATTERIES INCLUDED

W2979C*
Inner: 6 Master: 48

120-PC NYLON CABLE CLAMP ASS'T

- Use for neatly securing and organizing cable, wire, tubing, and rods
- Constructed from nylon for extra strength and resistance to age and most light chemicals
- Rubber lining absorbs vibrations and jolts, reducing wear and tear on cables and hoses
- Convenient re-sealable plastic case
- Sizes: 1/4 inch, 20pcs each black and white; 3/8 inch, 12pcs each black and white; 1/2 inch 20pcs each black and white; 3/4 inch, 8pcs each black and white

W5260*
Inner: 6 Master: 24





50-PC 18 IN. CABLE TIE SET WHITE

- 50 Pc White Cable Ties
- 18" Length
- Tensile Strength 120 Lbs
- Resealable Bag





W2926*
Inner: 10 Master: 100

Limited to stock on hand.

11 IN. CONSTRUCTION WRENCH



- Tapered handle for aligning bolt holes
- Corrosion resistant industrial black finish
- SAE and Metric graduations
- Drop forged alloy steel
- 1-1/8" jaw capacity (29mm)



W30767*
Inner: 6 Master: 48

2-PC ADJUSTABLE WRENCH SET

- Soft cushion grips with ergonomic shape for safe easy use
- Precision SAE and Metric rule on wrench heads for accuracy
- Features 13mm and 16mm SAE box ends in handles
- Machine polished finish and drop forged for long life
- Jaw capacities: 8": 15/16" (24mm); 10" 1-3/32" (28mm)
- Includes 8 inch (200mm) and 12 inch (300mm)





W30701*
Inner: 6 Master: 24

3-PC SOFT CUSHION ADJUSTABLE WRENCH SET

- Soft cushion grips with ergonomic shape for safe easy use
- Precision SAE and Metric rule on wrench heads for accuracy
- SAE box ends in handles: 3/8, 9/16 and 3/4"
- Machine polished finish and drop forged for long life
- 6 inch (150mm), 8 inch (200mm) and 12 inch (300mm)

W30703*
Inner: 6 Master: 12



10 IN. LOCK GRIP PLIERS

- Drop forged and hardened alloy steel
- Precision machined jaws for better gripping
- Corrosion resistant finish
- Knurled adjustment screw for quick loosening and tightening
- Easy to use quick release lever

W1116C*
Inner: 6 Master: 48



3-PC 15 IN. LONG REACH LOCKING PLIERS

- Extended length for access into hard to reach areas, engine compartments, behind and underneath objects
- Durable high carbon steel construction with corrosion resistant nickel plated finish
- Adjustable thumb screw with quick release lever
- Serrated teeth for added gripping power
- Includes (3) 15" (380mm) pliers: straight jaw, 45° curved jaw and 90° curved jaw

EXTRA LONG



W30711*
Inner: 4 Master: 16

7-PC SAE RATCHETING WRENCH SET

- CR-V construction for strength and durability
- 72 tooth gear system for movement in tight spaces
- Includes 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 3/4 in. wrenches

72

SAE



W1171*
Inner: 6 Master: 24

32-PC SAE & MET WRENCH SET

SAE

METRIC

- Mirror polished chrome vanadium steel



W1099*
Inner: 1 Master: 5

SAE: 1/4, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16, 5/8. 11/16 & 3/4". Stubby: 5/16, 3/8, 7/16, 1/2, 9/16 & 5/8". Metric: 6, 8, 10, 11, 12, 13, 14, 15, 17 & 18 mm. Stubby: 10, 11, 12, 13, 14 & 15 mm

7-PC SUPER THIN WRENCH SETS

- Super-thin, low profile wrenches let you reach fasteners in areas is with low clearance
- Wrench heads are 2.7mm to 3.5mm (0.11-0.14") thick, making them 50-70% thinner than standard wrenches
- Nickel chrome plated to resist corrosion and fully polished for easy cleanup
- Premium quality drop forged and hardened chrome alloy steel

NEW



W30683* SAE
Inner: 3 Master: 12

SAE sizes: 3/8" x 7/16", 1/2" x 9/16", 5/8" x 11/16", 3/4" x 13/16", 7/8" x 15/16", 1" x 1-1/16", 1-1/8" x 1-1/4"

W30684* METRIC
Inner: 3 Master: 12

Metric sizes: 8 x 10mm, 12x 13mm, 14 x 15mm, 16 x 17mm, 18 x 19mm, 22 x 24mm, 30 x 32mm

SAE METRIC

12-PC STUBBY SAE/MET COMBO WRENCH SET

- Fully polished chrome vanadium steel construction
- Handy storage rack



W1157*
Inner: 6 Master: 24

Stubby SAE sizes: 5/16, 3/8, 7/16, 1/2, 9/16, & 5/8". Stubby Metric sizes: 10, 11, 12, 13, 14 & 15 mm.

SAE METRIC

22-PC WRENCH SET

SAE

METRIC

- Polished chrome vanadium steel construction
- Handy storage rack



W1069*
Inner: 2 Master: 8

SAE sizes: 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16 and 7/8". Metric sizes: 9, 10, 11, 12, 13, 14, 15, 16, 17, 18 and 19mm

8-PC OFFSET SAE BOX WRENCH SET

NEW

- Drop forged chrome vanadium steel construction
- Fully polished finish with 12-point box ends
- 60° offset for hard to reach fasteners
- Handy storage rack



W1085* SAE
Inner: 6 Master: 12

Sizes: 1/4 x 5/16, 5/16 x 3/8, 3/8 x 7/16, 7/16 x 1/2, 1/2 x 9/16, 5/8 x 11/16, 3/4 x 25/32, 13/16 x 7/8"

W1086* METRIC
Inner: 6 Master: 12

Sizes: 6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19, 20 x 22mm

60° OFFSET

SAE METRIC

12 IN X 1/4 IN DR. FLEX BIT DRIVER

- 12" (300mm) total length, with 6" (150mm) flexible shaft that allows access into confined areas
- 1/4" quick change chuck works with any notched 1/4" hex bit
- Ergonomic non-slip molded grip for improved comfort and control

NEW

FLEXIBLE



W30979*
Inner: 6 Master: 36

12-IN-1 PRECISION BIT DRIVER

- On-board storage for all six double ended bits
- Superior quality top grade chrome vanadium
- Comfortable impact resistant ABS handle
- Patented ratcheting mechanism delivers maximum torque
- Sizes: 3/32 & 9/64" Slotted, #00, #0, #1 & #2 Phillips, 1/8 & 3/32" Hex, T7, T8, T10 & T15 Star

W488*
Inner: 6 Master: 36

Sold in INNER QUANTITIES



1/4 IN. DR. MINI RATCHET W/BITS

- Low profile oval head and compact size are great for tight work spaces
- Chrome vanadium alloy steel construction for strength and durability
- 72 gear teeth for precise 5 degree sweep
- 1/4" hex with 1/4" drive socket adapter
- Includes 10pc bits and holder: Phillips #0, #1, #2, Slotted: 5/32", 3/16", 1/4", Square S1, S2, S3, and 1/4" adapter

Sold in INNER QUANTITIES

W9127*
Inner: 4 Master: 24

72 1/4







34-PC SOCKET & BIT DRIVER SET

- Ratcheting 1/4" hex bit driver has 3 settings; loosen, tighten and fixed
- Ergonomic comfort-grip handle reduces hand fatigue and provides a non-slip operation
- Magnetic shaft will help hold your fasteners or nuts securly during use
- 16 - 1/4" hex driver bits made of chrome-vanadium steel for durability and long service life

NEW



W9082*
Inner: 6 Master: 36

MAGNETIC



Included: 12 - 1/4" square drive sockets - 6 SAE: 3/16, 1/4, 9/32, 5/16, 11/32, 3/8" and 6 Metric: 5, 6, 7, 8, 9, 10mm made of zinc plated carbon steel. Bits included: (5) Philips: #0, #1, (2) #2, #3, (2) slotted: 1/8, 3/16", (4) star bits: T10, T15, T20, T25, (4) Hex: 1/16, 3/32, 1/8, 5/32" and (1) 1/4" Square drive for the sockets. 5 rubber bit / socket holders.

2-IN-1 RATCHETING SCREWDRIVER

- Extendable double sided bit includes 2# phillips and 1/4 inch slotted tips
- 6 Inch (150mm) multi-position bit allows for up to 12 different length settings
- High impact plastic handle with over-molded contour grip
- Handle features 1/4 inch hex chuck for use as a t-handle when more torque is needed
- 18 gear teeth ratcheting mechanism delivers maximum torque



Sold in INNER QUANTITIES



W9214*
Inner: 6 Master: 48

1/4

5-PC LOW PROFILE HEX KEY SETS

- Low profile design feature 3/8 inch (10mm) clearance, and a 15° offset angle for improved access for hard to reach fasteners
- Corrosion resistant heat treated steel handles with durable S2 alloy steel bits
- Includes key ring & carabiner clip for convenient organization and compact storage





LOW PROFILE

W86108* SAE
Inner: 12 Master: 96
Includes 5 popular sizes: 1/8, 5/32, 3/16, 7/32, 1/4 inch

SAE

W86109* METRIC
Inner: 12 Master: 96
Includes 5 popular sizes: 2.5, 3, 4, 5, and 6mm

METRIC

15° OFFSET

5-PC LOW PROFILE SCREWDRIVER SETS

- Low profile design feature 3/8 inch (10mm) clearance, and a 15° offset angle for improved access for hard to reach fasteners
- Corrosion resistant heat treated steel handles with durable S2 alloy steel bits
- Includes key ring & carabiner clip for convenient organization and compact storage





W30977*
SCREWDRIVERS
Inner: 12 Master: 96
Includes 5 popular sizes: Phillips #1, #2, Pozi PZ1, PZ2, and slotted 3/16 inch (6mm)

LOW PROFILE

W30978* STAR
Inner: 12 Master: 96
Includes 5 popular star sizes: T20, T25, T27, T30, T40

STAR





Limited to stock on hand.

18-PC SCREWDRIVER SET

- Soft handle screwdriver and precision screwdriver set
- Perfect for home, auto, garage, workshop, R.V. or boat
- Organizing rack stands or mounts on wall



W1710*
Inner: 6 Master: 12

Includes: 4pc Slotted: 5/16" x 6", 1/4" x 4", 3/16" x 3" and 1/4" by 1 1/2". 4pc Phillips: #3 x 6", #2 x 4", #1 x 3" and #2 x 1 1/2". 10pc precision screwdrivers: 2pc slotted - 3/32" x 1 1/2" and 1/8" x 1 1/2". 2pc Phillips - #0 x 1 1/2" and #00 x 1 1/2". 6pc Star - T5, T6, T7, T8, T9 and T10 x 1 1/2".



39-PC SCREWDRIVER SET W/ RACK

- Organizing rack features built-in bit holders and magnetizer/demagnetizer
- Chrome vanadium blades and power bits
- Comfortable non-slip molded grips
- Satin finish with magnetic tips
- Magnetic Bit Driver
- Storage/Organizing Rack

MAGNETIC



W1727*
Inner: 1 Master: 6

Includes: (8) Screwdrivers; Slotted: 1/4" x 1.5", 5/32" x 3", 1/4" x 4", 5/16" x 6"; Phillips: #2 1.5", #1 x 3", #2 x 4", #2 x 6". (8) Precision screwdrivers: Slotted 2.0mm x 2", 2.5mm x 2", 3.0mm x 2"; Phillips: #00 x 2", #0 x 2"; Star: T6 x 2", T8 x 2", T10 x 2". (16) 1/4" hex bits: Slotted:5/32, 3/16, 1/4"; Phillips:#0, #1, #2; PZ: #1,#2; Star: T20, T25, T30; Hex: 2, 3, 4, 5, 6mm. (5) Nut driver bits: 6, 7, 8, 9, 10mm



6-PC JUMBO SCREWDRIVER SET

- Comfortable non-slip molded grips
- Chrome vanadium steel
- Magnetic tips
- Contents: 5/16" x 24" Slotted, 5/16" x 12" Slotted, 1/4" x 10" Slotted, #3" x 24" Phillips, #3 x 12" Phillips and #2 x 10" Phillips

MAGNETIC



W30898*
Inner: 1 Master: 6

5-PC STAR SCREWDRIVER SET



- Comfortable non-slip molded grips
- Chrome vanadium steel shafts with magnetic tips
- Sizes: T10, T15, T20, T25 and T27

MAGNETIC




W30899*
Inner: 6 Master: 12

15-PC PROFESSIONAL SCREWDRIVER SET

- Oversized handles for easy use
- Magnetic tips
- Phillips sizes: #0 x 2 1/2", #1 x 3", #2 x 1 1/2", #2 x 4" and #3 x 6"
- Slotted sizes: 1/8" x 2 1/2", 3/16" x 3", 1/4" x 1 1/2", 1/4" x 4" and 5/16" x 6"
- Star sizes: T-15 and T-20 x 4"
- Square: R2 x 4"
- Scratch Awl
- Offset: 3/16" slotted and #1 Phillips





W80015*
Inner: 6 Master: 12

MAGNETIC

7-PC T-HANDLE HEX KEY SETS

- Single piece construction runs through handle for greater strength
- Two drive ends: long end for hard to reach areas, short end for extra torque

W1711* SAE
Inner: 6 Master: 24

Contains sizes: 3/32, 1/8, 5/32, 3/16, 1/4, 5/16 and 3/8"



W1712* METRIC
Inner: 6 Master: 24

contains sizes: 2.5, 3, 4, 5, 6, 8 and 10mm



DRIVER SET

W1713* STAR
Inner: 6 Master: 24

Contains sizes: T10, T15, T20, T25, T27, T30 and T40









*California Residents
Prop 65 warnings see page 40.

155-PC MECHANIC'S TOOL SET

- Features high torque, quick release, 72 gear teeth ratchets that allow for a 5 degree sweep
- 6pt SAE and Metric standard and deep wall sockets in 1/4 and 3/8" drive sizes
- Chrome vanadium alloy steel for strength and durability





W30502*
Inner: 1 Master: 4

114-PC MECHANIC'S TOOL SET

- Features three high torque, quick release, 72 gear teeth ratchets that allow for a 5 degree sweep
- 6pt SAE and Metric standard and deep wall sockets in 1/4, 3/8 and 1/2" drive sizes
- Chrome vanadium alloy steel for strength and durability





W30504*
Inner: 1 Master: 3

TOOL ASSORTMENT CATALOG



SCAN TO VIEW
(FILE SIZE 45MB)

3/8 IN. DR. UNIVERSAL SPLINE SET

- Universal design works with SAE and Metric spline, partially rounded, 6pt, 12pt, square and star sizes
- 52 total pieces equivalent to a 189pc socket set
- Chrome vanadium alloy steel for strength and durability
- Universal spline sockets in standard and deep wall

W38193*
Inner: 1 Master: 4



1/2 IN. DR. 2-IN-1 FLIP SOCKETS

- Two-in-one flip socket features 2 sizes in one tool
- Drop forged chrome molybdenum steel for strength and durability
- For use with 1/2 inch drive extended anvil shank impact tools or 1/2 inch drive impact extensions

M587C* *3/4 TO 13/16 IN.*
Inner: 6 Master: 72

IMPACT



M773* *22/22.5MM*
Inner: 6 Master: 96
Applications: all Dodge 22mm chrome-capped lug nuts & all Dodge 16 - 17 inch aluminum wheels

NEW

M775* *18.5/19.5MM*
Inner: 6 Master: 96
Applications: use for rounded cap lug nuts on Ford, GM, and Chrysler vehicles

M776* *21/21.5MM*
Inner: 6 Master: 96
Applications: use for rounded cap lug nuts on Dodge, Chrysler, and Toyota vehicles



12-PC STAR PLUS BIT SOCKET SET

- Improved star design virtually eliminates cam-out and damage to fastener by using wider points and more contact area
- Precision machined bits and straight drive angle help reduce fastener wear
- Chrome vanadium alloy steel construction for strength and durability
- Polished nickel chrome plated finish resists corrosion





1/4 inch Drive sizes: TP8, TP10, TP15, TP20, TP25, TP27 and TP30; 3/8 inch Drive sizes: TP40, TP45, TP50 and TP55; 1/2 inch Drive sizes: TP60

W38804*
Inner: 6 Master: 24

8-PC 1/4 IN DR. FLIP SOCKET SET

NEW

- Six double-ended flip sockets feature two sizes in one, for a total of twelve popular SAE and Metric sizes
- Drop forged chrome molybdenum steel for strength and durability
- For use with 1/4 inch hex or adjustable chuck drills and impact drivers
- Includes 3 inch and 6 inch 1/4 inch hex to square drive extensions
- Thinner walls provide better access in tight areas and rounded corners for a tighter grip



IMPACT



M799*
Inner: 1 Master: 12

Sizes: 5/16 inch/3/8 inch, 7/16 inch/1/2 inch, 8mm/10mm, 9mm/11mm, 12mm/14mm, and 13mm/15mm double-ended sockets

Limited to stock on hand.

17-PC 1/4 IN. DR. SOCKET SETS

- Chrome vanadium alloy steel construction for strength and durability
- Recessed edges and rounded corners provide a better fit
- Polished nickel chrome plated finish resists corrosion
- Large stamping for quick identification
- Includes standard and deep wall 1/4 drive 6pt sockets

W36301* SAE
Inner: 6 Master: 24
Contents: 10) 1/4 drive 6pt regular sockets: 5/32, 3/16, 732, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2"; (7) 1/4 drive 6pt deep wall sockets: 1/4, 9/32, 5/16, 1/32, 3/8, 7/16, 1/2"

W36302* METRIC
Inner: 6 Master: 24
Contents: (10) 1/4 drive 6pt regular sockets: 4, 5, 6, 7, 8, 9, 10, 11, 12, 13mm; (7) 1/4 drive 6pt deep sockets: 7, 8, 9, 10, 11, 12, 13mm





45-PC STUBBY SET

- 72 gear teeth dual drive ratchet: 1/4" and 3/8" drives in one ratchet
- Ratcheting screwdriver: clockwise, counter clockwise and locking positions
- Stubby adjustable wrench has 1" rule on head for precision adjustments
- Alloy steel construction for strength and durability
- Comfortable cushion grip handles
- 1/4 inch hex to 1/4 inch drive (m), 3/8 (F) to 1/4 inch (m) adapters and 3/8 inch, 3 inch extension

DUAL DRIVE





W39000*
Inner: 6 Master: 12

265-PC TRI-FOLD SET WITH CABLE TIE

- Fully polished 3/8" drive pro style ratchet
- 3/8" and 1/4" drive SAE and metric sockets
- 3/8" drive 3" extension, universal joint, 3/8" F to 1/4" M adapter
- 3/8" drive spark plug sockets (5/8" and 13/16")
- Long nose plier, diagonal cutter and 6" adjustable wrench
- 10 SAE and metric combination wrenches
- Magnetic bit driver with 20 pc bit set with holders
- Stainless steel scissors
- Wire crimper with 44 assorted terminals in storage box
- Detail brush, break-away knife, electrical tape, 10 ft tape measure









W1519*
Inner: 1 Master: 5

119-PC TOOL SET

- Set features: Ratchet, SAE and metric sockets and accessories, pliers, wrenches, screwdrivers, bit drivers with bits and much more





W1193*
Inner: 1 Master: 5

ALUMINUM SOCKET RAILS

- Clips feature spring loaded ball bearings for easy on/off
- Double sided for efficient use of space

W32004* 1/2 IN. DR.
Inner: 6 Master: 72

1/2

W38004* 3/8 IN. DR.
Inner: 6 Master: 72

3/8

W36001* 1/4 IN. DR.
Inner: 6 Master: 72

1/4



MAGNETIC SOCKET RAILS

- Heavy duty rare earth magnets hold to any ferrous surface
- Clips feature spring loaded ball bearings for easy on/off
- EVA foam backing won't scratch delicate finishes

MAGNETIC



W32003* 1/2 IN. DR.
Inner: 6 Master: 36

1/2



W38003* 3/8 IN. DR.
Inner: 6 Master: 36

3/8



W36003* 1/4 IN. DR.
Inner: 6 Master: 36

1/4



10-PC REPLACEMENT CLIPS

- Clips feature spring loaded ball bearings for easy on/off

W32003-1* 1/2 IN. DR.
Inner: 20 Master: 200
Ten (10) replacement clips for use with Performance Tool socket rail model numbers W32003 and W32004

1/2



W38003-1* 3/8 IN. DR.
Inner: 20 Master: 200
Ten (10) replacement clips for use with Performance Tool socket rail model numbers W38003 and W38004

3/8



W36003-1* 1/4 IN. DR.
Inner: 20 Master: 200
Ten (10) replacement clips for use with Performance Tool socket rail model numbers W36001 and W36003

1/4





*California Residents
Prop 65 warnings see page 40.

13-PC HSS DRILL BIT SET WITH CASE

- Assorted popular sizes: 1/16" through 1/4"
- Handy storage case





W9014*
Inner: 12 Master: 48

1/4 IN. IMPACT DRIVER & EXTRACTOR

- Ideal for loosening or removing firmly tightened or rusted screws or bolts
- Convenient 1/4 receiver allows use of any 1/4 bit tip or hex nut driver
- Slotted size 3/16 Phillips sizes: #1 & #2
- Extractor sizes #1 1/8 15/16 #2 15/16-5/16 and #3 5/16-7/16
- #1 Spiral 3/32"- 5/32", 2.5mm-4mm. No.3- No.5
- #2 Spiral 5/32"- 7/32", 4mm-6mm. No.6- No.12
- #3 Spiral 7/32"- 9/32", 6mm-8mm. No.14



IMPACT 1/4



W2503*
Inner: 12 Master: 24

50MM REPL TIPS FOR W2503

- Bit replacement for W2503 Mini Impact
- 1-Slotted 3/16"
- 2-Phillips #1, #2
- 3-Extractors #1, #2, #3

W2503-50MM*
Inner: 12 Master: 72



HEAVY DUTY NUT SPLITTER

- For the safe removal of rusted or damaged nuts without damaging bolt threads
- Threaded splitting pin manufactured from chrome vanadium steel with black phosphate finish
- Self-centering, floating, heat treated chisel tip splits nuts from 7/16 in. to 7/8 in. across the flats
- Drop forged steel construction, chrome plated to resist corrosion





W88031*
Inner: 6 Master: 24

7-PC 1/4 IN DR. X-TRAX STAR SET

NEW

- Sharpened gripping edges designed to extract star and Torx fasteners that are stripped, rusted, painted or otherwise unable to be removed with regular star bits
- Chrome vanadium steel sockets and S2 steel bits for strength and durability
- Chrome nickel finish resists corrosion
- Includes 4-1/4 inch (110mm) steel socket storage rail
- 1/4 inch Dr. sizes: TE10, TE15, TE20, TE25, TE27, TE30, TE40

1/4



W36790*
Inner: 6 Master: 72

45-PC THREADED INSERT RIVET KITS

- Used to Insert threaded rivet style fasteners into thin metal, plastic or fiberglass
- Comes with 10 of each size steel threaded rivet-nuts
- Long handle with comfort grips
- Formed blow molded case to keep the inserts organized
- Used to Insert threaded rivet style fasteners into thin metal, plastic or fiberglass

W2006* SAE
Inner: 6 Master: 12
Includes 4 threaded mandrels and nosepieces: 6-32, 8-32, 10-24, 1/4-20

W2007* METRIC
Inner: 6 Master: 12
Includes 4 threaded mandrels and nosepieces: 3mm-0.5, 4mm-0.7, 5mm-0.8, and 6mm-1.0

SAE

METRIC





6-IN-1 TAPPING DRIVER TOOL



- Double sided shaft includes 6 different tap sizes in one tool
- Tap sizes: #6-32, #8-32, #10-32, #10-24, #12-24 and 1/4-20
- Comfortable double-injection molded handle



W8650*
Inner: 6 Master: 36

49-PC THREADED INSERT RIVET KIT

- 49pc Master Threaded Insert Rivet Kit, SAE and Metric
- Used to Insert threaded rivet style fasteners into thin metal, plastic or fiberglass
- Includes mandrels and nosepieces for: 3mm, 4mm, 5mm, 6mm, 6-32, 8-32, 10-24, and 1/4-20
- Comes with 5 of each size steel threaded rivet-nut, 40pcs in total
- Long handle with comfort cushion grips
- Formed blow molded case to keep the inserts organized

NEW

W2003*
Inner: 6 Master: 12





SAE

METRIC

41-PC POLY RIVET KIT

- Set all sizes of poly rivets perfectly in a single stroke without changing the nosepiece
- Self-adjusting jaws help set rivets perfectly in a single stroke without re-gripping or prematurely breaking the stem
- Comes with 40 Polyoxymethylene (POM) rivets that leave an attractive, finished appearance with high strength and stiffness
- Provides easy access to confined areas with the long forward nose



W2005*
Inner: 6 Master: 24
Includes 40 industrial strength Polyoxymethylene (POM) rivets: 10 each of 5mm x 15.8mm, 5mm x 17.2mm, 6.6mm x 17.2mm, 6.3mm x 25.2mm

Limited to stock on hand.

4-IN-1 QUICK CHANGE HAMMER

- Includes soft, medium, hard plastic heads
- The high grade carbon steel head can be used for normal hammer applications
- Plastic heads won't mark or spark, preventing surface damage
- Shock absorbing fiberglass handle reduces vibration on impact and has a nonslip rubber grip





M7215*
Inner: 6 Master: 12

16 OZ SOLID BRASS HAMMER

- 16 oz solid brass hammer head
- 11" high visibility fiberglass handle with comfort rubber grip handle
- Brass is used for non-magnetic, non-sparking applications and generally less damaging to harder metal surfaces

W1137*
Inner: 4 Master: 24



4-PC PUNCH SET

- Hardened and tempered high carbon steel construction
- Handy storage pouch
- Sizes: 1/8, 5/32, 3/16 and 1/4 x 6"

W752*
Inner: 6 Master: 60





4-PC PUNCH & CHISEL SET

- Hardened and tempered high carbon steel construction
- Vinyl covered shank absorbs shock and reduces vibration
- Handy storage pouch

W753*
Inner: 6 Master: 60

Include: Pin punch sizes: 1/8 x 3/8 x 6", Taper punch sizes: 5/32 x 8", Center Punch sizes: 1/4 x 4 1/2", Cold Chisel sizes: 3/8 x 7"



4-PC 1/2 IN. METAL SPRING CLAMP

- Heavy duty spring for extra gripping power
- Corrosion resistant nickel plating
- Non-marring rubber tips
- Overall length = 2"

W5080*
Inner: 12 Master: 48







NON-MARRING RUBBER HEAD

24OZ RUBBER MALLET

- Double-faced solid rubber head delivers a softer strike
- Durable hardwood handle with contoured grip
- Non-marring rubber head
- Great for construction, woodworking, metal forming, and automotive applications

W1138*
Inner: 4 Master: 16

16 OZ. WOOD HANDLE CLAW HAMMER

- Drop forged high carbon steel head
- Heavy duty hardwood handle



W1076*
Inner: 6 Master: 24

15 IN. FLAT UTILITY PRY BAR

- Drop forged steel
- Tough painted finish
- Wide, flat design for many pulling, prying and scraping jobs



W2022*
Inner: 6 Master: 36

4-PC ROLL TYPE PRY BAR SET

- Heavy duty drop forged steel
- Tapered shaft design
- Sizes: 6, 12, 16 and 20"





W2021*
Inner: 1 Master: 6

3-PC PRY BAR SET W/STRIKE CAP

- Mechanics 3-piece pry bar set with strike cap ends, 12, 17, and 24 inch
- Thick ergonomically designed handles for comfort and secure grip
- Capped ends allow user to strike with a hammer without damaging the handle
- These bars are fully hardened and tempered, then black powder coating to prevent rust
- Curved blade ends and long shafts provides maximum delivery of prying power

W2023*
Inner: 1 Master: 6





STRIKING CAP

NEW



3 IN. X 3 IN. DEEP C-CLAMP

- This 3-1/2" Deep C-clamp is ideal for projects where extra deep clamping is needed
- Heavy Case Iron construction with a powder-coat finish for rust resistance and long life
- Built with heavy sliding t-handle and extra-large swivel base for easy and quick tightening





Throat Depth of 3-1/2" with a 2.75" opening

W3980*
Inner: 10 Master: 40

RATCHETING CLAMPS

- High Strength rubber grip Nylon Handle
- Pivoting Soft Jaws with V-Groove for Round Applications





W5090* 1-1/2 IN.
Inner: 12 Master: 120

1-1/2" capacity, 1-3/4" throat depth and over length of 5". 17lb max clamping pressure

W5091* 2 IN.
Inner: 12 Master: 120

2" capacity, 2-1/4" throat depth and overall length of 6-1/4". 33lb max clamping pressure

*California Residents
Prop 65 warnings see page 40.

2-IN-1 MULTI-FUNCTION SAW/BIT

DUAL POSITION LOCKING HANDLE

NEW

- The convenience of a multi-saw and bit driver in one tool
- Nylon storage pouch keeps everything organized
- Dual-position locking handle for use as a straight handle or pistol grip
- Rotating collar accepts standard hacksaw and reciprocating style blades, and operates as a screwdriver

W729*
Inner: 6 Master: 24



Includes 3 reciprocating style saw blades: 6" (150mm) x 24TPI bimetal (gray) and 6" (150mm) x 18TPI bimetal (black), for metals/hard plastics; 6" (150mm) x 10TPI (white) for wood/drywall. 3 in. bit extension, 1/4 in. adapter, T20 & T25 star, #0, #1 & #2 phillips, 3/16 & 1/4 in. slotted 1 in. (25mm) bits.

1-1/4 IN. RIGID STAINLESS STEEL SCRAPER

- Rigid stainless steel blade w/sharp chisel tip
- Ergonomic grip w/broad hilt for greater comfort & control

W9181*
Inner: 6 Master: 36



SNAP BLADE KNIFES

- Non-slip rubber grip for comfort and control
- Auto-loading blade chamber for quick blade replacement
- Includes 3 Sk5 snap blades with 13 total edges per blade
- On-board storage: when new blade is needed, simply move blade slide all the way forward, discard old blade, and move slide all the way back to engage new blade



W2613* 18MM
Inner: 12 Master: 96



16 IN. ADJUST ANGLE FLOOR SCRAPER

- This multi-purpose scraper is ideal for removing paint, stickers, dried adhesives and dirt
- The adjustable head can be set at 6 different positions to get the perfect angle for your job
- Uses standard 18 x 100mm (0.7 x 4") snap blades that are tough enough for any light duty scraping jobs, 1 carbon steel blade included
- Contoured rubber grip handle with long heavy steel neck allows 2 handed use for extra leverage and comfort for extended use

ADJUSTABLE ANGLE

NEW

W7520*
Inner: 8 Master: 32



32-55 IN. EXTENDING FLOOR SCRAPER

- This telescoping multi-purpose scraper is ideal for removing paint, stickers, dried adhesives and dirt
- Heavy steel shaft extends from 32 - 55" (42-140cm) for no bend scraping and is strong enough to apply extra leverage
- Offset aluminum head design holds blade securely and makes it easier to get blade edge under materials

NEW

W7521*
Inner: 6 Master: 24

Uses standard 18 x 100mm (0.7 x 4") snap blades that are tough enough for any light duty scraping jobs, 1 carbon steel blade included



BX5 STUBBY SCRAPER

- Ergonomic non-slip molded grip for improved comfort and control
- BX5 blades last up to 5 times longer than standard blades
- Compact size for confined or hard to reach places
- Perfect at scraping labels & overspray off glass surfaces
- Includes 1 BX5 scraper blade

W7502*
Inner: 12 Master: 72



REPLACEMENT SNAP BLADES

- High quality SK5 material stays sharper longer than standard steel blades

W2612-1* 9MM
Inner: 24 Master: 288
Includes 6 blades in storage case

W2613-1* 18MM
Inner: 24 Master: 144
Includes 6 blades in storage case



NEW

W7522* 18MM
Inner: 24 Master: 192
Includes 10 blades in storage case

50-PK BX5 UTILITY KNIFE BLADES

- High quality SK2 steel lasts up to 5X longer than standard steel blades
- Easy to use blade dispenser. Fits standard utility knives
- Heavy duty blades precision honed to razor edge
- Indispensable around the home, shop & office

W7505*
Inner: 4 Master: 24



BX5 LONG REACH SCRAPER

- Perfect for scraping labels & overspray off glass surfaces
- Extended reach is easier to use, increases reach & leverage
- Ergonomic grip w/broad hilt for greater comfort & control
- High quality SK2 steel lasts up to 5X longer than standard steel blades

W7508*
Inner: 6 Master: 24



DELUXE TUBULAR HACKSAW

- Tubular frame
- Adjustable for 10 or 12 in. blades

W730*
Inner: 6 Master: 36



12-PC EXTENDABLE SCRAPER

- This unique scrapper is the only one you'll need for both tight spots or when extra length or pressure is required due to the telescoping handle
- The comfort grip handle is contoured with non-slip rubber surface which reduces hand fatigue during extended use
- The body telescopes from 6.5" to 9.5" with the push of a button when additional reach when needed

W1514*
Inner: 12 Master: 72

Included: 1 extendable scraper handle, 6 metal razor blades and 5 non-marring plastic scraper blades

6.5" - 9.5"



EXTENDED REACH RAZOR SCRAPER

- Perfect at scraping labels & overspray off glass surfaces
- Extended reach is easier to use, increases reach & leverage
- Ergonomic grip w/broad hilt for greater comfort & control
- Includes one standard razor blade

W9121*
Inner: 6 Master: 36



4-PC HACKSAW BLADES

- High carbon steel
- 2 pcs. 18 teeth per in. x 12" length
- 2 pcs. 24 teeth per in. x 12" length

W739*
Inner: 12 Master: 72




Limited to stock on hand.

LASER PRO 4-IN-1 MEASURE TOOL

- 4-in-1 multifunction measuring tool that does it all - measures, levels and projects a laser line with 3 different patterns
- Measuring: Built-in 8ft. (225cm) tape measure has both SAE / Metric measurements and the base of the tool has a 6" (15cm) straight line ruler
- Leveling: horizontal, vertical, and 45 degree high-visibility bubble vials
- Laser line with 3 functions: Projects a red vertical, horizontal and cross laser light beam




W5706*
Inner: 20 Master: 100



95-PC PEG HOOK ASSORTMENT

- All steel construction with zinc plated finish
- For use with standard 1/8 inch and 1/4 inch pegboard
- Single hole hooks feature anchor pin for better stability
- Includes 45 clips to hold peg hooks in place
- Weight capacity: 10 lbs



W5160*
Inner: 12 Master: 24

Contents: (1) 6 slot tool holder, (1) 2 inch, double arm hook, (1) 4 inch, double arm hook, (4) 4 inch single arm hooks, (5) 2 inch single arm hooks, (2) 1-1/2 inch U-hooks, (6) 1-1/4 inch U-hooks, (6) 3/4 inch V-hooks, (11) 1 inch V-hooks, (6) 1-1/2 inch L-angled hooks, (5) 1 inch L-angled hooks, (2) Tool holders

3-PC TOOL POUCH SET

- This 3-bag set is ideal for holding parts, accessories or other small tools
- Constructed of durable rubber backed polyester material with a sturdy zippered opening
- Features a front mesh insert to view contents and prevent moisture and dirt from accumulating at the bottom of your bag
- The included carabiner and integrated hang loops lets you clip these pouches to your belt loop or tool bag



Pouches measure 5.25" x 7.5" (Red), 6.25" x 7.25" (Blue), 6.75" x 8.5" (Green)

W88979*
Inner: 12 Master: 48



ROLLER SUPPORT STAND

- Heavy gauge, rust resistant steel stand with polished steel roller
- Ideal for use with long workpieces to give ultimate support for accurate cuts
- Folds flat for compact storage
- Specifications: Max Load: 132lbs (60Kg), Height: 27" to 43" (69-109cm), Width: 11" (28cm)



W54010*
Inner: 1 Master: 4

16 IN. TOOL BAG

- Heavy duty water repellent nylon fabric for long life
- 11 pockets inside and 5 pockets outside to maximize your storage options
- 16 inch Wire framed big mouth opening for ease of access
- 5 raised cleat feet to keep your tool bag cleaner and out of the dirt



W88993*
Inner: 1 Master: 6

LOCKING CONTOUR GAUGES

- Ideal for woodworking, flooring, auto bodywork, wheel arches, metalworking, plumbing work, and more where replicating ax exact shape is critical
- Upgraded design features heavy-duty metal lock to hold pins in position after you copy a pattern
- Adjustable tension allows tightening or loosening of how freely the pins move
- High quality, impact resistant ABS construction



W80141* *5 INCH*
Inner: 6 Master: 72





W80142* *10 INCH*
Inner: 6 Master: 36

ORGANIZER TOTE WITH ASSORTMENTS

- Set contains: wood screws, machine screws, washers, push pins/thumbtacks, plastic anchors, sheet metal screws, hex nuts, picture hangers, nails and cup hooks
- A compact collection of useful hardware and storage
- Also includes two empty trays for your own organization



W5199*
Inner: 1 Master: 6

12 IN. OPEN TOP TOOL BAG TOTE

- Rigid sides and interior panels hold bag open allowing easy access to tools and equipment
- Made of durable polyester fabric construction with built in base pads to protect bottom
- Features 14 external multi-use pockets and 5 internal loops to organize all of your tools and accessories
- Fold up the 3 ridged interior panels to collapse the bag for storage

W88976*
Inner: 1 Master: 6



4 IN. MACHINIST VISE

- Jaw Width: 4", Jaw Opening: 4", Throat Depth: 2", Built in anvil: 3-1/8" x 2-7/8"
- 360 Degree swivel base
- Heavy duty cast iron construction
- Dual lock downs for easy positioning
- Diamond serrated for a secure grip






MV4*
Inner: 1 Master: 1

6-1/2 IN. WOODWORKER'S VISE

- Pre-drilled holes in jaws for attaching wood facings
- Continuous screw and steel guide bars for smooth operation
- Durable powder coat finish and chrome plated handle and spindle
- 6 in. Jaw Opening, 2-3/8 in. Throat Depth







W3901*
Inner: 1 Master: 6

FIREPOINT X LIGHTING

80 LM POCKET TECH LIGHT



- (2) Output Settings: Penlight - 80 lumens, 2 hr runtime, 112ft beam distance. Side light - 60 lumens, 2 hr runtime, 23ft beam distance
- Endcap power button with tough pad stylus
- Powered by 1AAA battery (included)

W2332*
Inner: 8 Master: 48



300LM PEN LIGHT

- Specifications: 349 lumens on high, 98 lumens on low, 3 hour runtime on high, 5 hour runtime on low, 1920cd, 88m beam, 165mm total length
- Requires 3AAA batteries (included)

W2657*
Inner: 6 Master: 24



3000+LM LI-ION FLASHLIGHT

- Specifications: 3061 lumens on high, 754 lumens on low, 3 hour runtime on high, 6 hour runtime on low, 16000cd, 253m beam, 208mm total length
- Includes (2) 2600mAh, 3.7V Li-ion batteries
- Includes USB battery charger

W2655*
Inner: 6 Master: 24



1000+LM LI-ION FLASHLIGHT



- Specifications: 1001 lumens on high, 227 lumens on low, 4 hour runtime on high, 6 hour runtime on low, 175mm total length
- Requires (1) 18650 Li-ion battery (included) or 3AAA batteries (not included)

W2658*
Inner: 6 Master: 24



400+LM USB FLASHLIGHT



- Specifications: 418 lumens on high, 108 lumens on low, 1 hour runtime on high, 2 hour runtime on low, beam distance: 80m (high), 40m (low), 124mm total length
- Includes built-in 16340 Li-ion battery: 3.7V, 750mAh capacity, 2.78 watt hours

W2668*
Inner: 6 Master: 24



300+LM LI-ION FLASHLIGHT

- Specifications: 316 lumens on high, 100 lumens on low, 0.5 hour runtime on high, 1.5 hour runtime on low, beam distance: 125m (high), 69m (low), 103mm total length
- Built-in 10440, 320mAh capacity, li-ion battery (included)

W2663*
Inner: 6 Master: 24



350+LM LI-ION DUO-LIGHT

- Specifications: flashlight - 196 lumens on high 2.5hr runtime; work light: 375 lumens, 1.5hr runtime (high); 100lm, 4hr (low)
- Built-in 14500, 600mAh capacity, li-ion battery (included)

W2672*
Inner: 8 Master: 32

NEW





4000+LM LI-ION FLASHLIGHT



- Specifications: 4026 lumens on high, 480 lumens on low, 4.5 hour runtime on high, 12.5 hour runtime on low, beam distance: 320m (high), 130m (low), 215mm total length
- Includes USB battery charger and (2) 26650 Li-ion batteries: 3.7V, 3400mAh capacity, 12.58 watt hours

W2669*
Inner: 6 Master: 24



150LM LI-ION LIGHTED PEN

- Retractable ball point pen, wide angle area light, and power button also works as a stylus
- Integrated LED area light delivers up to 150 lumens, enough to write in the dark
- Built-in rechargeable li-ion battery provides an hour of runtime
- Double ended pocket clip for storage or hands-free use

W2674*
Inner: 6 Master: 48



NEW

2-PK REPLACEMENT CARTRIDGES
W2674-1*
Inner: 24 Master: 432
Includes two refills to help extend the life of your W2674 LED pen



1000+LM LI-ION PENLIGHT

- High strength magnetic base
- Specifications: Max 1016 lumens, 2 hour runtime, 53m beam distance, 208mm total length
- Powered by (1) 18650 Li-ion battery included
- Includes USB charging base and cable







W2662*
Inner: 6 Master: 24



Limited to stock on hand.

1000+LM LI-ION HEADLAMP

- Super bright Cree LED produces 1000+ lumens and never needs replacing
- Features 3 output modes: high, low, flash
- Adjustable head band for maximum comfort - use with or without top strap
- Comfortable and lightweight low profile design
- Requires 18650 rechargeable lithium ion battery (included)

1000+ LUMENS



W2660*
Inner: 6 Master: 24

Specifications: 1043 lumens (high), 151 lumens (low), 4 hour runtime (high), 10 hour runtime (low)

300+LM LI-ION RECHARGEABLE HEADLAMP

NEW

- Produces a combined 300+ lumens - 210 lumen area light and 110 lumen spot light
- Comfortable and lightweight design with adjustable head strap and pivoting head
- 2000mAh 18650 li-ion battery and 9.5" (24cm) micro USB cord included



Specifications: 4 LEDs: (high) 210lm, 3hr runtime, 12M beam; (low) 100lm, 4.5hr runtime, 8M beam; Spot LED: (high) 110lm, 6.5hr runtime, 48M beam; (low) 60lm, 12hr runtime, 25M beam; all 320lm/2.5hr

300+ LUMENS

W2327*
Inner: 4 Master: 48

DUAL BATTERY USB CHARGERS

- Designed to charge your batteries quickly and safely
- Automatically stops when charging is complete
- Includes micro USB cable



W2655C* 18650 CELL CHARGER
Inner: 6 Master: 24

- Home and travel charger for standard 18650 model lithium ion batteries
- Specifications: Input voltage: DC 5V; Output voltage: 4.2V; Current: 650mA (x 2)

W2669C* MULTI-CELL CHARGER
Inner: 6 Master: 24

- Home and travel charger for standard 18650, 26650, 16340 and other model lithium ion batteries
- Specifications: Input voltage: DC 5V (2A max); Output voltage: 4.2V; Current: 1A (x 2); Includes 31.5 inch (0.8M) micro USB cable

2000+LM LI-ION XL HEADLAMP

NEW

- Super bright Cree LED produces 2000+ lumens in boost mode
- Features 3 output modes: turbo boost, high, and low
- Flexible bracket allows light to be removed for use without the strap
- Magnetic base and optional pocket clip for additional hands-free operation
- Includes 2600mAh 18650 rechargeable lithium ion battery and micro USB charging cable (use replacement battery W2655B)





2000+ LUMENS

DOUBLES AS WORK LIGHT

W2664*
Inner: 6 Master: 24

REPLACEMENT LI-ION RECHARGEABLE BATTERY

- No memory effect - recharge up to 500 times whether fully or partially drained
- Built-in circuit protection to ensure proper venting, prevent overcharge or discharge



W2655B* 18650 CELL
Inner: 6 Master: 48

- Standard replacement 18650 cell with 2600mAh capacity
- Capacity: 2600mAh; Voltage: 3.7V; Chemistry: Li-ion; Battery Size: 2.62 x 0.72 x 0.72 inches (69.2 x 18.3 x 18.3mm)

W2674B* 10280 CELL

NEW

Inner: 6 Master: 48

- Standard replacement 10280 cell with 150mAh capacity
- Capacity: 150mAh; Voltage: 3.7V; 0.56Wh; Chemistry: Li-ion; Battery Size: 1.1 x 0.6 x 0.6 inches (28mm H x 10.3mm D)
- For use with PT Power model W2674



W2659B* 16340 CELL
Inner: 6 Master: 48

- Standard replacement 16340 cell with 700mAh capacity
- Capacity: 700mAh; Voltage: 3.7V; 2.59Wh; Chemistry: Li-ion; Battery Size: 1.42 x 0.66 x 0.66 inches (35.65 x 16.7 x 16.7mm)
- For use with PT Power model W2659



2-IN-1 LED WORK LIGHT

- Features Two High Output LEDs
- Rare earth magnet on back for hands free work
- 360 degree swivel hook for added versatility
- 123 Lumens, 2 hr run time, 33m beam
- Uses 3 AAA batteries (included)



Sold in INNER QUANTITIES



150+ LUMENS

W2367*
Inner: 8 Master: 48

3 + 1 UV LED PENLIGHT

- UV area light and spotlight in one tool
- Comfortable lightweight housing with rubberized grip
- Magnetic base and pocket clip for hands free use
- Specs: up to 16 hr runtime, 139mcd beam intensity, 24m beam distance
- Includes 3AAA batteries

UV LED

MAGNETIC



W2428*
Inner: 6 Master: 48

150+LM 2-IN-1 LED WORK LIGHT

- Area light and spotlight in one tool
- Comfortable lightweight housing with rubberized grip
- Moveable magnetic base for directing light in any direction
- Specs: area light 154 lumens, spotlight 62 lumens, 6.5 hour run time, 14.6m beam
- Includes 3AA Alkaline batteries

150+ LUMENS




W2358*
Inner: 6 Master: 48

MAGNETIC

MULTI-COLOR 150+LM LED WORK LIGHT

- Features Two High Output LEDs and LED spotlight
- Rare earth magnet on back for hands free work
- 360 degree swivel hook for added versatility
- 123 Lumen, 2hr run time, 13m beam
- Uses 3 AAA batteries (included)

150+ LUMENS



Sold in INNER QUANTITIES



W2364*
Inner: 8 Master: 32

2-PK ESSENTIAL 85LM LED FLASHLIGHTS

- Super Bright Nichia LEDs never need replacing
- Anodized aluminum flashlight
- 85 lumens, 9.5 hour run time, 100m beam

Sold in INNER QUANTITIES





85 LUMENS

W2459*
Inner: 10 Master: 40

*California Residents
Prop 65 warnings see page 40.

SMALL VALVE LAPPER 5/8 IN. & 13/16 IN.

- Heavy duty rubber suction cups
- Hardwood handle
- Use with Lapping Compound (not included) to lap valves to match valve seats
- Sizes: Small - 5/8 & 3/16"





W80570*
Inner: 6 Master: 72

TAIL PIPE CUTTER

- Easily cuts tailpipe and exhaust components
- Adjustable 12" cutter chain allows for cutting action on pipe diameters from 3/4 to 3 1/2"

W80664*
Inner: 6 Master: 24



VW AUDI HEAD BOLT SOCKET BIT

- Fits 1998 and later VW / Audi head bolts
- 125mm overall length to fit restricted areas
- Not for impact use
- Chrome Vanadium
- 1/2" drive



W83182*
Inner: 12 Master: 48

5-PC HEAD BOLT SOCKET SET

- The 4-1/2 in. length reaches past cam and rocker assembly to service head bolts
- Includes 1/2 in. 10mm, 12mm, 13mm, and 14mm for Nissan, Toyota, Honda, and Ford/GM vehicles
- Special 12 point socket design fits both the 6 and 12 point head bolts
- The thin profile sockets can reach through access holes on the heads of newer vehicles





W83183*
Inner: 1 Master: 12

2-PC TOYOTA HEAD BOLT BIT SOCKET

- Designed to reach the deep recessed head bolts on Toyota engines
- 2 pc set includes an 8mm and 10mm triple square bit 140mm (5.51 in.) long
- Extra-long shaft is a must to remove the head bolts on Toyota, Lexus and Scions models
- 1/2 in. CR-V square drive set includes two S2 steel 12-point wrenches
- Use the 8mm on models up to 2006, and the 10mm on models 2007 to current



W83184*
Inner: 6 Master: 48

WATER PUMP HOLDING TOOL

- Holds Water Pump Sprocket on 2002 to current GM Ecotec motors so water pump can be serviced
- Special design allows easy application regardless of sprocket orientation
- Saves costly loss of time by holding the water pump sprocket in place while removing pump
- Use on GM 2.2L and 2.4L Chevrolet, Oldsmobile, Saturn, Pontiac Ecotec engines

W89210*
Inner: 10 Master: 60







FLEXIBLE HOSE CLAMP PLIER

- This flexible hose clamp plier allows you to remove metal self-tightening flat type hose clamps
- The pliers' locking mechanism holds clamps in the open position for easier removal
- 24 in. flexible cable allows extended reach to access hose clamps located in hard-to-reach areas
- A spring loaded ratchet mechanism has multiple stops for less strain and fatigue on the user
- The long reach of these pliers allows you to work in very confined and tight spaces with ease
- Removes 11/16-Inch to 2-Inch Self Tightening Hose Clamps



W80640*
Inner: 15 Master: 30

UNIVERSAL HOSE CLAMP PLIER ANGLE

- The special angle jaw design allows Hose Clamps to be removed at many different angles
- Quick position locking mechanism keeps the hose clamp spread for easy removal
- Access a variety of hard to reach clamps, tank ventilation lines, radiator clamps, cooler lines, and more
- Steel construction with cushion grips. 1-1/4 in. x 3/4 in. head with multi-directional slotted pattern



W80667*
Inner: 6 Master: 24

NOX AND SOOT SENSOR SOCKET

- Used to remove the 24 & 30mm NOX & SOOT Sensors on 2014 to current Dodge Diesels
- Crow Foot design provided access to sensor W/O cutting wires and limited access applications
- 1/2" Hex allows 1/2" breaker bars to be used for high break away torques required to remove sensors
- 6 and 12 Pt SP Grip Drive contacts the sensor hex body
- For Chrysler, Dodge, Jeep Diesels and other manufactures using NOX and SOOT





W84009*
Inner: 6 Master: 36

ENGINE

2 -PC LINE STOPPER SETS

- Prevent fluid leaks when replacing or working on components that use fluid transfer lines
- Use to seal transmission cooler, brake, A/C, and fuel lines found on most vehicles
- The spring loaded design quickly and easily stops the flow of liquids on cars, trucks and other machinery







W83147* 5/16 IN.
Inner: 24 Master: 96

W83146* 3/8 IN.
Inner: 24 Master: 96

2-PC TOYOTA A/C LINE DISCONNECT



- Release the quick connect fittings on high and low-pressure air conditioning lines at the evaporator
- Easy to use, just rotate the plastic clamp to expose the two release holes and insert the tool
- Service both the new larger clamps as well as the older small ones
- With both tools you are able to service air conditioning on most 1998 and newer Toyotas



W83134*
Inner: 8 Master: 48

R1234YF A/C MANIFOLD SET

- Use for testing systems with the new R1234YF refrigerant
- Heavy duty anodized aluminum block with easy grip adjustment knobs
- Easy to read temperature scales on 3 1/8" gauge face Bar, PSI, F Deg., C Deg
- 72 inch yellow hose with the special 1/2 x 16 left hand acme thread specifically for R1234YF tanks
- Optical sight glass for visual verification of refrigerant
- Hoses Gauges, and Couplers all meet SAE standards



W89739*
Inner: 1 Master: 5

DIAGNOSTIC

DIGITAL ADVANCE TIMING LIGHT







- Professional set initial and advance timing to obtain total timing and peak performance
- Super bright xenon flash, and a high Vis LED display
- Designed for precise tuning and diagnostic work
- Display engine speed up to 9,000 RPM, and ignition spark advance from 0-90°
- Pushbutton control to adjust advance and switch between 4 and 2 cycle engines
- Tough ABS shell, long inductive pickup leads and works with 12 volt systems

W80587*
Inner: 1 Master: 20

DIAGNOSTIC

AUTO DIAGNOSTIC VACUUM PUMP & BLEEDER

- Vacuum tool can test and diagnose a wide variety of parts and common systems on any vehicle
- Test Ignition timing, chokes, mechanical fuel pumps, and other vacuum actuated accessories
- Pumps approximately 1 cubic inch per stroke, and develops and holds up to 25 in. of vacuum Mercury (Hg)
- Vacuum gauge scales reads in inches of Mercury (Hg)

NEW





W87032*
Inner: 1 Master: 10



FUEL

A/C & FUEL LINE DISCONNECT SET

- For Automotive Fuel, AC and Transmission Cooler Lines, on most GM, Ford, Chrysler, and Mazda models
- Disconnect the spring lock couplings simply by pressing the tabs into the opening of the fitting
- Works on quick disconnect couplings on most domestic and import vehicles
- The special off-set handles are angled to access fittings with limited space to work







NEW SAE METRIC

W83101*
Inner: 12 Master: 72
Includes the following six sizes: 1/4 (6mm), 5/16 (8mm), 3/8 (9.5mm), 1/2 (13mm), 5/8 (16mm), 3/4 (19mm) and 7/8 inch (22mm)

3-JAW FUEL TANK LOCK RING TOOL

- Remove and install serrated fuel tank retaining rings that hold the pump module inside the tank
- Designed to work on retainer rings with internal and external tabs from 100 to 170mm
- Provides a secure fit without slipping or fall off a wide range of vehicles with in-tank fuel pumps
- Three leg design provides more contact, stability and turning strength compared to the two leg tools
- Use a 19mm (3/4 inch) combination wrench or socket to loosen or tighten the retaining lock ring



NEW



W80699*
Inner: 1 Master: 10

*California Residents
Prop 65 warnings see page 40.

NON-CONTACT THERMOMETER

- Temperature range from 0 to 960 degrees F and -18 to 520 degrees C
- Measures surface temperature without making contact
- Fahrenheit or Celsius readings
- Backlight feature
- Laser pointer for accurate use





W89720*
Inner: 5 Master: 20

2.4 IN. LCD INSPECTION CAMERA

LED

- 2.4 in. color LCD monitor with 320 x 240 VGA resolution and 180 deg. image rotation and mirroring
- Submersible 11/32 in. (9mm) diameter camera with 640 x 480 resolution
- 4 white LEDs with 6 output levels
- 40 in. (1M) flexible neck
- TV/video output jack
- Includes mirror, hook clip, magnet and video cable
- Requires 4AA batteries (included)



W50045*
Inner: 1 Master: 12

DIGITAL LASER TACHOMETER

- Use to accurately measure the RPM without touching the object, displays it on a LCD screen
- Measures the rotational speed with a visible red LED beam
- High intensity class II laser measures from 2.5 - 99,999 RPM
- Non-contact design, includes 24-inches of reflective tape to aid measurements
- Auto zero adjustment, stores last, minimum, and maximum readings
- Includes a handy storage case, 9v battery and operating manual





W89719*
Inner: 1 Master: 50

BRAKE

PORSCHE BRAKE CALIPER SOCKET

PORSCHE®





W80603*
Inner: 6 Master: 144

- Essential for technicians needing to remove the caliper retaining nut on a variety of European vehicles
- Remove the caliper retaining bolt on Porsche, Audi and VW for caliper repair or pad replacement
- Special 1/2 in. drive 9mm 10 Point Cr-V socket with a black phosphate finish
- Works on the following brake caliper retaining bolt Porsche Cayenne and Cayman; AUDI A8 S6 Q7; VW Touareg

TUBING CUTTER

- Hardened cutting wheel
- Tapered burr remover
- Cuts copper, brass, aluminum and mild steel tubing 1/8 to 1 1/8" (3 to 27mm) outside diameter
- Wide dual rollers for square cuts





W702C*
Inner: 6 Master: 72

DIES SET FOR W80672 ISO BUBBLE

NEW





- 4pc Replacement Dies for W80672
- Size: 4.75, 6, 8, 10mm

W80685*
Inner: 50 Master: 200

UNIVERSAL BRAKE FLUID TESTER

- Used to examine the quality of brake fluid by indicating the percentage of water in the fluid
- Suitable for DOT 3, DOT 4, and DOT 5.1 brake fluid
- Easy to use with 5 LED indicator lights
- Approved for AC Delco DOT 3, Pennzoil DOT 3, Prestone DOT 3, Motorcraft DOT 3, and Toyota DOT 3





W182*
Inner: 10 Master: 100

LARGE TUBING BENDER

- Bends tubing up to 1/2" (13mm) O.D
- For copper and brass tubing and brake lines

W703*
Inner: 6 Master: 48



SUSPENSION





ADJUSTABLE TIE ROD SEPARATOR

- For separating ball joints, tie rods, pitman arms, steering dampeners, and shock linkages
- Adjustable to include the following sizes: 11/16 in., 15/16 in., 1-1/8 in., 1-7/16 in., 1-5/8 in., 18mm, 24mm, 30mm, 36mm, and 43mm
- Heavy duty CR-V construction with a knurled grip handle for control while striking the end
- Tough enough to handle any suspension job on most cars and light trucks
- 9 inch long handle with 3 inch long adjustable forks, 12 inch overall length

NEW

ADJUSTABLE WIDTH



W83050*
Inner: 6 Master: 18

8 LUG TOYOTA AXLE NUT SOCKET

- Use for easy removal and installation of the 8 pin front locknut on newer Toyota and Lexus trucks and SUV's. 2WD
- For 2007-2014 Toyota 4Runner 2WD, 2008-2014 Sequoia and 2007-2014 Tundra
- Heavy duty chrome vanadium pins for a long dependable life
- For use with 3/4 in. drive tool



W83005*
Inner: 6 Master: 24

Limited to stock on hand.

SUSPENSION

BALL JOINT SEPARATOR



- For separating the ball joint from the spindle arm
- Adjustable for different size ball joints
- For use on many domestic and import vehicles





W83022*
Inner: 5 Master: 20

5-PC FRONT END SERVICE SET

- For removal of most types of pitman arms, tie rods and ball joints found on automotive and light truck applications
- Replacement parts availability



W89303*
Inner: 1 Master: 3

4-IN-1 BALL JOINT ADAPTER SET

- This set includes the necessary tools to service press fit type ball joints without removing the control arm
- Service most car and light truck U joints either on or off the vehicle
- 4 x 4 adapters allow removal and installation of upper and lower ball joints on 1967 to current 4WD vehicles with Dana 44 axles
- In addition, remove and install brake anchor pins
- Expand the service capabilities of this set with the W89305 Master Ball Joint Adapter Set



W89304*
Inner: 1 Master: 3

DRIVETRAIN

5-TON PULLER/BEARING SEPARATOR SET

- Separator tools are used with bar puller and legs for a wide variety of pulling jobs
- Includes two popular bearing splitters 2 inch and 3 inch and four sets of hex push puller legs
- The 5 inch puller cross-bar with a 6-1/4 inch forcing screw can be used independently
- Use the bearing separators separately or in combination with other pullers or tools



W87128*
Inner: 1 Master: 4

DIAGNOSTIC

COOLING SYSTEM PRESSURE TESTER KIT



- Detects Internal Engine Leaks Caused by Blown Head Gaskets And/or Cracked Block Or Heads
- Quickly Reveals External Cooling System Leaks
- Kit Includes High Quality Hand Pump And 12 Adapters To Fit The Most Popular Domestic & Import Cars & Light Trucks



W89733*
Inner: 1 Master: 5

ENGINE

A/C MANIFOLD TEST KIT

- 50" Long hose length
- High quality brass fittings
- 0-120psi low side, 0-500psi high side



W89730*
Inner: 1 Master: 5

SUSPENSION

MASTER BALL JOINT ADAPTER SET

- This set expands the service capabilities of the W89304 Ball Joint Service Set
- Includes all receiving tubes removing and installing adapters needed to work on most GM, Ford and Dodge two and four wheel drive pickups, vans and SUVs through 1997
- Works on press fit upper and lower ball joints
- Set also includes the W89304 live center forcing screw plug
- Application chart included



W89305*
Inner: 1 Master: 3

*California Residents
Prop 65 warnings see page 40.

DOOR PANEL REMOVER BENT

- Easily remove fasteners to release the door panels on most vehicles
- Bent shaft design provides leverage even in tight spaces
- Provides extra prying force
- The square cutout in the tip provides a secure grip, even on fasteners with small tabs
- Ergonomic griped handle for maximum comfort





W80644*
Inner: 6 Master: 12

PROFESSIONAL ANTIFREEZE TESTER

- Precision calibrated
- Color coded indicator float
- Acid resistant



W1654C*
Inner: 6 Master: 72

DELUXE ANTIFREEZE TESTER

- Easy to read scale & pointer
- Freezing to boiling points for anti-freeze, calibrated in °C and °F



W1656C*
Inner: 6 Master: 72

2 GALLON PLASTIC RADIATOR FILLER

- Tough polyethylene won't damage automotive finishes
- Impervious to oil, gasoline and antifreeze
- Will withstand normal temperature extremes




W54273*
Inner: 1 Master: 4

11-PC TRIM REMOVAL TOOL SET

NEW

- For removing car stereo trim, door panels, moldings, window trims clips, or any other plastic pieces
- 11pc multi-function trim tool set provides 21 different end designs for removing trim panels
- Universal application for all makes and models of cars, boats, and RVs
- Variety of shapes and sizes for confined, hard to reach areas
- Made of durable nylon fiber material that will not bend, and resists breaking
- Comes with a durable canvas pouch to store the tools after use







W80643*
Inner: 1 Master: 20

170-PC FIREWALL/ BODY PLUG

- Use to replace cracked or damaged plugs, or to seal up unused holes
- These firewall and body grommets are made of high quality soft rubber
- 170 pcs rubber grommet in 7 of the most common sizes
- Divided organizer case, provides convenient use, and identification
- Heat-resist, mineral oil-resisting, non-corrosive chemical resistant, wear-resisting, and reusable
- Sizes include: 50pcs 7.14mm; 40pcs 9.53mm; 30pcs 12.07mm; 20pcs 15.88mm; 10pcs 19.05mm; 10pcs 22.23mm; and 10pcs 25.4mm





W5262*
Inner: 6 Master: 24

ALUMINUM SUCTION CUP

NEW

- Easily pops out shallow dents without drilling holes
- Durable aluminum handles and housing, with a natural rubber suction cup
- Compact design and easy grip handles aids in lifting or carrying heavy items
- 110 lb. maximum lifting capacity

W1030*
Inner: 6 Master: 24



SUCTION CUP DENT PULLER

- Pulls out many shallow dents without drilling holes
- Fingertip pressure release



W1028*
Inner: 6 Master: 72

25 FT. MECHANIC'S WIRE

- Soft bailing wire provides multiple uses, from binding materials together to emergency automotive repairs
- Bends easily for securing just about anything
- Corrosion resistant zinc coating
- 20 gauge, 25 feet, rated to a 40 lb maximum load capacity

20225*
Inner: 30 Master: 240





2 LBS SPOOL MECHANICS WIRE (16 GAUGE)

- Flexible and durable wire is long enough for use in a variety of projects
- High quality galvanized solid steel wire is pliable, and easy to work with
- Convenient steel roll stores in a compact size, and is easy to roll or unroll
- 16 gauge



W116*
Inner: 1 Master: 12

AUTO DARKENING WELDING HELMET

- The solar-powered auto-darkening lens charges while on the job and eliminates the need to worry about batteries.
- Auto-darkening response time: 1/25,000 of a second at room temperature and meets all ANSI Z87.1-2003 standards.
- Variable shade control from #9 to #13 DIN.
- Helmet is suitable for use with MIG, Arc, Flux or TIG welding and also high plasma grinding.
- Sensitivity adjustment for TIG welding mode lets you customize responsiveness for the application.
- Working temperature between 23 - 131 degrees Fahrenheit (-5 - 55 degrees Celsius).
- Rate of UV Transmittance 313-1300nm<3.4x10-8%, Rate of UV Transmittance 780-1300nm<0.0027%; 1300- 2000nm<0.0097%.







W50057*
Inner: 1 Master: 4

Limited to stock on hand.

BATTERY BOLTS

- Heavy gauge steel
- Plated to resist corrosion

J-STYLE

W1694C* 8 INCH
Inner: 6 Master: 72

W1695C* 10 INCH
Inner: 6 Master: 72

W1696C* 12 INCH
Inner: 6 Master: 72



L-STYLE

W1697C* 12 INCH
Inner: 6 Master: 72



HD TRUCK BATTERY TERMINAL

- Heavy duty commercial applications
- Fits over the positive or negative posts on top terminal batteries
- Good corrosion resistance, electrical conductivity, convenient wiring, etc
- Universal fit for 6v and 12v battery posts

W1683*
Inner: 10 Master: 60



DELUXE BATTERY FILLER

- Acid resistant 6 oz. bulb, 6" spout

W1641*
Inner: 12 Master: 96



WRAP AROUND TERM PROTECTOR

- Full wrap around protects top and side post terminals
- Designed to provide a barrier against acid fumes that seep through improperly sealed batteries and cause corrosion
- Will not dry out or evaporate

W1652*
Inner: 10 Master: 200



BATTERY TERMINAL CLEANER BRUSH

- All metal construction
- Quality stainless steel brushes
- Cleans both battery post and terminals

W147C*
Inner: 12 Master: 288



UNIVERSAL BATTERY HOLD-DOWN


- Solid rubber construction
- Nylon inserts for strength
- Fits most batteries



W1699C*
Inner: 6 Master: 48

QUICK DISCONNECT BATTERY TERM

- Installs on most top post batteries making connecting and disconnecting power quick and effortless
- Turn the green knob counter-clockwise to disconnect power or clockwise to connect power
- Made of brass-plated alloy and fits on both positive and negative posts
- Compatible with 12-or-24 vehicle dynamic control systems



W1684*
Inner: 10 Master: 60

4 WAY BATTERY POST CLEANER

- Scrapes stubborn corrosion from battery posts and terminals



W152C*
Inner: 12 Master: 48

BATTERY JUMPER CABLES 12 FT. 10 GA

- Light duty for compact vehicles & motorcycles
- Red/black clamps for easy identification
- Tangle-free rubber coated cables
- Heavy duty copper jaw clamps
- 10 Gauge, 12 Foot,150 AMP/250 Peak
- All weather use



W1670*
Inner: 6 Master: 12

BATTERY JUMPER CABLES 12 FT. 8 GA

- Medium duty for passenger light cars & pick-up trucks
- Red/black PVC-coated insulated clamps for easy identification
- Tangle-free rubber coated cables
- Heavy duty copper jaw clamps
- 8 Gauge, 12 Foot, 250 AMP/300 Peak
- All weather use



W1671*
Inner: 6 Master: 12

PROFESSIONAL BATTERY TESTER


- Precision calibrated
- Color coded indicator float
- Acid resistant



W1653C*
Inner: 6 Master: 72

BATTERY TESTER

- Color coded balls for easy readings



W1666C*
Inner: 24 Master: 288

ANTIFREEZE TESTER

- Color coded balls for easy readings



W1655C*
Inner: 24 Master: 288

*California Residents
Prop 65 warnings see page 40.

VW AUDI OIL DRAIN PLUG TOOL

- Remove and install the new plastic engine oil drain plugs without damage
- Use on 2015 to current VW/Audi with 1.8L and 2.0L turbo gas engines
- Molded grip with the special tip to mate perfectly with the drain plug
- Fits the following applications: VW: CPKA, CPRA, CPPA, CBFA, CCTA, CBEA, CNTA, CXCA, CXBB, CXBA, CPKA, CNSB, and CNSA. Audi: A3, A4, also TT, TTS, 2014 to current



W54289*
Inner: 10 Master: 120

11 IN. LOCKING OIL FILTER PLIERS

- Dual position jaws give you a larger size range and quick adjustments
- Fine adjustment screw for precise loosening and tightening
- Locks tight with the squeeze of one hand
- Unlocks easily by squeezing release lever
- Works with oil filters from 2-1/2 to 5-1/2 inches (63-139mm)




W54314*
Inner: 8 Master: 32

ANGLED ADJUSTING FILTER PLIERS

NEW

- 30° Offset angled jaws allow for more clearance when loosening a filter
- Self-adjusting spring tension automatically adjusts to the proper size
- Wide jaw design offers a wide range capacity from 2-5 inches (51-127mm)
- Heavy-duty riveted layered steel construction with comfortable molded grips
- Thin profile allows access into confined spaces



W54315*
Inner: 6 Master: 36

12 IN. ALUMINUM 2-PLY STRAP WRENCH

- 12 inch super strong lightweight aluminum I-beam handle
- Double thick 2-ply woven nylon strap that grips tightly without damaging or scratching the surface
- Use on any polished, plastic or cast iron pipe up to 9 inches
- Works great in tight places on fittings, filters, and irregular shaped items
- Strap width: 1.05-Inches - Strap length: 34-Inches - Overall length: 12-Inches



W2150*
Inner: 1 Master: 25

QUART / GALLON FLUID PUMP

- Unique double threaded cap fits both quart and gallon size containers
- Convenient and versatile for hard to reach places
- Eliminates mess and waste



W1139*
Inner: 6 Master: 48

EASY FUNNEL

- Perfect for pouring hot and cold liquids
- Clips onto most common bottle necks

Sold in INNER QUANTITIES





W9167*
Inner: 12 Master: 144

1/4 PINT PUMP OILER

- Flexible spout
- Precision steel pump
- Convenient sizes
- Size: 1/4 Pint



W241*
Inner: 6 Master: 60

STANDARD/WIDE MOUTH GALLON FLUID PUMP

- Unique double threaded cap fits both gallon size containers, standard (37mm) and wide mouth (50mm)
- Avoid spills changing fluids like gear lube in a differential
- Threads securely onto traditional 37mm and the new 50mm wide mouth gallon containers
- Includes a 17 inch long, 3/8 inch diameter discharge hose allowing easy access to reach fill plugs



W1140*
Inner: 6 Master: 48

MARINE LOWER UNIT FLUID PUMP

- Patented double threaded cap fits both the quart and gallon size lubricant
- 24" flexible hose easily reaches difficult to access fill plugs
- 3/8-16 fits: OMC, Mercruiser, Evinrude, Johnson, Volvo, Force, Honda 70hp and up, and Mercury US origin
- 8mm fits: Yamaha, Nissan, Tohatsu, small Honda's, and Mercury Japanese origin



W54150*
Inner: 12 Master: 48

PLASTIC OIL DRAIN PLUG REMOVER

- Use to remove the plastic oil drain plugs on Ford, VW, Audi and BMW that have a plastic oil pan
- The special shapes on the adapter, securely fit specialized vehicle drain plugs without causing damage
- Chrome plated steel 3/8 in. drive T-handle, with three black oxide steel 3/8 in. drive adapters
- Adapters can fit the t-handle or any hand operated 3/8-inch ratchet



NEW

W54298*
Inner: 10 Master: 60

VW MODELS - Beetle, Eos, Golf, GTI, Jetta, Passat, Scirocco and Tiguan. AUDI MODELS - A3, A4, A5, A6, Q3, Q5, S3, TT, and TTS. FORD MODELS - Using 2.7L, 3.0L, 3.3L, 3.5L, 5.0L engines. BMW 125i, 220i, 225i, 228i, 320i, 328i, 420i, 428i, 520i, 528i, X1, X3, X4, and Z4.

MANUAL OIL EXTRACTION PUMP

- Conveniently remove oil or other liquids with no mess from spills or inconveniently accessed drain plugs
- Evacuates fluids including engine oil, transmission fluid, gear oil, coolant, and power steering fluid
- Includes hoses needed to fit dip stick holes, or fill ports
- 8 Liters(2.11 Gal) Polyethylene constructed reservoir, large enough for most jobs




W54171*
Inner: 1 Master: 4

Limited to stock on hand.

CLEAR VIEW LEVER GREASE GUN

- Unique window cut-outs for better identification of grease types
- Variable stroke enables the operator to work in tight and narrow spaces
- Built-in air pocket release valve for convenient release of trapped air
- Eliminate cross contamination from adding the incorrect grease to equipment
- Longer handle for increased leverage, and a black painted barrel for long life





W54293*
Inner: 1 Master: 12
Specs: Working pressure: 3000 psi. Develops 5000 psi. Delivers: 1 oz. / 40 strokes. Capacity: 14 oz. / 400 c.c.

CLEAR VIEW PISTOL GREASE GUN

- Unique window cut-outs for better identification of grease types
- Variable stroke enables the operator to work in tight and narrow spaces
- Built-in air pocket release valve for convenient release of trapped air
- Eliminate cross contamination from adding the incorrect grease to equipment
- Pistol grip handle for increased leverage, and a black painted barrel for long life
- 12 in. flexible hose with coupler





W54294*
Inner: 1 Master: 12
Specs: Working pressure: 3000 psi. Develops 5000 psi. Delivers: 1 oz. / 40 strokes. Capacity: 14 oz. / 400 c.c.

SEAL OFF DISPENSER & 360-DEG

- Seal Off Dispenser for Grease Plug Fittings
- 360 Degree Coupler is great for the Hard to Reach Fittings
- Combo Pack of Two Popular Grease Dispensers





W54215*
Inner: 4 Master: 72

90 DEGREE SWIVEL COUPLER

- Fits most hand operated grease guns
- Maximum Working Pressure (PSI): 4,500
- Burst Pressure (PSI): 8,000
- NPT (IN): 1/8"





W54225*
Inner: 6 Master: 144

5.5 IN. CURVED GREASE PIPE

- Use with most hand-operated grease gun couplers
- Used for applications such as lubricating motor vehicles, construction and industrial equipment
- Plated for Maximum Protection against corrosion
- Fits all 1/8" NPT thread grease accessories. 6,000 psi operating pressure



NEW



W54297*
Inner: 6 Master: 144

LOCK ON GREASE COUPLER

- Allows you to lock on the fitting with just a slight push, releases with the same minimal effort
- Fits most grease guns and accessories
- Positive seal prevents leakage while pumping grease up to 10,000psi
- Once locked on both hands can be used to operate the grease gun
- The small design allows you into tighter areas than other lock on couplers





W54228*
Inner: 10 Master: 100

ALL-IN-ONE GREASE FITTING TOOL

- All-in-one fitting tool used to install and remove
- For tapping and thread chasing 1/8-NPT fitting holes
- For 1/8 inches NPT and 7/16 inches straight or angle fittings
- Has broken fitting spiral removal tool
- Slotted provides for installing 30/45/65/90 degree grease fittings



W54229*
Inner: 24 Master: 144

100-PC METRIC GREASE FITTING

NEW

- 6mm sizes: 40pcs. Straight. 6pcs. 45 deg., and 6pcs. 90 deg
- 8mm sizes: 12pcs. Straight, 6pcs. 45 deg., and 6pcs. 90 deg
- 10mm sizes: 12pcs. Straight, 6pcs. 45 deg., and 6pcs 90 deg



METRIC

W54239*
Inner: 6 Master: 24

ALL-IN-ONE GREASE FITTING TOOL

- All-in-one fitting tool used to install and remove
- For tapping and thread chasing 1/4-28 NPT fitting holes
- For 1/4 inches, 5/16 inches and 3/8 inches straight or angle fittings
- Has broken fitting spiral removal tool
- Slotted provides for installing 30/45/65/90 degree grease fittings






W54231*
Inner: 24 Master: 144

*California Residents
Prop 65 warnings see page 40.

12V 1/2 IN. DR. IMPACT WRENCH

12Volt







BLOW MOLD STORAGE CASE

W50099*
Inner: 1 Master: 6

- 1/2" drive impact wrench plugs into your vehicle's 12 volt DC outlet (cigarette lighter port) and delivers up to 250 ft. pounds of torque to remove lug nuts
- 12 ft. power cord easily reaches all four wheels and has an in line fuse to protect your tool and vehicle
- Comes with 4 impact grade, Chrome Vanadium, sockets to fit most common lug nut sizes - 11/16 in / 17 mm, 3/4 in / 19 mm, 13/16 in / 21 mm.), 7/8 in. (23 mm.)

AIR TANKS

- 125 PSI maximum
- Light weight, portable with handle for easy transport
- Safety pressure bypass valve with manual override
- Industrial grade air hose with standard tire air chuck
- High visibility yellow for added safety

W10005* 5 GALLON
Inner: 1 Master: 1

W10011* II GALLON
Inner: 1 Master: 1





BREAKDOWN LUG WRENCHES



- Full size lug wrench breaks down into two parts for compact storage
- Two position center rod allows for applying added torque to those really tight lug nuts
- Heavy duty heat treated steel with rust resistant chrome plated finish
- Nylon storage pouch to keep everything together
- Free spinning handle with push button release

W5* SAE
Inner: 2 Master: 8
Includes 11/16 + 3/4 and 13/16 + 15/16" double ended sockets







W6* METRIC
Inner: 2 Master: 8
Includes 17 + 19mm and 21 + 23mm double ended sockets

HD DIGITAL TIRE INFLATOR KIT

NEW

BACKLIT LCD SCREEN

- Professionally calibrated digital pressure gauge for accurate readings between 0-150 PSI (0-10.34 Bar; 0-1034 Kpa; 0-10.5 kg/cm²) with resolution of 0.1psi within ±1% and pressure monitoring system
- Heavy brass air chucks include clip-on, screw-on, right angle, and presta valve styles for a positive air tight seal on car, van, truck and bicycle tire valve stems
- In-line upward facing gauge, large paddle trigger, built-in air bleeder valve and extra-long professional grade 20" red rubber air hose makes this our most comfortable and easy to use tire inflator





M526*
Inner: 6 Master: 24

Includes: inflation gun, digital gauge, 20" x 1/4" rubber lead hose, clip-on, screw-on, right angle, and presta valve air chucks, 4 rubber valve seals, 2 x AAA batteries



120 PSI MAX. PRESSURE 0-100 WORKING

DELUXE TIRE PUMP WITH TANK & GAUGE



- Reserve tank & pressure gauge
- 120 PSI capacity
- 24" hose with thumb lock chuck

W1636PB*
Inner: 1 Master: 6



HIGH CAPACITY FOOT PUMP

- Oversized 350ml capacity barrel delivers up to twice the amount of air per pump than standard foot pumps
- 24 inch long hose with locking valve and adapter for fit Presta and Schrader type valve stems
- Safely provides up to 100 PSI inflation capacity, with a max PSI of 120
- Rubber feet provide stability during operation





W1631*
Inner: 4 Master: 16

DIGITAL DUAL HEAD TIRE PRESSURE GAUGE

- Digital tire pressure gauge eliminates the inaccuracy of traditional gauges
- Gauge measures 5 to 99 psi. and is accurate to 1psi ±
- Dual head air chuck, and LED spot for siting valves at night
- Measures in PSI, BAR, KPA
- Professional quality for extended service life



60309*
Inner: 3 Master: 24

Limited to stock on hand.

DIGITAL TREAD DEPTH GAUGE

- Large LCD display for easy reading
- Zero setting at any position
- Manual power on/off
- Metric / inch system interchangeable
- Designed to facilitate quick and easy reading of tire tread depth





60310*
Inner: 25 Master: 100

CHROME VALVE EXTENSIONS

60108* 1-1/4 IN.
Inner: 12 Master: 144

60109* 3/4 IN.
Inner: 12 Master: 144





PLASTIC VALVE EXTENSIONS

60107* 3/4 IN.
Inner: 12 Master: 144





60106* 1-1/4 IN.
Inner: 12 Master: 144

1-1/4 IN. CHROME TIRE VALVE

- 1 1/4" long
- Chrome sleeve
- .453 in. rim hole

60100*
Inner: 12 Master: 144





2 IN. RUBBER TIRE VALVES

60103* .453 IN. RIM HOLE
Inner: 12 Master: 144



60102* .625 IN. RIM HOLE
Inner: 12 Master: 144



VALVE CORE TORQUE TOOL



- Avoid damaging the TPMS sensor caused by over tightening
- Proper torque eliminates leaking valves
- Correctly set valves prevents a false reading from the TPMS sensors

60508*
Inner: 12 Master: 72



HIGH TEMP VALVE CORES

- High temp

60114*
Inner: 12 Master: 144






CHROME HEX VALVE CAPS

- Chrome hex

60112*
Inner: 12 Master: 144





SLOT HEAD VALVE CAPS

- Slot head




60113*
Inner: 12 Master: 144



5 PACK TUBELESS TIRE REPLACEMENT PLUGS

- 4" long tire repair plugs

60209*
Inner: 10 Master: 100





TIRE MARKING CRAYONS

- Mark tires for repair

60507* WHITE
Inner: 10 Master: 100





60506* YELLOW
Inner: 10 Master: 100

*California Residents
Prop 65 warnings see page 40.

3 WHEEL MOVERS DOLLY

- Soft cushions protect objects being moved
- Depressed center for objects with legs
- Holds up to 132lbs evenly distributed
- (3) 1-1/2" casters for easy maneuvering



W54038*
Inner: 6 Master: 36

2 TON SUV SCISSOR JACK

4000 lb. CAPACITY

NEW

- Sturdy steel construction with a 4,000 lb. load capacity
- Includes a ratchet wrench for tight spaces and the standard speed wrench
- Lifting range is 3.9 in. to 17.3 in., (9.9cm to 43.9cm), perfect for the taller Sport Utility Vehicles
- 15 in. x 4.75 in., (38.1cm x 12.1cm), oversized base for added stability and support





W1622*
Inner: 1 Master: 6

2.5 TON JACK

3000 lb. CAPACITY

- 5 to 15 1/2" lift range
- Swivel casters for easy positioning
- Durable flanged steel frame
- Great for cars and light duty trucks



W1640*
Inner: 1 Master: 1

1,500 LBS MULTI-PURPOSE LIFT

1500 lb. CAPACITY

- 1,500 lb. capacity
- 4 1/2" to 16 1/2" lift range
- Two safety bolts ensure stability
- Three position locking levers
- Non-slip rubber foot pedal
- Easy to roll steel swivel casters

W41035*
Inner: 1 Master: 1

LIFT RANGE: 4-1/2 - 16-1/2"



ENGINE LEVELER WITH HANDLE

1500 lb. CAPACITY

- Drop forged steel construction
- Crank handle for fast adjustments
- Fully adjustable with threaded rod and 3 position chain mount holes crank handle for quick adjustments





W41036*
Inner: 1 Master: 6


ENGINE LIFTING PLATES

- Plate mounts directly to the block after intake and valley cover is removed
- Constructed of 3/16 in. thick zinc plated steel for lasting durability and strength
- Plate features three laser cut lifting points allowing the engine weight to be balanced or offset
- Multiple lifting points provides the ability to angle an engine and transmission in or out of the vehicle

W41041* GM
Inner: 2 Master: 6

Designed specifically for lifting Gen III and IV LS series GM engines. Designed for 1999-2016 Gen III and Gen IV General Motors LS engines.

GM®



W41042* FORD
Inner: 2 Master: 8

Designed specifically for lifting Ford 5.0L & 5.8L EFI engines. Designed for 1987-96 5.0L & 5.8L EFI.



FORD®

ROLLING TOOL CADDY

W85032*
Inner: 1 Master: 6

- Provides easy mobile access to your tools while working under vehicles or in confined spaces
- Keeps your tools organized within arm's reach so you don't have to search around for them or make multiple trips to your work bench or tool box
- Large rolling tray is about 18 inches across and features 5 compartments; 2 large and 3 small
- Integrated steel plate for magnetic tools such as a parts tray, work light or socket rail



FENDER COVER

- Heavy duty vinyl with foam backing
- Convenient built in tool pockets
- Fully sewn ribbed edge
- Size: 33" x 24"

W80583*
Inner: 1 Master: 12

SIZE: 33 X 24 INCHES



MAGNETIC CUP HOLDER

NEW

- The built-in ceramic magnetics will stick to any ferrous metal surface including tool boxes, filing cabinets, grills, and equipment racks
- Integrated ceramic magnets are covered by a scratch preventing rubber coating but are still powerful enough to hold up to 8 pounds
- Cup holder measures 3-5/8" diameter, 3-5/8" high in the front and 4-5/8" tall in the back









W12525*
Inner: 1 Master: 50

6 IN. USB MINI FAN

- Compact 4 inch aluminum blade and 6 inch frame delivers a lot of cooling air flow without taking up a lot of space
- 0.6mA brushless axial motor allowing for whisper quiet operation
- Sturdy metal stand with rubber feet is adjustable with 360 degrees of rotation
- Powered by a 3 foot USB cable that can operate from a computer, laptop, power bank and other USB outlet



W1663*
Inner: 6 Master: 24

Limited to stock on hand.

MULTI-PURPOSE WORKBENCH

- Folding design for compact storage
- Includes 4 bench dogs for odd shaped pieces
- Tabletop printed with grid, ruler and protractor for added convenience
- Includes tool storage rail
- 200 lb. safe working load
- Overall size: 23 7/8" x 25" x 31"





Tools not included.

W54025*
Inner: 1 Master: 1

CREEPER SEAT TOOL BOX

- Reinforced seat supports up to 350 lbs
- 3-drawer tool box with roller bearing slides
- Two folding tool trays with magnetic pads
- Vinyl padded seat cushion for maximum comfort and support
- 2-1/2 in. polyvinyl chloride full bearing casters for smooth movement
- Rear tray supports screwdrivers and pliers





W85025*
Inner: 1 Master: 1

FOLDING C-FRAME SEAT

- 12-1/2" high
- 14-1/2" x 5-1/2" seat
- Locking pins to seat closed while not in use







W85021*
Inner: 1 Master: 1

PNEUMATIC BAR STOOL WITH SWIVEL SEAT

330 lb. LOAD CAPACITY



- Pneumatic action adjusts seat height from 26" to 32" quickly and easily
- 14" diameter synthetic leather foam padded seat with 360_ swivel
- Heavy duty steel tubing frame with matte black powder coated finish
- Wide foot stool base comes pre-assembled

W85011*
Inner: 1 Master: 1





PROFESSIONAL HYDRAULIC SHOP SEAT

300 lb. LOAD CAPACITY

- Pneumatic action adjusts seat to 20" height quickly and easily
- Convenient 15" diameter tool tray
- Shielded 2 1/2" casters
- Fully padded 12" diameter seat
- 2 1/2" replacement caster assembly Performance Tool part # W85003






W85008*
Inner: 1 Master: 4

PNEUMATIC ROLLING BAR STOOL

- Pneumatic action adjusts seat height from 19" to 24" quickly and easily
- Chrome plated frame and foot rest
- Five hooded dual-caster wheels
- Foam padded 13" diameter seat
- 250lb capacity







W85027*
Inner: 1 Master: 4

BIG TOP PNEUMATIC ROLLING SHOP STOOL

- Pneumatic action adjusts seat height from 19 to 24 inches (480 to 610mm) quickly and easily
- Extra-wide powder coated 5-point frame and foot rest with durable crinkle finish
- Five hooded dual-caster swivel wheels for easy maneuverability
- Extra-thick 12.5 inch (318mm) diameter foam padded seat
- 300lb capacity (136 Kg)






W85033*
Inner: 1 Master: 4

*California Residents
Prop 65 warnings see page 40.

SECURE XLD

LIGHT DUTY



1 IN. X 15 FT. RATCHETING TIE DOWNS

- 15-Foot long by 1-Inch wide polyester webbing
- 300 Lbs. load limit, 900 Lbs. break strength
- Ratcheting mechanism tightens with vise-like gripping power
- Vinyl coated steel hooks



1 IN. X 10 FT.
W1870* *4 PACK*
Inner: 3 Master: 9





W1824* *2 PACK*
Inner: 4 Master: 16


W1825* *SINGLE*
Inner: 6 Master: 48
Add -B to corresponding part number to receive black bin.



Black Bin Item

SECURE XMD

MEDIUM DUTY



1 IN. X 15 FT. RATCHETING TIE DOWNS

- 15-Foot long by 1-Inch wide polyester webbing
- 500 Lbs. load limit, 1500 Lbs. break strength
- Ratcheting mechanism tightens with vise-like gripping power
- Comfort-grip padded handles with vinyl coated steel hooks and padded release lever



W1851* *SINGLE*
Inner: 6 Master: 48
Add -B to corresponding part number to receive black bin.

Black Bin Item

W1840* *4 PACK*
Inner: 3 Master: 6



4-PK 1 IN. X 10 FT. TIE DOWN STRAPS

- 10-Foot long by 1-Inch wide polyester webbing
- 500 Lbs. load limit, 1500 Lbs. break strength
- Constructed from durable cast aluminum construction, with padded comfort grip handle
- Ratcheting mechanism tightens with vise-like gripping power





W1871*
Inner: 3 Master: 6

1 IN. X 10 FT. RATCHETING TIE DOWN

- 10-Foot long by 1-Inch wide polyester webbing
- 600 Lbs. load limit, 1800 Lbs. break strength
- Constructed from durable cast aluminum construction, with ergonomic rubber grip
- Contoured release lever ensures ease of use
- Ratcheting mechanism tightens with vise-like gripping power



W1852*
Inner: 4 Master: 24



2-PK 1 IN. X 6 FT. TIE DOWN STRAPS

- 6-Foot long by 1-Inch wide polyester webbing
- Retractable mechanism eliminates mess and tangling
- Strap winds into handle with the simple push of a button
- 500 Lbs. load limit, 1500 Lbs. break strength
- Ratcheting mechanism tightens with vise-like gripping power



W1861*
Inner: 3 Master: 9

2-PK 1 IN. X 10 FT. CAMO TIE DOWNS

- 10-Foot long by 1-Inch wide polyester webbing
- 600 Lbs. load limit, 1800 Lbs. break strength
- Stylish cast aluminum handle with camouflage finish and vinyl coated steel hooks
- Ratcheting mechanism tightens with vise-like gripping power

W1860*
Inner: 6 Master: 12





Limited to stock on hand.

SECURE XHD
HEAVY DUTY



2-PK 1 IN. X 14 FT. TIE DOWN STRAPS



- 14-Foot long by 1-Inch wide polyester webbing
- 1000 Lbs. load limit, 3000 Lbs. break strength
- Open handle design allows for a better grip and faster tightening
- Contoured release lever ensures ease of use
- Ratcheting mechanism tightens with vise-like gripping power



W1862*
Inner: 4 Master: 8

4-PK 1 IN. X 14 FT. TIE DOWN STRAPS

- 14-Foot long by 1-Inch wide polyester webbing
- 1000 Lbs. load limit, 3000 Lbs. break strength
- Comfort-grip padded handle with vinyl coated steel hooks
- Ratcheting mechanism tightens with vise-like gripping power







W1872*
Inner: 3 Master: 6

4-PK 1 IN. X 15 FT. TIE DOWN STRAPS


- 15-Foot long by 1-Inch wide polyester webbing
- 1000 Lbs. load limit, 3000 Lbs. break strength
- Open T-handle design allows for a better grip and faster tightening
- Durable cast aluminum construction with vinyl coated steel hooks
- Padded release lever ensures ease of use
- Ratcheting mechanism tightens with vise-like gripping power



W1873* *4 PACK*
Inner: 3 Master: 6



W1853* *SINGLE*
Inner: 4 Master: 24





SECURE XSD
SUPER DUTY



RATCHETING TIE DOWN STRAPS

- Ratcheting mechanism tightens with vise-like gripping power



2 IN. X 30 FT.

- 30-Foot long by 2-Inch wide polyester webbing
- 3300 Lbs. load limit, 10000 Lbs. break strength
- Flat steel, brass plated hooks

W1855*
Inner: 2 Master: 6

2 IN. X 27 FT.

- 27-Foot long by 2-Inch wide polyester webbing
- 3300 Lbs. load limit, 10000 Lbs. break strength
- Open T-handle design allows for a better grip and faster tightening
- Padded comfort grip and release lever
- Double J plated steel hooks

W1827*
Inner: 2 Master: 6

2 IN. X 16 FT.

- 16-Foot long by 2-Inch wide polyester webbing
- 3300 Lbs. load limit, 10000 Lbs. break strength
- Camouflage webbing blends into the natural outdoor environment
- Padded release lever ensures ease of use

W1854*
Inner: 2 Master: 6



2-PK 1-1/2 IN. X 15 FT. TIE DOWN

- 15-Foot long by 1.5-Inch wide polyester webbing
- 1800 Lbs. load limit, 5000 Lbs. break strength
- Ratcheting mechanism tightens with vise-like gripping power
- Padded comfort grip handle and release lever
- Vinyl coated steel hooks







W1826*
Inner: 4 Master: 8

*California Residents
Prop 65 warnings see page 40.


SECURE XLD
LIGHT DUTY



1 IN. X 10 FT. CAM BUCKLES

- 10-Foot long by 1-Inch wide polyester webbing
- 300 Lbs. load limit, 900 Lbs. break strength
- Pull tight by hand to secure loads
- Vinyl coated steel hooks prevent scratching

W1846* 4 PACK
Inner: 3 Master: 9




W1850* SINGLE
Inner: 6 Master: 48
Add -B to corresponding part number to receive black bin.

Black Bin Item



SECURE XSD
SUPER DUTY





2 IN. TOW STRAP W/HOOKS

- 15-Foot Long by 2-Inch wide (50mm x 457cm) polyester webbing
- 3330 Lb. load limit, 10,000 Lb. break strength
- Rust resistant zinc plated forged hooks with latches
- Super strong, flexible webbing with reflective safety striping
- Intended for vehicle recovery purposes only not for prolonged towing

W1820* 15 FT.
Inner: 3 Master: 12




W1822* 20 FT.
Inner: 3 Master: 12



W1823* 30 FT.
Inner: 3 Master: 9





EYEBOLT ANCHOR POINT

- Designed to provide a safe and secure tie down attachment point
- Fits most trucks with or without bed liners (may not fit all Dodge of Sierra/Silverado beds)
- Durable rust resistant chrome finish
- 300 Lb. load limit, 900 Lb. break strength

W1881*
Inner: 6 Master: 60





4-PK FLIP RING ANCHORS

- 400 Lb. load limit, 1200 Lb. break strength
- Corrosion resistant zinc plated finish
- Easy to use design mounts to the floor or wall
- Ideal for trucks, trailers or vans





W1882*
Inner: 4 Master: 40

2-PK TRUCK BED ANCHOR POINTS

- Fits most trucks, with or without bed liners including: Dodge Ram, Chevy Silverado, and GMC Sierra
- No drill installation
- Corrosion resistant chrome plated finish
- Rubber base provides a secure tight fit
- 500 Lb. load limit, 1500 Lb. break strength





W1883*
Inner: 3 Master: 36

Limited to stock on hand.

FLAT BUNGEES W/CARABINER

- Combines the benefit of a flat bungee with the safety of a carabiner hook
- Flat bungee cord distributes load weight more evenly
- Anodized aluminum carabiner is corrosion resistant and connects more securely
- Won't scratch or mar your vehicle



W1456* 48 INCH
Inner: 6 Master: 48

W1455* 36 INCH
Inner: 6 Master: 48

W1454* 30 INCH
Inner: 6 Master: 72

W1453* 24 INCH
Inner: 6 Master: 72


W1452* 18 INCH
Inner: 12 Master: 96

W1451* 12 INCH
Inner: 12 Master: 96

60 IN. X 78 IN. CARGO NET

- Durable plastic hooks fit over 1 inch (25mm) bars and are easy to hook to a truck's anchor points
- Multi-strand rubber core center for extra strength
- Holds up under extreme weather conditions
- Bungee material stretches to fit odd shaped loads
- 60 Inch by 78 Inch, Only use for light loads, Black





W1829*
Inner: 1 Master: 6

5 IN. JUNIOR JUMBO CARABINER

- Great for carrying extension cords, power tools, shopping bags, buckets and sporting equipment
- Lightweight aluminum construction
- Ergonomic soft grip handle
- Maximum weight limit 100 lbs. (45 Kg)







W461*
Inner: 8 Master: 48

2-PK ADHESIVE RUBBER SURE STEP

- Offers extra traction on trailer wheel wells, steps, ramps, or anywhere a non-skid surface is needed
- Strong adhesive backing adheres easily to any clean, smooth surface and prevents shifting or slipping
- UV and weather resistant rubber with diamond tread pattern
- 4 Inches Wide, 15-1/2 Inches Long (10 x 39.4cm)

W1893*
Inner: 1 Master: 1

NEW






RATCHETING CARGO BAR

- Adjustable cargo bar installs easily to prevent cargo from shifting in trucks, vans, and SUVs
- The ratcheting mechanism is used to add more tension for a tighter, stronger hold
- Cushioned rubber end pads to guard against slipping and scratches
- The steel bar adjusts from 40"-70"







W1447*
Inner: 1 Master: 10

2-PK BUNGEE CORDS

- Coated steel hooks with extra wide hook openings
- Multi-strand rubber core center for extra strength
- UV resistant color coded poly coating



W1830* 24 INCH
Inner: 4 Master: 48
Add -B to corresponding part number to receive black bin.

ALL 3 SIZES AVAILABLE IN IMPULSE BINS!




W1831* 36 INCH
Inner: 4 Master: 48
Add -B to corresponding part number to receive black bin.



W1832* 48 INCH
Inner: 4 Master: 48
Add -B to corresponding part number to receive black bin.

ASSTORTED BUNGEES



20-PC BUNGEE CORD ASSORTMENT

- Coated steel hooks with extra wide hook openings
- Multi-strand rubber core center for extra strength
- UV resistant color coded poly coating



W1890*
Inner: 1 Master: 9
Assortment includes (2) 40-inch, (2) 30-inch, (4) 20-inch, (4) 15-inch, (6) mini and (2) canopy straps.



*California Residents
Prop 65 warnings see page 40.

SILVER TARPS

- 10 mil Thickness
- Reinforced corners
- Rope sewn along edges for strength
- Rust resistant grommets

W7002* 6 FT. X 8 FT.
Inner: 1 Master: 20

W7004* 8 FT. X 10 FT.
Inner: 1 Master: 10

W7006* 10 FT. X 12 FT.
Inner: 1 Master: 8



EPDM RUBBER TARP STRAP

- Weather resistant EPDM material will not rot or lose elasticity after continuous exposure to the elements
- Versatile tarp strap for a variety of applications
- Zinc plated steel S-hooks



W1811* 15 INCH
Inner: 6 Master: 96

W1812* 21 INCH
Inner: 6 Master: 96

W1813* 31 INCH
Inner: 6 Master: 96

W1814* 41 INCH
Inner: 6 Master: 48



4-PK TARP CLIPS





- Multi-clip design features three holes for bungees, straps or tie downs, and friction fit slots for rope or paracord
- Designed to attach directly to covering for superior holding power
- Use to add an instant anchor point and better secure and cover your load
- Durable, high-impact nylon construction

W1892*
Inner: 12 Master: 72
Black Bin Item





7/32 IN. X 50 FT. BRAIDED POLY ROPE

- This light duty rope with many uses from camping to landscaping or securing a load
- The braided polypropylene rope with non-woven cloth core is rot and mildew resistant
- Safe working load is 35lbs
- Measurements: 7/32 in x 50 ft long (5.5mm x 15M)

NEW



20243*
Inner: 12 Master: 48
Black Bin Item

3/8 IN. X 100 FT. DIAMOND BRAID ROPE

- A great general purpose rope with many uses; from camping to landscaping or securing a load
- The braided polypropylene rope with non-woven cloth core is rot, mildew, abrasion, oil resistant and will even float on water

NEW



W1899*
Inner: 6 Master: 24

6-PC TARP STRAP ASSORTMENT

- Weather resistant EPDM material will not rot or lose elasticity after continuous exposure to the elements
- Black rubber with plated steel S-hooks
- Includes (6) tarp straps, 2 each 15-inch, 21-inch, 31-inch black

W1891*
Inner: 1 Master: 9





2 IN. X 6 FT. TREE SAVER STRAP



- 8000 lb rating
- Quality synthetic webbing
- Protects trees and winch cables from damage

W1416*
Inner: 12 Master: 24



6-PC WIRE BRUSH SET

- Features contoured offset handles for better access, and sure-grip grooved PVC handles
- Nylon bristles for tile and grout, brass coated for dirt and paint and steel bristles for everything else
- Includes six different brushes, three small 6-1/2 in. long and three medium 8-5/8 in. long
- Each detail brush is 1/2 in. wide, the small has 1 in. bristles and the medium has 3 in. bristles

W4950*
Inner: 6 Master: 36

NEW



2-PC DETAILING BRUSH SET

- Useful for many different cleaning and detailing jobs
- Features contoured offset handles for better access, and sure-grip grooved PVC handles
- The brass bristle make these non-sparking, non-magnetic and corrosion resistant wire brushes
- Set includes a small 6-1/2 in. long and a medium 8-5/8 in. long brush
- Each detail brush is 1/2 in. wide, the small has 1 in. bristles and the medium has 3 in. bristles

W4951*
Inner: 12 Master: 72

NEW



MECHANIC'S HAND BAR SOAP

- Infused with rice and charcoal to provide a better clean
- Lightly abrasive to remove even the toughest grease and grime
- Designed for those heavy duty jobs that cover your hands in grease, soot, tar, paint, dirt, grime, oils, adhesives and more

20235*
Inner: 8 Master: 128

NEW



40-PK INDUSTRIAL MECHANIC WIPES

- The heaviest duty wipes you will ever find! Water saving, moisturizing, eco-friendly and a fresh lemon scent
- Powerful ingredients combine three different oils that clean the toughest of dirt, grease, grime, oil, paint, tar, sludge, silicone, adhesives and more
- Certified non-toxic, non-Prop 65 ingredients are safe, anti-bacterial, gentle on your hands, and still clean thoroughly

NEW







W1479*
Inner: 1 Master: 16

Limited to stock on hand.

MULTI GRADE STEEL WOOL

- Versatile material, used for a variety of household, remodeling and construction tasks
- Smooth wood or rough up metal surfaces during paint prep
- Remove surface rust from metal surfaces like hand or garden tools
- Often used to scrape off deposits without scratching the surface such as glass
- Contains 4pcs #0 Fine, 4pcs #1 Medium, and 4pcs #3 Coarse



MULTIPLE GRADES FOR EVERY JOB

W1253*
Inner: 12 Master: 48

8 IN. SILICONE SQUEEGEE

Sold in INNER QUANTITIES

- Provides a scratch free, dry surface without a chamois or towel
- Soft grip handle for extra comfort
- Quality flexible silicone blade



W1460*
Inner: 8 Master: 16

FIRE HOSE NOZZLE

Sold in INNER QUANTITIES

- Attaches to any standard garden hose
- Adjust from jet spray to fan spray
- Heavy duty rubber grips
- Durable and built to last
- Up to 40ft jet spray



W11090*
Inner: 6 Master: 36

325-PC COTTON CLEANING SWABS

- Industrial strength, low lint cotton swabs with excellent solvent holding capacity
- Strong, flexible bamboo handles will bend without breaking
- Compatible with most solvents such as alcohol, acetone, flux, oils, greases and solvents
- Environmentally friendly product that is both disposable and biodegradable

W1471*
Inner: 6 Master: 48

Sizes include: (100) - 5mm x 7.6cm, (100) - 5mm x 15 cm, (50) - 8.5mm x 15 cm, (25) - 12mm x 19.5 cm, (25) - 16mm x 21 cm and (25) - 20mm x 21.5 cm



325 PIECES OF ASSORTED SIZES

HEAVY DUTY 32OZ SPRAY BOTTLE

- Heavy duty chemical resistant sprayer bottle hold up to harsh cleaners and solvents
- High output fluid nozzle that can dispense large volumes down to a light mist
- A molded fingertip trigger helps reduce finger fatigue during rigorous use
- Full range Adjustable Nozzle for Fine Mist, Coarse Spray, and Jet Stream
- Handy Ounce and Milliliter scale molded into the side of the bottle for accurate measuring
- The perfect multipurpose spray bottle for the garage, household, or industrial use



W1473*
Inner: 12 Master: 24

25 PACK SHOP TOWELS

- Machine washable
- Soft all-cotton weave
- Picks up dirt, grease and liquids
- Size: 13.75 in. x 13 in





W1476*
Inner: 1 Master: 24

TELESCOPING CLOTH DUSTER

Sold in INNER QUANTITIES

- Innovative microfiber technology traps dust for easy cleaning
- Removable 5-1/2 inch fabric duster is machine washable
- Easily reaches high places and deep recesses
- Extends from 11 inches to 30 inches
- Cushion grip handle



W9202*
Inner: 12 Master: 96

2-IN-1 WINDOW CLEANER/SCRAPER

- Fast and easy tool for cleaning the inside windows of your home or vehicle
- Telescoping handle extends from 14.75 to 19 inches (37.5-48.5cm)
- 180° triangular swivel head allows you to clean hard to reach corners and back or side windows
- Soft microfiber cover is safe to use on all surfaces and will not scratch surfaces
- Additional features include a heavy duty ice scraper with ice ripping teeth and comfortable foam grip



EXTENDS FROM 14-3/4 - 19 INCHES

W1462*
Inner: 6 Master: 24

5-PC CLIP, FILE & CUTTING KIT

- Includes 5 essentials tools that keep you looking your best
- Stainless steel tools with rust resistant black oxide finish



STYLISH CARRYING CASE

W1480*
Inner: 4 Master: 96

Includes: Large 3-1/8" nail clipper, medium 2-1/4" curved nail clipper, 3-3/4" tweezers, 3-1/2" nail file/cleaner, 3-1/2" trimming scissors

8-PC 2 SIDED SANDING SWABS

- Unique head shape and flexible plastic shaft to get into hard to reach areas that ordinary sandpaper or files can't
- Marine grade epoxy secures the silicon Carbide grit to plastic shafts for use in either wet or dry applications
- 6 inch long shafts are double sided for (8)120 grit black and (8)180 grit grey ends






W50006*
Inner: 6 Master: 36

*California Residents
Prop 65 warnings see page 40.

COMPOSITE MINI PICK & HOOK

- Made of non-marring reinforced nylon composite material for strength and flexibility
- Double-ended with hooks, angels, and straight tips ensuring the right tool for the job
- Remove or replacing O-rings, seals/gaskets, clips, and cleaning tight gaps in interior components
- Handling delicate wiring and connectors, etc. with these 6-5/8 inch long tools





W2039*
Inner: 10 Master: 100

3-PC RETRIEVAL TOOL KIT



- Includes: 24 inch claw retrieval tool, 21 inch extendable 2 inch mirror and 24 inch magnetic pick up tool
- Telescoping mirror and magnetic tool collapse down to about 6 inches for easy storage
- Claw tool features flexible shaft that holds its position for hard to reach areas




W1936*
Inner: 12 Master: 48

LED MAGNIFIER BIFOCAL LENS

NEW

- High quality acrylic lens is up to 10X stronger than glass, lightweight, and features an optical coating for improved clarity
- Wide angle LED lights up your viewing area
- Pivoting lens can be positioned in 4 positions or folded for storage
- Large 2X magnifying area measures 3-1/4" x 2-1/4" (83x57mm) and 6X inset bifocal lens for fine detail measures 3/4" (19mm)
- Requires (2) AA batteries (included)







W15039* CARDED
Inner: 6 Master: 36



20238* BULK
Inner: 4 Master: 128

LED INSPECTION MIRROR PICKUP TOOL

- 2 lighted tools in 1 - inspection mirror and pickup tool
- Extends to over 34 inches
- Mirrors snaps on/off for access into confined areas
- Moveable LED provides light where needed
- Requires (2) CR2032 button cell batteries (included)

W9145*
Inner: 12 Master: 48

Sold in INNER QUANTITIES





3-PC LIGHTED PICKUP TOOL KIT

- Bright LED light helps you retrieve lost tools and parts up to 8 lbs
- Includes large and small attachable mirrors
- Extends from 6 1/2" to 33"
- Cushion grip handle
- Requires (3) AG13 button cell batteries (included)





W1935*
Inner: 8 Master: 48

SWIVEL LED MAGNETIC PICKUP TOOL

- Bright LED light helps you find lost tools and parts
- Easily retrieves objects from confined areas
- Retriever extends over 28-1/2"
- Double ball joint swivel
- Lifts up to 8lbs
- Requires (3) AG13 button cell batteries (included)





W1927*
Inner: 12 Master: 72

SPINY BACK SCRATCHER

- Double-sided ABS cactus head provides two levels of itch relief
- Pointed side for precise application and rounded side for a gentler massaging effect
- Stainless steel telescoping sections provide just the right length
- Extends from 8 inches to 26 inches (20-66cm)





Sold in INNER QUANTITIES



W9215*
Inner: 9 Master: 54

2-IN-1 INSPECTION/ PICKUP TOOL

- Indispensable for visual access or retrieving lost parts in confined areas
- Magnetic tip retrieves up to 3 lbs
- Retriever extends to 15"
- 1 1/8" round mirror
- Handy pocket clip



Sold in INNER QUANTITIES

W9109*
Inner: 12 Master: 72

Limited to stock on hand.



1,120-PC HARDWARE ASSORTMENT

Contents: Pan head screws: 15 each: #10 X 1 1/2 in. Sizes 20 each: #10 X 3/4 in., #10 X 1 in, 25 each: #8 X 1 in., #8 X 1 1/2 in. Sizes 30 each: #8 X 3/4 in, 35 each: #6 X 1 in. Sizes 40 each: #6 X 3/4 in. Oval Head Screws: 15 each: #10 X 1 1/2 in. Sizes 20 each: #10 X 3/4 in., #10 X 1 in, 25 each: #8 X 1 in., #8 X 1 1/2 in. Sizes 30 each: #8 X 3/4 in, 35 each: #6 X 1 in. Sizes 40 each: #6 X 3/4 in. Machine screws: 10 each: 1/4 in. Sizes 20 each: #10 X 3/4 in., #10 X 1 in, 25 each: #8 X 3/4 in., #8 X 1/2 in. Sizes 30 each: #6 X 1/2 in., #6 X 1 in. Hex nuts: 30 each: 1/4 in; 50 each: #10; 80 each: #8; 110 each: #6. Flat washers: 30 each: 1/4 in; 50 each: #10; 80 each: #8; 110 each: #6.

W5355*
Inner: 1 Master: 12

DUCT TAPE HEAVY DUTY

- Heavy duty duct tape has thousands of uses around the home, garage or workshop
- Strong polyethylene backed, rubber base adhesive foe a strong hold
- 2" wide, 50 yards long
- 17 mil thick



W503* SILVER
Inner: 1 Master: 24

W504* BLACK
Inner: 1 Master: 24

10 FT SELF-SEALING SILICONE TAPE

- Stretches and conforms to almost any surface to create a permanent, high pressure seal
- Can be applied in wet conditions to create a water and air tight seal to pipes and hoses
- Tape has no adhesives and, can be cut away to remove, and will leave no sticky residue
- 10' long x 1" wide x 0.02" thick

W505* NEW
Inner: 6 Master: 72



5 PACK BLACK ELECTRICAL TAPE

- Multiple uses around shop, home, and auto
- Cold and weather-resistant
- 30' x 3/4"



W548*
Inner: 12 Master: 72



2 IN. X 16 FT. BLACK/ YELLOW GRIP TAPE

- High visibility black and yellow safety pattern is great for areas that need added warnings about risks of slipping
- Textured anti-slip surface provide added safety for otherwise slippery walkways, entries, steps, floors ladders, ramps, trailers, decks and more
- PVC based rubber backing resists water vapor, mild acids, gases, oils, alcohols, and UV other liquids
- 2 inches wide, 192 inches in total length (50mm x 4870mm)



W514*
Inner: 6 Master: 54

9-IN-1 MULTI-FUNCTION SHEARS

- High quality stainless steel blades separate for individual use as knives
- Ergonomic non-slip molded grips for improved comfort and control
- Ideal for cutting, slicing, trimming, pealing and more
- 9 functions in 1: shears, fine knife blade, coarse knife blade, serrated knife, bottle opener, pull tab can opener, nut cracker, peeler & lid lifter



W9353*
Inner: 6 Master: 36

HEAVY DUTY CAULKING GUN

- Heavy duty 10 oz. rotating barrel caulking gun
- Aluminum handle, steel barrel with a smooth rod and comfort grip end
- Rotating barrel enables application round tight corners without the need to reposition the nozzle
- Uses standard 10oz sealants, caulks, and adhesive cartridges



W54295*
Inner: 6 Master: 36

JERSEY COTTON KNIT GLOVES

- All-purpose gloves made of a cotton polyester blend that is lightweight but durable and can also be worn as liners for outer gloves
- Reusable jersey material is lightweight, breathable, comfortable and easy to clean
- Approximately 10" long (250mm) with stretchable cuff, and flexible material to fit most adult size hands



W89024*
Inner: 12 Master: 300

5 PAIR NITRILE COATED GLOVES

- Pliable, breathable material provides great dexterity for automotive, construction material handling and more
- Nitrile coating provides added cushion, comfort and better grip
- Snug fitting polyester material features latex free coating and universal size



W89023*
Inner: 6 Master: 36

BLACK NITRILE GLOVES

- Provides a protective barrier against dirt, grime, oil, chemicals and solvents
- Textured fingertips for better grip
- Powder/latex free
- Use for food processing, janitorial, painting, maintenance and light shop work
- 100 Gloves per box



W89011* MEDIUM
Inner: 1 Master: 10



W89012* LARGE
Inner: 1 Master: 10

W89013* X-LARGE
Inner: 1 Master: 10



3 PAIR CUT RESISTANT GLOVES

- Feature level 5 maximum cut resistance, tested to EN388:2003 standard to help protect when handling glass, steel and wood
- Pliable, breathable material provides great dexterity
- Soft polyurethane coating provides added cushion, comfort and better grip
- Blend of HPPE, spandex and polyamide is reusable and washable: clean with cold water and mild detergent then air-dry



W89021* LARGE
Inner: 6 Master: 48

W89022* X-LARGE
Inner: 6 Master: 48

*California Residents
Prop 65 warnings see page 40.

TACTICAL FOLDING KNIFE

- 3 3/8" stainless steel blade
- 7 7/8" overall open length, 4 1/2" folded length
- Blade lock/release mechanism
- Thumb stud for easy, one hand operation
- Includes belt clip



W9340*
Inner: 6 Master: 48

2-3/4 IN. FOLDING POCKET KNIFE

- 2 3/4" stainless steel partially serrated blade
- 6 1/2" overall open length, 3 3/4" folded length
- Thumb stud for easy one hand operation
- Blade lock/release mechanism and pocket clip



W9332*
Inner: 6 Master: 48

ALOMBA WOOD HANDLE KNIFE

- Finger flipper and spring mechanism provide quick and easy assisted opening
- Black stainless steel drop point blade with comfortable zebrawood handle
- 3 inch (8.0 cm) stainless steel partially serrated blade
- 8 inch (20.1 cm) overall open length, 4-1/2 (11.8 cm) inch folded length
- Finger flipper, pocket clip and inline blade lock/release mechanism



W9372*
Inner: 12 Master: 96

8-IN-1 MULTI-FUNCTION KNIFE

NEW

- 8 functions in one convenient pocket tool
- Compact design folds up to 3.75 inches (9.5cm)
- Lightweight and durable anodized aluminum handles with stainless steel tools
- Features: bottle opener, can opener, scissors, coarse file, fine file, nail cleaner 2-inch (50mm) knife, and carabiner



W9375*
Inner: 12 Master: 192

2-PC HYBRID HANDLE KNIFE SET

NEW

- Attractive blend of red hardwood and anodized aluminum provide comfort and style
- Both include a thumb stud for quick and easy opening and a pocket clip
- Pocket knife: 2-3/4 inch 3CR13 stainless steel tanto blade, 6 inch overall open length, 3-1/2 inch folded length, with inline blade lock
- Utility knife: 2-1/2 inch SK5 utility blade, 5-1/2 inch overall open length, 3-1/2 inch folded length, and lock back function



W9373*
Inner: 10 Master: 40

2-PC TACTICAL KNIFE SET

- Anodized aluminum skeleton frames are light weight and long lasting
- Utility knife features quick change blade, and push button lock to prevent accidental opening or closing
- Liner lock on pocketknife for safe and easy operation
- Each knife features an integrated carabiner pocket clip with spring-loaded catch



NEW



W9376*
Inner: 6 Master: 36

12-IN-1 OUTDOOR SURVIVAL KIT

- Includes: Fire starter flint stick with striker and handle, pocket knife, multi-function card tool, cable saw for use around a campsite
- Adjustable beam flashlight with pocket clip, keychain light and plastic carabiner clip (Flashlight battery not included)
- High-frequency whistle and emergency blanket in case you get stranded
- Notebook, pen and plotting compass to aid in wayfinding

W9404*
Inner: 6 Master: 36





MOSQUITO KILLER LANTERN

- 500V high voltage grid
- 360-400nm UV wavelength LED
- Uses professional grade Nichia lifetime SMD bulb
- Powered by (1) 18650 3.7V, 2000mAh Lithium-Ion battery, included
- Micro USB charging cord included
- Eco friendly, weatherproof, IPX4 water resistant rating, with handy hanger



440*
Inner: 8 Master: 32

BOOT & SHOE BRUSH

- Wood blocks with heavy duty steel frame
- easily screwed down to any surface using the integrated tabs
- Heavy poly bristles for long life

ESSENTIAL FOR EVERY HOME & RV



W9451*
Inner: 1 Master: 6

220LM MINI LANTERN

- Uses Professional Grade Lifetime SMD Bulb
- IPX4 -Water Resistant
- 3- Output Settings: High, Low & Strobe
- Lumen Output: High 220 Lumens-Low 90 Lumens
- Powered by 3-AAA Carbon Zinc batteries, included

220 LUMENS





166*
Inner: 6 Master: 24

Wilmar, LLC
P.O. Box 88259 Tukwila, WA 98138
e-mail: tools@wilmarllc.com•
1-800-426-1262 USA & Canada
1-800-352-9185 Fax

WS-2022-05

*⚠**WARNING:** Cancer and Reproductive Harm -www.P65Warnings.ca.gov

© Copyright 2022 Wilmar, LLC. This material is being furnished for the exclusive use of Wilmar Corporation customers and may only be used in connection with the sale of Wilmar®, Performance Tool®, PT POWER®, airTIGHT™, Northwest Trail®, Project Pro®, Mechanics Products® and ATAK® brand merchandise. Any other use is strictly prohibited. Illustrations and photographs are intended for reference only. Actual products may vary. On occasion, after printing of our catalogs, flyers or other sales aids is completed, the manufacturers may make changes and/or modifications to merchandise which will not be reflected in this literature. Accordingly, when ordering, please inquire of our sales representative as to any such changes or modifications which have been made following publication. Wilmar is not responsible for typographical, grammatical, numerical or hyphenation errors.

Limited to stock on hand.